



Optimizing Parallelism During Run-Time

[View U.S. Patent No. 9,223,674 in PDF format.](#)

WARF: P130131US01

Inventors: Gurindar Sohi, Srinath Sridharan

The Wisconsin Alumni Research Foundation (WARF) is seeking commercial partners interested in developing a method for determining the right amount of parallelism needed to improve processor speed, energy efficiency and resource usage.

Overview

Executing different portions of a program in parallel on different processors is known as parallelism. While this can boost how fast a program is executed, increased parallelism is not always beneficial and can lead to inefficiencies.

Determining the correct amount of parallelism is innately complex due to changes in program phases, the unknown effects of other concurrently executing programs, diverse performance goals (such as reduced power consumption and efficient utilization of computation resources) and the variability of hardware platforms and resources.

The Invention

UW–Madison researchers have developed a method to determine the optimal amount of parallelism during run-time and to control parallelism according to that determination. This run-time assessment improves portability of programs among multiple disparate devices across which the amount of parallelism may change significantly.

In an embodiment, a virtualizer program transparently interposes between the application program and the computer's operating system. It continuously monitors changes in the execution environment and rapidly optimizes the program's parallelism to best fit the environment.

The virtualizer program operates in periodic intervals. During a preceding interval, it varies the parallelism in a program, monitors performance and establishes a relationship between parallelism and performance. Based on this relationship, it controls the parallelism during a succeeding interval to satisfy a desired performance goal while ensuring the program's forward progress.

Applications

- Implementation on multicore processors

Key Benefits

- Faster, more efficient processing
- Programs are more portable between different devices.
- Amount of parallelism is based on current run-time conditions.

We use cookies on this site to enhance your experience and improve our marketing efforts. By continuing to browse without changing your browser settings to block or delete cookies, you agree to the storing of cookies and related technologies on your device. [See our privacy policy.](#)

- Can satisfy diverse performance goals, such as instruction execution speed, processor resource usage, processor energy usage or processor power usage.
- Minimal overhead

OK



- Rapid response to even slightest of changes in run-time conditions
- Method is not beholden to any operating system or application program.

Additional Information

For More Information About the Inventors

- [Gurindar Sohi](#)

Related Technologies

- [WARF reference number P100343US01 describes an improved method for run-time parallelization of computer software.](#)
- [WARF reference number P07057US describes an automated method of parallelizing the execution of a sequential computer program for multiple processors.](#)

Tech Fields

- [Information Technology : Computing methods, software & machine learning](#)

For current licensing status, please contact Emily Bauer at emily@warf.org or 608-960-9842

We use cookies on this site to enhance your experience and improve our marketing efforts. By continuing to browse without changing your browser settings to block or delete cookies, you agree to the storing of cookies and related technologies on your device. [See our privacy policy.](#)

OK



WARF
Wisconsin Alumni Research Foundation

| info@warf.org | 608.960.9850