



Biodegradable Poly(Vinyl Ester) Block Copolymers and Related Poly(Vinyl Alcohol) Surfactants

[View U.S. Patent No. 9,376,523 in PDF format.](#)

WARF: P100170US02

Inventors: Mahesh Mahanthappa, Corinne Lipscomb, Milton Repollet-Pedrosa

The Wisconsin Alumni Research Foundation (WARF) is seeking commercial partners interested in developing a new class of biodegradable block copolymers and surfactants that degrade under mild conditions in the environment and *in vivo*.

Overview

Common biodegradable polymers such as poly(lactide) and poly (3-hydroxyalkanoates) are derived from relatively expensive chemical feedstocks and have low melt stability. This presents a challenge for conventional processing techniques such as injection molding and melt extrusion, which can degrade the polymers and diminish their mechanical properties.

In contrast, new block copolymers and related surfactants derived from vinyl ester monomers possess much higher melt stability. They are also biodegradable and biocompatible materials that can be produced at low cost from available feedstocks.

Two homopolymer blocks that can be incorporated into these materials are poly (vinyl acetate) and poly(vinyl alcohol), i.e., PVA, both of which are considered safe by the FDA. They are utilized in a variety of applications from biomedical devices to chewing gum. Yet economically-produced polymer amphiphiles based on hydrophilic PVA segments are poorly explored due to a lack of synthetic approaches.

The Invention

UW-Madison researchers have developed PVA-based amphiphiles in which both the hydrophilic and hydrophobic blocks are biodegradable. Through careful selection of vinyl esters polymerized into a block copolymer structure, they have shown that ester functionalities along the backbone may be selectively hydrolyzed to unmask a PVA-block in a hydrophilic-hydrophobic diblock copolymer.

Given the well-known ability of PVA to self-associate and form gels, the polymer surfactants micellize and modify the rheological properties of the solutions in which they are dissolved. The tunable solution rheology of these surfactant dispersions, coupled with their environmental degradability, suits the polymers to a wide range of uses.

They can be synthesized using reversible-addition fragmentation chain transfer (RAFT) polymerization, organobismuth-mediated living radical polymerization or cobalt-mediated radical polymerization.

Applications

- Oil recovery processes
- Coatings and biomedical devices
- Cosmetics

We use cookies on this site to enhance your experience and improve our marketing efforts. By continuing to browse without changing your browser settings to block or delete cookies, you agree to the storing of cookies and related technologies on your device. [See our privacy policy.](#)

OK



WARF
Wisconsin Alumni Research Foundation

| info@warf.org | 608.960.9850

- Biodegradable hydrogels with tunable mechanical properties
- Drug formulation agents
- Tissue scaffolding and regenerative medicine
- Guiding the differentiation of human embryonic stem cells in the absence of growth factors
- Specific biological targeting

Key Benefits

- Biodegradable
- Tunable nanoscale morphologies
- Higher melt stability
- Amenable to conventional processing methods

Tech Fields

- [Clean Technology : Monitoring, remediation & waste reduction](#)
- [Materials & Chemicals : Polymers](#)

For current licensing status, please contact Jennifer Gottwald at jennifer@warf.org or 608-960-9854

We use cookies on this site to enhance your experience and improve our marketing efforts. By continuing to browse without changing your browser settings to block or delete cookies, you agree to the storing of cookies and related technologies on your device. [See our privacy policy.](#)

OK



WARF
Wisconsin Alumni Research Foundation

| info@warf.org | 608.960.9850