



Phosphine Ligands Made Cheaper, Better

[View U.S. Patent No. 9,382,279 in PDF format.](#)

WARF: P130268US02

Inventors: Jennifer Schomaker, Robert Grigg, Ryan Van Hoveln

The Wisconsin Alumni Research Foundation (WARF) is seeking commercial partners interested in developing groundbreaking methods for preparing chiral phosphine ligands used in synthetic chemistry.

Overview

Enantiomers are pairs of compounds that have the same chemical formula but different spatial structures (like your left and right hand, they are non-superimposable mirror images of each other). This is important because the different structures can have distinct reaction properties. As a result, enantioselectivity, the ability to distinguish and control which enantiomer is being produced and used, is an important ligand production parameter.

Phosphine ligands are key components in many important enantioselective transformations, such as asymmetric Diels-Alder reactions and hydrogenations. Until now, synthesizing these ligands has been expensive and required multiple steps.

The Invention

UW-Madison researchers have developed methods for synthesizing novel classes of chiral phosphine ligands via enantioselective copper-catalyzed halogenation. The process is rapid and flexible, and also can be used to streamline the preparation of known phosphines.

The researchers previously described their 'recycling' method for use with aromatic compounds. Now, they have rendered the process enantioselective using an asymmetric bidentate phosphine ligand to produce scaffolds with high enantiomeric purity.

In essence, the use of the phosphine ligand helps form a chiral center in a complex product that is otherwise costly or impossible to create.

Applications

- Preparing known and novel phosphine ligands
- Synthesizing intermediates for other useful compounds, like therapeutic agents

Key Benefits

- Process is less expensive, easier and more resourceful.
- The new ligands show better reactivity and enantioselectivity.
- Facilitates cheaper/more effective catalysis

We use cookies on this site to enhance your experience and improve our marketing efforts. By continuing to browse without changing your browser settings to block or delete cookies, you agree to the storing of cookies and related technologies on your device. [See our privacy policy.](#)

Additional Information

OK



WARF
Wisconsin Alumni Research Foundation

| info@warf.org | 608.960.9850

For More Information About the Inventors

- [Jennifer Schomaker](#)

Related Technologies

- [WARF reference number P110299US02 describes an easy method for synthesizing asymmetric, heteroatom-bearing stereotriads and tetrads.](#)

Publications

- Grigg R.D., Van Hoveln R. and Schomaker J.M. 2012. Copper-Catalyzed Recycling of Halogen Activating Groups via 1,3-Halogen Migration. J. Am. Chem. Soc. 134, 16131-16134.

Tech Fields

- [Clean Technology : Energy storage, delivery & resource efficiencies](#)
- [Materials & Chemicals : Biochemicals & biomaterials](#)
- [Materials & Chemicals : Synthesis](#)
- [Research Tools : Synthesis & purification](#)

For current licensing status, please contact Jennifer Gottwald at jennifer@warf.org or 608-960-9854

We use cookies on this site to enhance your experience and improve our marketing efforts. By continuing to browse without changing your browser settings to block or delete cookies, you agree to the storing of cookies and related technologies on your device. [See our privacy policy.](#)

OK



WARF
Wisconsin Alumni Research Foundation

| info@warf.org | 608.960.9850