



US009102985B2

(12) **United States Patent**
Khatib

(10) **Patent No.:** **US 9,102,985 B2**
(45) **Date of Patent:** **Aug. 11, 2015**

(54) **SINGLE NUCLEOTIDE POLYMORPHISMS
ASSOCIATED WITH BULL FERTILITY**

(71) Applicant: **WISCONSIN ALUMNI RESEARCH
FOUNDATION**, Madison, WI (US)

(72) Inventor: **Hasan Khatib**, Fitchburg, WI (US)

(73) Assignee: **Wisconsin Alumni Research
Foundation**, Madison, WI (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 174 days.

(21) Appl. No.: **13/798,181**

(22) Filed: **Mar. 13, 2013**

(65) **Prior Publication Data**
US 2014/0045711 A1 Feb. 13, 2014

Related U.S. Application Data

(60) Provisional application No. 61/681,152, filed on Aug.
9, 2012.

(51) **Int. Cl.**
C12Q 1/68 (2006.01)
A01K 67/02 (2006.01)
A01K 67/027 (2006.01)

(52) **U.S. Cl.**
CPC **C12Q 1/6888** (2013.01); **A01K 67/02**
(2013.01); **A01K 67/027** (2013.01); **C12Q 1/68**
(2013.01); **C12Q 1/6883** (2013.01); **A01K**
2227/101 (2013.01); **A01K 2267/02** (2013.01);
C12Q 2600/156 (2013.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

Mammalian Genome 8, 21-28 (1997).*

* cited by examiner

Primary Examiner — Juliet Switzer
(74) *Attorney, Agent, or Firm* — Kening Li; Miller Canfield

(57) **ABSTRACT**
Single nucleotide polymorphic sites of the bovine MAP1B,
PPP1R11, and DDX4 genes are associated with improved
bull fertility as measured by e.g. sire conception rates.
Nucleic acid molecules, arrays, kits, methods of genotyping
and marker-assisted bovine breeding methods based on these
SNPs are disclosed.

9 Claims, 6 Drawing Sheets

1081 gagcgcgcctc tgcagaggcc gaatagcggg tgcgtgggaa accctgggcg gggccgtaag
1141 ggtccagcgg gcgcagactc gggcgcgcgg accgaccgcg cccgcagccc caccggggct
1201 gccgcagtcg cccgcgccga tgcacctgcc cccacactcg cggcgccccc actgggcgog
1261 gccgcgcggg cgtgcgttcc gccggtgctt gggggtgctg tgcgccctct cgtctgcctc
1321 aaccgcgctt tgttgcgcct gaagtccccc ggtgggcagc tctgtcctct gcctttccct
1381 tcccccccg catcgcagac ccccccttct ccttgaccga ggtcgcgggt cctccacaa
1441 cccagccccg cgtctatctc tctcggggtg gtgtggaagc gcgtctgccc cgagacaccc
1501 gctggtgggc gtggtgcagt ccgcactgcg gtctctacgg cagcccaggg cggacaaagg
1561 gcgttcacgc agccctcggt cccacgcccc gccccccact ccccatgaaa gacgcgagaa
1621 aacottgttt tagatgaaaa aaaattaaac tctagtggtc tgctcttgca tttgaaaacg
1681 gtcgcctgtg ccagaaacaa aaggctgcag ggtggagact cgagtgcag acctggttct
1741 tttgtttaac tttaaagcac tgggtgttact ttttggtta aaaaaagaaa aaaatgtgag
1801 cagaagcag acttggtatt ttattcggaa aaaaaaatg gaagaatagg ctaggccaat
1861 agtgaaatgc ctcatattgag catctaataa ccttccattt gtcaaaactat agtcctttga
1921 atttgatcag tactaattta gtttatttgc acattttctc cttgaaaaat ttcacacgta
1981 ctgacttttg gtgtggctgc tgtatgaatc tatgactttg gattttttaa aaaatattat
2041 ttgtcagcac ttttgctggg aagtaataat aaagcagggt tgtttctatg tataaaagg
2101 gcataagcac ccgatgtggt gtgaggagag ggaccctcat cccatttttg gagatggggg
2161 cccagagggg caggaaggat agggagacca gctcaaggtc acaccactca taagtgcag
2221 aatgccggct ctgcagcatc actgggtttt ggcccgctcat gatgttagtg caggccaggc
2281 gaacatcaca ggaagatcaa agagcaattt ctagagcttg cctttataca aaggcagtag
2341 tcateccact gtgggcagca ccccatgcag ggaggtggct cagcaatcac cttccatgta
2401 attatcttcc tgctttgtta ctctgctgat caccctttta gtgccctatt tctcagggg
2461 tttattgaaag ctgcttctgt ttgaggataa actagattca cccaagtta cggctcactg
2521 gacgtggtct cgactatttt tcacgctact ggaacttagt gatcgagttc aattttgtct
2581 tcttgccctt tttctttttt aaaattttat gatgtattat gtatgaggg aaaggctcaa
2641 atcataaaag aggagcttgg tgaattttca caaaaagaca tacctgatcc cgatcaagaa
2701 acgggacattc ctgggacccc cagaaacccct ctcagggtgc cttttcagtc agcatgcctt
2761 cctgattttt tagtgccctg atttagtcag ctttttgccg ggaactctga aatagcagta
2821 ttgatcccat taagaatcaa ccaagtgaat gagcaaaagc atttctaag gcacagtaac

2881 agatgctgct tttcctctgg agatcaactc tcttgggtcc tggggtcttg gatgcagctc
2941 aaaccacagg gccttccagt gctaagggga aatactgctc ctgtagcttt tctgacagag
3001 atgacttagc aacaggcgag cgtggctggt gccctggcct gatatgatgc ttcctcagct
3061 ctcag[a/g]ttcc agcaggcct cctcctcag aggtcactct gataccatgg ctgcggtggc

3121 tgggtgccat gggaccagtt gtgtgaagca agatggagat [g/a]ctccggggg ctccggccctg

3181 cttgtgtgcc gcagccttcc cgcagggaaa gcggttcacg ttctgcccct cttgcttctc
3241 tccctctca tccggatgag gctctctgag tctggagacc ctagggaact ggatttttgc

3301 catttgatga tttaaaggctc ta[t/c]gggaac ctgaaaaata aatctgtagg aagatggcgg

3361 aatgcaagt acatcaatag gcctgaatca gcccaccatg gaggtgagt acatgcttct
3421 tgaacactag tgttactgaa tcaaacctag gcagctcacc tgcagtcagt aaagccaatt
3481 tactgacccc aggttgtggt gaaggaaagt gcagcattat tgtaagatgc tgatgtaagg
3541 agaacgggga gctcgtgctt aagaccccca aaatcccca agggtttcag caaagcattt
3601 ttaaaaggcag tgtaaggag ggtgtccag agtgtgtgat cagctcatgc accattctct
3661 aattgagaat tagattgatg atgaggtaac aagactacgt tgggcttctt tgctggctta
3721 acgggtaaaag aatctgccta caatgcagga gagctcggtt tgatcccttg gttgagatcc
3781 cttgaagaag ggcatgacaa cacattccag tattcttgcc tggaaaatcc ccatggacag
3841 aggagcctgg tgggtacagt ccatggggtt gcaaaagatt ggacatgact gagtgactag
3901 gcacagcaca agactatggt aatgaggact atgtgcggat ggtcatcaag tagttaattt
3961 cttccatttg atggtgattt tagcatctga aaaataactc aggaaatata cttcagatac
4021 taatatctag gtatttcaga gaggaactaa agcagagggt ataggggagg ggtctgtccc
4081 aggaatgtcc cataaggtoc tgcttggtta cacaaggaca gaagaccatc attcgtttct
4141 tcagcttcat tcaaaatgca taatgtaggg tctggtcatt tcttaagctc gaaacaacag
4201 tctttgtcca gactggtcta gctttattta gttagttagt caggactcca tgccaaacca
4261 ttgtcactcc ttggcacctc ctttgccccc ttcctaatta gtctccaaca tagacttaac
4321 agtcatcccc gtttttagca gagtctcccc tctccagtt tattttggga tgtagactac
4381 atacactcat gttttgcaa acgaattcta gagccttggt aaaagttttc attgcttctg
4441 tttattttat tttttaacta aaaacatgta aaaaacacta agtgcagtt ttggttctact
4501 tgctgttaga gtgtaacttt cctctgggtt acattgggaa tcagcaggat ttgttcatca
4561 gaaagataga tgtgtgtaac atctactgcc ctggattttt agatgtaagt tttgctaatt
4621 acattgtcat ttattgaata ctttcagtct acattgggtt agagaattaa gaaccaggga
4681 aagagtttag gctttgttcc cattttgttt taacaggaaa acaacggggt gatgggaatg
4741 aaaagaaatg ttgaggaatg atatatattc tatatccatc catcttcata cgtttcaaaa
4801 tcaaaaggca gatggatttc tgcttgctgc cttaatttgg tattatctac tcaaaagatt

Figure 1

49681 tccagcctgt tctgtggatg tttgaacttg agaagtgggg tctttgtcca gaggaacac
49741 tgcttttcgc ctggtagagg atgggctcca tccgaatcat acccagtttg ttctttgtct
49801 acttcttcat ctccccgtgg tttcatgtcg agtcagaatg taaggactgt ttagcttttg
49861 tgaggggcaa aaatgtgttt ttgaactgga caaggtaagg tttgaaccca ttctttgtct
49921 tttcttgtat acttccattt tcactttgag cacaaagcag gttggggaag caggaggggg
49981 gaagatgtta ttgtggatta gagacagagg aaaaggcagg tgggggggtg gaactgaacc
50041 ccacttccctg cagccgtttc ccagccggtt ttgaaaagac tctgaaagga gaataacgtc
50101 tttaatcaag agcaatagta ttagctcctt tactataagt aatacttttc tttgagccta
50161 tatttatattt accgggctag aaatagctga agttattcca gcagccatga ctattgtcta
50221 ggagttggat gtgggctggc aatagactgg ctgattacac tgtttagaaa taaacccctt
50281 tgttggcagt ctcttctggt gagaatgggt cataaaggtc cctgtggctg gttgttccat
50341 ggtgcttgct tttatatcag ttcagtaccc tcataatgag gtggtcttct agaatatatt
50401 attataactc tgttgccag ggcgtagggc tcgtcagtta tgcaggcaac atcacaaagc
50461 tttggaagaa atctcttaat taagtgtctg ggctggtgct gcagtgaagg gatgaatgga
50521 ctgaaatgct tccatctctg agcgtctttt caaactaaac gggccctttg ccgcacata
50581 gccaggagtc cagcagacgg acacactgag aaagtgggtg tggatgtgat tgggtgatgt
50641 ctgactctcc tctgacctac ccctggggat tctgtactt cacgtcacac gtggctcctt
50701 gttgatgtga tggtgaaaac atagggtgtt aaagaaccag aattgacagc agttcacgga
50761 ctttttgggt cttcaggtct gagaccatac cctaggcagc atcagtcctt ccacggtaga
50821 tggcactgga ctttctgtgg cgtttaagac ctaacgttct gtgactgaga atgtggcctg
50881 tcttggccac agctggtacg atgacaagat gactatctga gttaggaaga aaaagtgaag
50941 tgaagtcctt ttagttgtgt ccgactccgt gacctgcagc tcttctaggc tcctctaggc
51001 tcctctgtcc acgggatttt ccaggcaaga ataatggagt ggggtgcat ttcctctcc
51061 agatcttccc aacccaggtc tcctgtcttg caggcagatt cgttatgtgt ctacaatgaa
51121 agaaagggtg ggagcaaata cagaggcaga agttttgttc ctccaggaa ggttattctt
51181 gatctggcca ttcaaaagac ttttcatttc ctctcagatc ttttcaaagt gactaacctg
51241 aaaaatcttt gatgtgtggg ccaggacatg atggaggaag gcactctttt ctttcccttt
51301 actccttgga gaagagatga aactaaaagg gctctaaggg aaaaaaaaaa attcttaaaa
51361 aaaaaaagtt aataaaaaaa caaaaggtaa taaatagctc tttgtaaaaa gcttaccacc
51421 ttacttctctg tggttacatg cattacctta **tggtcgtgat** **tatgaaagat** ttctagagaa
51481 acgttaggat gatcacataa ctccctccta aggcgccagt ggagcccaaa gtctttgctg
51541 ttcacgtgcc ttgtgagtgg cccaacacag tggggacttt ataaatatca aatcattgtc
51601 gttaaaaaac acttcccgtt tcactctgag acccttccct ttaaggagtg catgtggtgg
51661 **tg/a**ggaggatta atgacagcac agcagtggtg gcttgaagggt ggtgacatca cccggcttga
SNP6

51721 acccttcagt gccgggtgag aggattttca tctcatccat cctcctgagt ttgccatc/gag
SNP4

51781 gggctctcaa gaacaggaaa agaggagtct gaggagagga gacttctgga cattctgtga
51841 tagtccctcg gctctgtgcc gtattgtttt gtaaaataagg cagttatggt ttctagtctg
51901 ttgtttttct acaaaaatgg aggacgtgtg **accagcagtg** **ttagccttcg** tgaatgagat
51961 tctgtgtttc ggccatcact ggttcaagta ggtaacctaa gagctgagct taagtgtctt
52021 ctcttgcagc ccactctttg ctttcagtaa ggaatctgag caacattaga ctgagaatca
52081 gcacacctta ccatcacttt acgggatgct tccatttgct gtgtgatagg acgcagggtc
52141 aggagggagg cgtctggacc ccagagtcgt ggcgtcagga ggtcccgtgg gagcatcctc
52201 agcctctgca gtggtcctac caggagagga aggtgcttgg gtgtcgggat acccatgctc
52261 aactctggt tctcccgtta tcatgcctg tgactctgga caagtcactt agcctctctg
52321 aacottaatg tttgtatctg ttaagacaag ggtttggaat agatccgtcc aaattcacat
52381 ttctgcagac ctgggttaet ggtgttaggg ctctaattgg actggatctc ctcatccctg
52441 ataacctatt tccaggcggt ggggccccct gctgtacagc gtcttgcttc attttccac
52501 cgtcttttag ctcccatctg gatgccatct tctgtgtagt atggaagcct tcctaaacca
52561 tccagtgaact cccttgagcc ctccctctcc ctgctgaggt gtgtgtocag gagccagggg
52621 ccactctgcc ctttttctg gccactgcc catggttctg gtctcatgcc agggctcgga
52681 ctctgtcagg atgtggtggg ttgagtttat acctgatctt gatgtaaaaa catggcctct
52741 gccagtcatt ttgttctgt tcccacactg gcttccagct cttttgtgga ctctgactct
52801 ctgctctcct ggctcctgta ttgctggaca tcttttcttt tcttctaga atgccccccc
52861 tttttttgtt gtctaacttg taaaagcccc atagatcctc tcccatttca aaccttaga
52921 gatgactatc ttgatatgtt gataagaggt gaactttctc agaggagttt cttgttacag
52981 tgtcaaatgt ggttataaat cactggaact taaggatctg tctgccaagc agtagacacg
53041 agtttgatcc ctgggtcagg aagatccgct gaagaaggga atggctatcc atgccagat
53101 tcttgctggc agaatcccat ggacagagga acctggaggc tacagtctat ggtgtcacca
53161 aaaaattgga catgacttag tgactaaaca acaacaataa gagaagcttt aaggaggtc
53221 agccctctct ccaccccagc actagaacag tccctagagc agagtctccc aaatctgcct
53281 ggtgagcaga atcatcacc agtgctttta ttattatttt aatattttt aaaaaatttt
53341 ttttgtttgg ctatattagg tcttagttgt ggcagtaggg atcttagttt gcaacatggt

Figure 2

85081 agtgctctgg ttaatcaacc agtgagggtca gctgaccact gggtagccag tacagattga
85141 gaaaagagca tccaagactc tacttattcc attctgacca cactgcctca ctaatacaga
85201 ctcaacatct tgtttttaggt cgaaattcag cttggcaaga gcaagcatcc ctgacttcat
85261 gttcttagac ttatcaagtt ctoggcagtg atctgggttt ttgatgaatc tgggtttctg
85321 atgatccagc ttcattttgt tgcttcaaaa caatcacagg gatttgaatt catatatttt
85381 atttgcttta catagttact tgaaggtttt agatcacagt tcacaaacat gtaaaacaaa
85441 aaataagcaa cactttcttg atttattatg gaaaaattca gtatttagta ctttaggaag
85501 tactagtac aggtacaagt ttttactttt aggcacgtg aagcagcaat ttcagactc
85561 atatcagatt tctctttttt atttgacat agaaaacaaa ctgaatttgt tcatgcttag
85621 aatttgtata gagccaccag ataataaatc ttgatctaaa ggacttaaca gtgaccatgc
85681 acttaggaga aaacatgaaa tcaattcaaa cagataaaaa cccaactgaa atttgctgcc
85741 aaactcaga aacttacact atagcccaca caattgattt tatcactttt tttttttttg
85801 gtcattttaa gataattttg agggaaagtg agttaatttg aatttacatt gaggatgctt
85861 tcccaacaga tttttttaa agacaaaact gcactattaa ttaattttta aacaaacctg
85921 ggtcaacttc cagtggttct atcagtttgg gcttctatga gcaatgttca tttggtgtca
85981 acgggagtga ttcaaggtgc aagtggaaac tgcaggcatt taaaaatatt agatgatctg
86041 taactcaca acctctgcta caagtcagaa ttctttggga gatttacaca tgaatatgtt
86101 taggactttt agcttaggtt cattataatg gctgggtaat ctattcatga aatgattcag
86161 tttatccaaa taccagtttg gctgattctt actacccctt gccctccaaa ataaaaataa
86221 accagttcat agctgatttt gactgtggga tggcagtcct tatacatccc atggagaaag
86281 gcaagagaat taaatttagg ggtacttgct agtattttta gtggtttcac agcagtgctc
86341 tcaaaccaga tacacattag cattggctgg gatgctttta aaaagtgatg gtaccctggt
86401 cagtgaagcc ttaccatagc cattgaagcc agggcatctg tattaagcat gctaagtgat
86461 tctaactcat tggccaggag gaagaaccac tgccttacia tgctagtctt gttaatgttt
86521 caaccttctg attagaacaa atcagaaagc caattctaga aacaaggtag ccagaaaactg
86581 agattaatct gaaccttcat tttgccagg ctttctgact tggggggaat tttggctgtg
86641 acatacctac cccttacctc agtccggtat gttctgattg gctagagaaa gcagagtctt
86701 tctgaacctt cctgttgcta aagtttggtt tctagtcttg tctaaggaga gacgtctacc
86761 atttagagga ctgtcctaag gagagaatac agtgttttca tcagtttatg catgaggctg
86821 aggtgctgag ggtcttgagg atcatatgac attaagatct gactactggc tagatcaaat
86881 gtgaggggat aatattcagc tgtgggcaa actgctttta aatgaaatcc taacatgaat
86941 tactaagatg gcttaactat gctttaccaa atgcagatgc tttcctttgt cctttaaaat
87001 ctatttctta gatcacattt caaattaaaa gacacactag cagctctttt aggagtgtta
87061 gcgtctagtt [c/t]tatctttgg ggaaagcctt ggcaactctt cttaattgct aatgtgttta
SNP5
87121 agggaaacgc cccattcttc atttctcctg agatggtaaa cagtcaagtg atgctgtctc
87181 agactgcocg tgtcaaatgc cctctgtgag agaggggagt gccaacaccc actccatgt
87241 ccagagcgc cttctgggga ataagtaggg aaggctgtct ggacagatga gtccttttgc
87301 atttttgtga ccttgccctt ctctttgttt ttatttgttt acaaagggcc aggaaccacc
87361 aagacgtcca agccctcagc tgtgccccca ggcctccctg tgtacctgga cctatgctat
87421 atttccaac atagcaatag taagaatgtc gacgttgaat ttttcaagag agtgagatcg
87481 tctactacg tggtagtggt gaacgacct gctgctgagg agccagccg gctgtcttg
87541 gatgccttgc tgaagggaag agcccagtg ggcagcaaca tgcaggtaag agttccagga
87601 cgtgttttgc acaacacgtg gagctgtgtc cagaggcagc aggaagggat cgtgtttaat
87661 gaggcaccac cgtggatccc catgaggtgc ccacagggcc tgcctgactt ggacaaagt
87721 gatctcacac acacaagctg gtctaaaagc attcgcgcca ccagccacca tggacttgg
87781 ggaaggccac tttaccacc taaagtataa tctgcagagt gggcccaaga ttacacaccg
87841 ttcataatcc aagaaaaatta accagcgtaa ccaagtgtca tatttccatg tgagatggat
87901 aaagattagc ctttacttgt ctttcccaag tagacaaaag ctagagatat ggcatttag
87961 aaaatcagct gtccacatga gattctgcag gagcactgct gaaaaatggtc ctcagcagga
88021 cactcccaac acccaaacat cgtaatgagc cacaaccac tcattatttc agttatggat
88081 tttatctaag ttttacttac ggttttgtat agtgatctag taaactgtat ttgcataacg
88141 ttaaatagaa atcctggtta tttcattata tgaactctaa tgcactcagt ggctctttac
88201 tgaatactag gtagaattta agctagtaat cacttaccca cccactcct ctgtcccaa
88261 acacacacac aaagacataa atctttgtct tcatgatgaa atgttagtta acatgcaatt
88321 agaaggtttt cggctgcatt aataactaaa gcccttttgt tttaaatatg caatatcttt
88381 aatgtaaaac atcagtttgt ttaaagaaaa tacaagaaat tccaccttaa ctgaagaact
88441 tctcataatg ctaaaagaat gaaaactgat atagatgaac taactggcta gctcatgact
88501 gcttttggtt ctagtcttca actgccccag aaaaactaat tttttagcag ctttattctg
88561 gttcctagaa aatgtaagtt ggaaagtct atggattttc taaggacaat agaattttt
88621 tctctttccc tttcttttct taatggtcta attaatacct tactgctgtt ctatttttcc
88681 ccacccccat tctggttctg ctcttcagta gctgttttct ctctcctgc aggtgacct
88741 gatcccgact catgactcag aagtgatgag ggaatggtac caggagaccc atgagaaaca
88801 gcaggacctc aacatcatgg ttttagcaag cagcagcaca gtggttatgc aagatgaatc
88861 cttccctgca tgcaagatcg aactgtaaca accaagggtca gccgcaccac aggatttgaa
88921 ctttgtttcc agaaattctt cgatttgaaa ccacctttc taaaaaaa gtcattcat

Figure 3

-120 ggcgcgcctg cgcactgtca cttacggcg gaactaatcc ggcgaccag cgctttgacg
-60 catttagtac caggaaggga aaagggggac cacagaacgc gtcacaccg gaagtaggga
1 gccggaactg ggggttgaca ggttatccc aggggtggg cagcggaggc ccaggaggag
61 ggggaaaaa gaaggtggag gatcctggct gctaactga atcgataccg a[t/g]tctcttag
SNP1
121 acctcagaga cacagaaaag acagaagggt gctcatccc ctttctccg cttctctctc
181 tcttcagcct tagccatggc ggaggcagg gcccggctga gtgagaccg cactgagaca
241 acggttaccg tgacaacgga gccctgaga aaggctggg gcggtgctg ttaggggtct
301 gagagatacc gggagggaag ggataaggct ttggagagtt gctggatggg ctggcctgg
361 ggatatggga ggaagtgggt ttgggagaat cgcagagtat tagggatttt ttggtgtgtc
421 agagtgggtg cagaaggctg gtcaagtga atgcaataga gttaagatgt aggtgatact
481 gcttgggatg gtggtgtctg taagtattga aagactggga acttggcgat taatgagcaa
541 gggatgtact gggggaaatg aagggttggt tgagaaagca tggttggaag ctcgctgtag
601 ggaaacttga cactaagcat gcttatcaat aaatatttct tgaagagatt attgcaaacg
661 gaagcagagg gaatgaggga acaagaaaag ggagatgatg ggagtatttt gaaaaatcag
721 agatgtagag aaaaacagcg tttttgcaa aacattgctt tcaataggag atgttctctg
781 cgggcttaat aaccctttga ttaaggaggt ttagagtaat agttactaga gatgccagga
841 tgctggagaa taggtggata acagattggg agggctgggc ttgaggatga gagatgtgag
901 aacagagtca tttctttaat gggaaaaaga ataggcgttc tgggaaaaga aaggagatc
961 aaagtttagg cattgtgac tgaaaaata attttcatgt attaatacca ccaagatga
1021 ttggggaggg aagatggagg aacagcagg attatatattt ctttgaaga ttgtctggga
1081 ctttccctag gtttagaatt gtatcttctc tgtatactag tggttactaa gaatactaag
1141 aacagaattc ctcaaggagc tccttgaggt caaaaacctg ttatatctcc tccagcatic
1201 agctcctctg t[a/t]gctgtgtt tgtgacctg attgaactgg gaaagggaag aaaggaggcc
SNP4
1261 ccaggaggga cgcaggaaga gttagtagga ggggactagc taggtatgcc tatccttctt
1321 aaccttccag gagaaccgga gcctaaccat caaacttcg aaacggaagc cagagaaaaa
1381 ggtggaatgg acgagtgaac ctgtggacaa tgaacacatg ggccgcccgt catcaaaatg
1441 tgagtaattg ttgccccaca gtaacgctgg agtctggct cccct[a/c]agca tatcttttgc
SNP2
1501 cttcaggcat tcaactggct tcccaaagcc cccagatg[c/t]t cacagtctg tggctgcctt
SNP3
1561 ggtggttctc tgttatcagg gagaggaggt taaagttaga gggaaagagg tagggagggg
1621 cttcaatttc catgtgcaag gcctaaagtc aaaggtatct gaggtgggag aaaggagact
1681 ttgattccc ggctgaaaag gcaagggtgg taggtgacag agtcccagag ttagggcctg
1741 gggaaactgg atctggaagg tagaaggaga aaatggtggg aagtaggaat ttgactgag
1801 atccagtggg aatggaaactg aactacatc tgaactcttc ctctttttc actgggctcc
1861 tccatccaaa tccaggctgc tgtatttatg agaaacctcg ggcctttggc gagagctcca
1921 cagagagtga tgacagggaa gaggagggct gtggtcacac aactgtgtg cggggccacc
1981 gcaaaggacg gctcatgca accccgggac caagccccc cagccctccc cagcctctg
2041 accctccca gccctccca gggccaatgc agcactaaat tctcgtctcc cccaccatc
2101 ctgtgtctgt ctggccctga atgtattcat gtggctactc ggggactaaa cccacgattt
2161 gatcccttct ccagccctct cctccctct cctctgctg acagaggga gagggagagg
2221 aaggtaggca gagatcctg aattctgact tgcgtctatt ccagaacctg ggttctggg
2281 tccccccagc cctcatttct ccttacaata cccagcctcc tctctccagg gatccaggca
2341 tcttgatccc aatctttttc ctttgttctc actgccaac tgctgtctc gggatccagt
2401 tatcttggcc ccttgcactc tctacttgag ttccaaacag cttaaattggg ttccagcag
2461 cccagcttt cactgccagg gtccatgca gattccaggc aatcttgctc cagctatgct
2521 tgttaatcct ggcttagagc tcttccactt atgtatttat gtcactctaa ctcttagtgc
2581 ttgctgtgg gatgtgaggt cttctgtgag acctcagggc tctagccct tcccttctc
2641 tctgcccac ttccccaag ccttaagag gagttaggag agaggagggt cttgtctct
2701 ctacacctta atgagaaatg gaaaaaagaa atgggcatgt cctctctcct caccgttctc
2761 atgtgactag ggttctgac aaaactggct ccaagactag tcaacttagag cccactatct
2821 cctcagcctt tggcttcca acttaggaga cagatccgac ccaggggcct gggtccctgg
2881 gagaggatgg aaaaggagg gagccaagag atgcaatctc accccttct tccaaggcct

Figure 4

32101 gagtgaggcc ctggatcctg tattttaaag cctccctgct gactctgatg cctctttcat
32161 ttggtaacca ctgactctat gagtctttat aacttctctg cacacagatg tatagtgtat
32221 ttgttggtta tttttccgt atcttggtgc ccttagctgg tccagtatag taataaggag
32281 ctacagatttt ggaatcagac accogggatt tgagaccag atccttctct tcoctgocagt
32341 tgtattattt taaaaaagca tgtttaactt tgtatttctt tttttctggt tataaatga
32401 ggataatacc cacctcataa ggtttttggt aggattttaa aagttaaaat agaattcatt
32461 ttgaagagtg tcagatggat actgttttat gtgttattat tacattattt ttctataaatt
32521 agtagattat aactgatctt gggatcatta tctcattttt gtttgtgctt aactttattt
32581 ttaactctac agagattatt ttttaataac tttttatttt gaaatcattt gactcaagaa
32641 gtttcaaaaa tagtacagaa gatttccctc agcttgccctc taatgtaatt gtactcctca
32701 cccagtttct cctaattgtca ttacgctatt ttaattccca gtgtgggtcaa aataactgta
32761 agtttggttg aggagaacag ttggccaaag gttatgtgag gtgggttttc tttcatatat
32821 gacaataaat gttagctacc atcatcatta ttccagatga tgatgaatta ttatatcatc
32881 aaataataat tccattatcc cagattatcc taagaatctt tgcagaattc tttctttcct
32941 cttcaacccc ctgtatgaa atctttgctt ctgagaagggt tgtcttgatg ttaaatgatt
33001 ctttaggaat attgtcaatt gttgatgtca gctcaaatag gagcctgcaa caagagctgt
33061 gggtcattgt ttattataaa tcaatattaa ttgagtagat tagtactttt gtacataaac
33121 aactgatagc ttttaactctg tcgagccaca tatgtcatca ctgggacctt gttctctggc
33181 actaaatgtt agtgatatgt acaaagattc ctgaaaacca tcttggtatt ttccaaatat
33241 gggttttttg gaactcttca gaaagcttaa agttattact gaaagtata tcaataagggt
33301 ataatttttt aatttagaaa aattgttcat tcttgatatt cactctgcac attcaaaatg
33361 aatctctcta ggggtgggttc tgataattta tttttaacca actttcctga taatttttag
33421 tcatccttca gtgtagtgt cctcatacta ctatgtataa actctggtaa tgttacttaa
33481 taatgtcact aagcacagaa agcgggatg tcccaaatg ctccattag gatggatagg
33541 gaaaagtttg catatatata aaaaacacta taatgctca ggtttattaa gaaagacaat
33601 ttacagatta atgatgacat tataaataca atagttatgc atttctgaga tccgtttgac
33661 tactcaactg ttcagatatt tctgaaactg tttcgtgaca tttatgaaat tcttattttt
33721 tggtgtgct cagaacttga cagataacat gcttaacatt tagtatttag gtatattagg
33781 tgatttttaa aaagaattga ctgaataatg tgtttgtatt ttgttgttat ggtgatttta
33841 aaatttataa ttttggtcat atgttagctt atgaatatat ttttctcag taatttctct
33901 tgtgatagta ctatttagat actacagtaa tataaatact gcaataatta ttttagatgt
33961 attcacatgt taaattttta ttcaagaatc tagtattgac tgtgaagata atcaaacacg
34021 gaacagaggg ttttccaaga gaggcggtta ggaccatggt ttggaacaac ttgtacttaa
34081 gacagaaatt aaactgaaa attgattttg gaagagctga aagaaaaatt ctgggtgtga
34141 aaacctttca agaaaaatac ttggcatat cctttatgct gttaatattt gagttaatat
34201 tcagtaggtg tctctcctc tgtttctga tgtcactc [g/a] a tttgtctttt cctaagacct

SNP2

34261 ccagagtgtt ctatgaacta caaaagggtg gactgtgtga atcttggtca ttcacagtat
34321 agataaactg ggatgtcttt gtctctgagt aggaacattg gagatatggg ggaagggaga
34381 agttgtagat taattacat acttgctaat cctgcctctg cttgaggtga gatggtataa
34441 aaattatagt gctcagttct ggattatcta taggcagaca tgttaaaata gcaacaatat
34501 ccacgaaaaa ccacagtga cttataaaat tgctacaagt gtgcaaatat atttatgata
34561 gaacttttagt gtttgagct gcaactagata catcatagtt tttgctcaa cttggagata
34621 tctgtttccc ttgcctatta gatgattggc tcattgaata gatcattgaa tagcaggcct
34681 tctagtga gctgagactt gctgtggatt tcaactatag cttggatgag ttgtgagggg
34741 cgttggttag gaatttggtg tgaatcagtc tcagtcgctc agttgtgtct gactctttgc
34801 gaccccatga attgcagcat gccaggcctc cctgtccatc accgactcct ggagttoatt
34861 caaactcaag tccatcagat cggtgatgcc atccaacct ctcactctct gttgtccct
34921 tctctcctg ccccaatcc cctccagcat cacagtcttt tccaatgagt cagctcttcg
34981 catgaggtgg ccaaagtact ggagtttcag ctttagcatc attccttoca aagaacacco
35041 aggactgac tcctttagaa tggactagtt ggatctcctt gcagtccaag ggactctcaa
35101 gagtcttttc caacaccaca gttoaaaaag atcaattctt cggcgctcag cttctctcac
35161 agtccaactc tcacatccat atatgaccac tggaaaaacc atagccttga ctatatggac
35221 ctttggttgg aaagtaattgt cctgctttt cagtatgcta tctaggttgg tcaatacttt
35281 ccttccaagg agtaagcgtc ttttaatttc acagctgcag tcaccatctg cagtgtttt
35341 ggagcccaga aaaataaagt ctgccactgt ttccactggt tccccatcta tttcccatga
35401 agtgatggga ccagatgcca tgatctttgt tttctgaatg ttgagcttta agccaacttt
35461 ttcaactctc tctttcactt tcatcaagag gctttttagt tctcttcac tttctcata
35521 agctgagtct ttaatggcaa ttgtagggg cctgcaatg atggggcgga catttagtta
35581 agaaatagac tctctttta acattgctct ccttccccct ttaacaagga gttttgacac
35641 taatgttctt aaaacatagc tcttttggtt ttctgcagaa cagtggctat ctttcttact
35701 attcagtttt ctttaaatca ttttaattca tatttaagt cagcaatgaa aagcagttg
35761 cagctctttg tgcttgatcc tgacttatg actagttag gttgtctagt aggggtgccc
35821 tgattgctat tttctttaga tgtatacatt tgaaggtaga aaacttgtgt gtgacacggt
35881 ggtcactcag taaatacaga tgtgtgtgta aatagaacct tatctaagtt tatgttgaag
35941 tatcatgtca tacaggaaca ggttggtgca tatgtcataa atgtatacag ctcagtgtat

Figure 5

59641 ctgatatctg agattaaata tcacctctaa aaccttcctt ttttgcagtc ctactatctt
59701 acctaggaaa ttccattcag tatcttgccg ggagaattcc agggacagag gtgcctgggtg
59761 ggctatagtc catgggggtca caaagaatca atcggacatg actgagcgac tgacactcat
59821 tccagttgtt cagacacaaa aatatgaggc atcttttgatt tctttctcca gtgtacatat
59881 ctgatctgtc agcagagtc tcttgtttct gtctagcatc aaactatctc agaaccctatc
59941 agttgctaag ttaaaacaaa gatcagatct acttcttgcc tccaaaccca atggcttccc
60001 tccctcaaagt aaagatcttt cagtggattt caaggcactt catgaaatgg cttccatcat
60061 cccctctccaa atcctgtctg tctccattgc ttacctatt ctgactgcac tttgtctcatt
60121 actcatcccc acacgtacca gacatggttc taacctattg cctttgttct tgatattccc
60181 tctgcctaga acgtaaaaac cagatgggga cctcttttct ggtttgtttg tttgtttgtg
60241 agcacgtaaa gaacacctat acctagAAC ctttatattt gttcttacct ctgacctata
60301 atattgtttc ttcagatctc tgaatagttc acttgttttag taatatctgt cctcagatgt
60361 catctaatta gagaagggtc ataaacccat ttggcccttt attctgctaa atttttttct
60421 tttttagact taatgcatca tttttgttat ttacctctcc acaatgagtg cagatgcttt
60481 gttttattttg ctgtgttttc agtatctaga atagatactg gcatctactg ggtgctaaat
60541 gtttgttaat aaatggagac agctgatagg gacatggagg agtgggatta caaaaagttaa
60601 cccctgttta cttctattca ggctatagat tattatcttt cctctctaac attttataga
60661 aaattttctg gtgtggaaga gtctttggct catgcttata tttaaaccaa ttaacaaagc
60721 taacaagtaa atattcttta atgtgttaag accctgagat aatatcttat atacttatat
60781 atataagata ctttggggat taaggggttt gaattgagat aatgttgaaa catagaatat
60841 tgtagagttt gtcagccctg ggttgaatgc tattattatg aatgcctctg gcagtcaagg
60901 taaaaataa gattctataa ccatgggaag aacaaaggaa tttatttata gagagggaaa
60961 tgaagggtg gagccaaatt tggaaactgct aagagtggc aggtagatat catttatctt
61021 tccctaagtc tctacttatt ggttggccta tgaaggcaag gggcaagcgg tctgttttct
61081 ttttttttag tcataaagta ggaaaaagtc cttgtctctc tatctttgac atttatccac
61141 tcaggaaaata tttgaattgc tcttacctat caggcctgag tttaggtgct gggaaatcacg
61201 tgggtgaataa gacagtttcc tactcacctt atgctttttt ttcttttctt aattttgtag
61261 tttgaatggt tcattgtctt gtagggtgat aaagaactat ggtctttggt gaaactaaga
61321 aaaaagcaga ttttattgcc acttttcttt gtcaagaaaa aatatcaaca acaagtattc
61381 atgggtgagt agattattat gatctcttag taaggaggta acttctattt gtcatttgtt
61441 aagaaatggt ggtatattta actagtaaaa aatcctggaa ttaggatctc aagatctagc
61501 tattattctt catctttaag tttttataag **aaccaagtgg ctgggatgga** tgagttagaa
61561 gtattottaag ttctctatca tgattatcaa gcagtctcac ttagtctctc taatccttag
61621 atctaggtgc ttattcagct aatct **[a/g]** tcca gtgcttggt ttttttccac tgggctcaca

61681 aaatgtcata gtaacacaac ttcattggca ctttactagg agatctaaaa tattaattgg
61741 tgaatatgta gaattccgag attatacttt taaaaaatca ggaatttttg agaaaggatt
61801 tgatcaacta gttgtgtatt tttgtcaaa actagaaaca gtttattagt tggtaagatt
61861 tgatgt **ttgt cgcattttgag tctgt**atttt ggctgtaggt attagctgtc accttcatct
61921 gcaaatggag ttaattgtcc taacctcaaa gtattattgt gagaattaaa tgaatgactta
61981 caagaaatta gtataatact ttgtatgtaa gaagtagaca ttaatgttaa ctgttgctat
62041 ttttgtttta ctgttatcca ttgaacttat ccaaaaagaa atctatccat tgaactttaa
62101 ggtgtgtctt taatagtttt ctttaagggt attctaatat atgotttgtt ttctttcaag
62161 tgatcgtgaa cagagagaaa gagagcaagc tcttgagat ttccgctgtg gaaagtgcc
62221 tgttcttgtt gctacttcag tagctgccg agggctggat attgaaaatg ttcagcatgt
62281 tattaatttt gatcttctt ctaccattga tgaatatgtt catcgaattg ggcgtactgg
62341 tctgttggtg aatactggtc gagctatttc cttttttgat ctggaatcag atagccagtt
62401 agcacagcct ctagtgaag tgcatacaga tgaagtttt taatttttaa aactgaatgg
62461 atagtgttct tacctgttca ttgaaagcag acattttata tgtatggatt ttcagttcag
62521 ttcaatttgc cagtctgtgc tgactctttg caaccccatg gactgcagta tggcaggctt
62581 cctgttccat caccaactcc cagagcttac tccaactcat gtccatcgag ttggtgatgc
62641 catccaacgg tctcatcttc tgtcatcccc ttctctctct gccttcaatc tttgccagca
62701 tcagggtctt ttccaatgag tcagttcttt gcatcagggt gccagagtat tggagcttca
62761 gcttcagcat cagtccttgc gatgaatatt caggactgat ttcttttagg gttgactggt
62821 ttgatctcct tgtagtccag gagactcaag agtcttctcc aacatcacag ttcaaaagca
62881 tcaattcttc agcactcagt tttctttgaa gtccacttct cacatccata catgactact
62941 gaagaaacca tagctttgac cagacagacc tttggtggca aaataatgtc tctggttttt
63001 aatatgctgt ctagggttgg catagctttt ctgcttttct tccaaggagc aagcatcttt
63061 taattttcatg gctgtagtca ccatctgtag tgatttcgga gccccaaaa ataaagtctc
63121 tcaactgtttc cattgtttct ccatctgttt gccctgaatt gatgggaacc gatgccatga
63181 tcttagtttt ctgaatgttg agctttaagc caactttttc actctcttct tcaactttca
63241 tcaagaggct ctttagttct tgcctttctg ccataagggt ggtgtcgtct gcgtatctca
63301 ggttattgat atttctccag gcagtcttga ttctaccttg tgcttcatcc agcccagcat
63361 ttcacatgat gtactctaaa atcccacggg cggaggagcc tggtaggctg cagtccatgg
63421 ggtcgctaag agtcggacac gactgagtga cttcactttc acttttcaact ttcatgcatt
63481 tgaggaggaa atggcaaccc actccagtgt tcttgctctg agaatcccag ggacggggga
63541 gctgtgtggg ctgctgtcta tggggttgca cagagtcgga cagactcaca gcgacttagc
63601 agcagcagca tataaattaa ataagcagg tgacaatata cggccttgac atactccttt
63661 ccttatttgg aaccagtctg ttgttccatg tccagttcta actgttgctt cttgatctgc

Figure 6

1

SINGLE NUCLEOTIDE POLYMORPHISMS ASSOCIATED WITH BULL FERTILITY

STATEMENT OF GOVERNMENT INTEREST

This invention was made with government support under 12-CRHF-0-6055 awarded by the USDA/NIFA. The government has certain rights in the invention.

FIELD OF THE INVENTION

The present invention relates to compositions and methods for testing and selecting cattle using molecular genetic methods by assaying for the presence of at least one genetic marker indicative of increased bull fertility. Specifically, genetic variations in the MAP1B and PPP1R11 genes are tested and used for selecting cattle animals with improved blastocyst or fertilization rates, or both.

BACKGROUND OF THE INVENTION

The dairy cattle genome has been significantly restructured over the past 30 years due to intensive breeding effort selecting for production traits, including high quality milk and high and sustained productivity. However, while those efforts led to dramatic improvement of productivity, there has been significant reproductive deterioration in high-producing dairy cows, which in turn has caused substantial economic loss in the dairy cattle industry (Lucy, 2007, Fertility in high-producing dairy cows: reasons for decline and corrective strategies for sustainable improvement. *Society of Reproduction and Fertility Supplement*. 64 237-254). Key factors contributing to decreasing fertility of dairy cow are low fertilization rates and decreased embryonic survival.

Fertility is a complex trait that comprises developmental stages such as combining sperm and egg to form a zygote, compaction of embryo cells to form a morula, establishment of the blastocyst, attachment of the embryo to the uterus, and fetal development (Amann and DeJarnette, 2012). This complexity makes accurate prediction of successful pregnancy difficult, as aberrant development of sperm, oocyte, embryo, or fetus all would lead to conception failure. Conception rate in dairy cattle is about 40%, and only 50% of the fertilized eggs produce viable embryos (Santos et al., 2004). The decline in reproductive performance in cattle over the past few decades (Dobson et al., 2007) has been ascribed primarily to fertilization failure and early embryonic loss (Santos et al., 2004).

Previous studies have shown that genetic makeup of an individual plays crucial roles in embryonic development and reproductive success (Weigel, 2006; Shook, 2006). Although a male and female parent each contributes half of its genetic material to the new zygote and both are necessary for embryo development, it is not obvious whether or not this contribution is equally important to pregnancy success. For example, it is well established that the paternal genome supports growth of extra-embryonic tissues while the maternal genome fosters development of the embryo proper (Barton et al., 1984). After fertilization, the development of an embryo is controlled by maternal genomic information that is accumulated during oogenesis (Telford et al., 1990). It is only at the 8-cell stage in the bovine embryo that the embryonic genome activates and the embryo switches to transcribing its own RNA (Memili and First, 2000).

Despite that most breeding schemes in cattle are focused on the selection of elite bulls using progeny testing or genomic selection, and that some semen traits (e.g., sperm

2

motility and percentage of abnormal sperm) show moderate to high heritabilities (Druet et al., 2009), most fertility studies in cattle have focused on the maternal contribution, and the paternal contribution to reproductive performance has not been thoroughly investigated, and only a few studies have been reported in the literature (Feugang et al., 2009; Khatib et al., 2010; Peñagaricano et al., 2012). Therefore, characterization of bull fertility markers is both feasible and highly desirable, and the deployment of these markers in cattle breeding would lead to improved reproductive performance in cattle.

A recent comparative genomics study has characterized many genes involved in the control of spermatogenesis that were highly conserved from fly to human (Bonilla and Xu, 2008). Some of these genes were reported to be crucial for human fertility. However, it is not known whether or not these spermatogenesis genes play important roles in the fertility of bulls.

SUMMARY OF THE INVENTION

The present inventor carried out an association analysis between highly conserved spermatogenesis genes and sire conception rate (SCR) as a measure of bull fertility, with the objective that significant polymorphisms associated with bull fertility can be used as genetic markers in breeding programs aimed at improving reproductive performance in cattle.

Specifically, an association analysis is performed between highly conserved spermatogenesis genes and SCR in US Holstein populations as a measure of bull fertility. Sequence analysis revealed 24 single nucleotide polymorphisms (SNPs) in 9 genes in the bull population using the pooled DNA sequencing approach. These 9 genes were selected for their high level of sequence conservation between flies and humans. Overall, the 24 SNPs were tested for association with SCR in a population of 1,988 bulls. Three SNPs located in the MAP1B gene, one SNP in the PPP1R11 gene and one SNP in the DDX4 gene showed significant associations with SCR. Nucleotide probes based upon these SNPs are found to be useful for genetic testing of bull animals for improved fertilization rate.

Accordingly, in one embodiment, the present invention provides an isolated oligo- or poly-nucleotide molecule consisting of

- 1) Position 1986 of SEQ ID NO:1 (Position 3066 of FIG. 1) and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:1 adjacent to position 1986;
- 2) Position 2243 of SEQ ID NO:1 (Position 3323 of FIG. 1) and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:1 adjacent to position 2243;
- 3) Position 1991 of SEQ ID NO:2 (Position 87071 of FIG. 3) and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:2 adjacent to position 1991,
- (4) Position 232 of SEQ ID NO:3 (Position 112 of FIG. 4) and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:3 adjacent to position 232,
- (5) Position 2006 of SEQ ID NO:4 (Position 61646 of FIG. 6) and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:4 adjacent to position 2006, and
- 6) Position 2139 of SEQ ID NO:5 (Position 34239 of FIG. 5) and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:5 adjacent to position 2139.

In one embodiment, the nucleotide molecule of the present invention comprises at least about 15 contiguous nucleotides adjacent to its respective position (hereinafter the "SNP position") of the respective figure. In one embodiment, the nucleic acid molecule of the present invention comprises at least

about 20 contiguous nucleotides adjacent to the respective SNP position. In one embodiment, the oligonucleotide molecule of the present invention consists of not more than about 100 nucleotides. In one embodiment, the oligonucleotide molecule of the present invention consists of not more than about 50 nucleotides. In one embodiment, the SNP position of the nucleotide molecule of the present invention near or at the center of the molecule; alternatively, the SNP position is at the 3'-end of the oligonucleotide molecule.

Also provided herein is an array of nucleic acid molecules, comprising the isolated oligonucleotide molecule of the present invention, supported on a substrate. The substrate may be any suitable medium, known and readily available to one of ordinary skills in the art, and the array may be addressable.

The present invention further provides a kit comprising an isolated oligonucleotide molecule of the present invention, and a suitable container.

In another embodiment, the present invention provides a method for detecting single nucleotide polymorphism (SNP) in a gene listed in Table 1 below in a bovine cell, the method comprising optionally isolating a DNA from the bovine cell, determining the identity of a nucleotide on the gene of the cell at a SNP position identified in Table 1 below, and comparing the identity to the preferred nucleotide identity at a corresponding position in Table 1.

In one embodiment, the bovine cell may be an adult cell, an embryo cell, a sperm, an egg, a fertilized egg, or a zygote. The identity of the nucleotide may be determined by many methods known and readily available to those ordinarily skilled in the art, such as but not limited to sequencing a nucleic acid molecule comprising a suitable portion of the gene of the cell comprising a respective SNP position, or by hybridizing a suitable probe to a nucleic acid preparation from the cell, which probe may be suitably labeled e.g. fluorescently or radioactively.

The nucleic acid molecule may be isolated from the cell via a large variety of methods, known and readily available to an ordinarily skilled artisan, such as amplification by the polymerase chain reaction (PCR) of genomic DNA of the cell, or when appropriate, by RT-PCR of the mRNA of the cell.

In preferred embodiment, both copies of the gene in a diploid genome are genotyped according to the method of the present invention.

The identity of the nucleotide may be determined based on genotypes of the parent of the cell, genotypes of the daughter of the cell, or both, through genetic analysis methods well-known to those skilled in the art.

A method is further provided for determining whether an individual bovine animal is suitable as a gamete donor for natural mating, artificial insemination or in vitro fertilization, the method comprising detecting the SNP according to the above method of the present invention, and excluding as gamete donor an individual which does not have the preferred allele identity at the respective SNP position as described in Table 1.

In one embodiment, the individual is excluded as a gamete donor if the individual, whose genotype is not homozygous of the preferred allele with regard to the respective SNP position.

The present invention additionally provides a method of selecting a bovine embryo for planting in a uterus, the method comprising genotyping the embryo according to the present invention, while preserving the viability of the embryo, and excluding from planting an embryo which does not have the preferred allele identity at the respective SNP position as described in Table 1.

In another embodiment, the present invention further provides a method for selectively breeding cattle using a multiple ovulation and embryo transfer procedure (MOET), the method comprising superovulating a female animal, collecting eggs from said superovulated female, in vitro fertilizing said eggs from a male animal which has at least one preferred allele identity at the respective SNP position as described in Table 1, implanting said fertilized eggs into other females allowing for an embryo to develop.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the male animal according to the method of the present invention.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the developing embryo, and allowing pregnancy to proceed only if the genotype of the embryo comprises at least one preferred allele identity at the respective SNP position as described in Table 1.

DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts a partial genomic sequence (SEQ ID NO:1) of MAP1B, showing the locations of SNPs 1, 2 and 3 on the MAP1B gene and the locations of the primers (1F and 1R, corresponding to positions 2859-2876, and positions 3346-3362, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequences is according to that of GenBank Accession No. (Gene ID: 514739, updated on 12 Jul. 2012), incorporated herein by reference in its entirety.

FIG. 2 is the partial genomic sequence (SEQ ID NO:6) of the MAP1B gene showing the locations of SNPs 4 and 6 on the MAP1B gene and the locations of the primers 2F and 2R (corresponding to positions 51447-51466, and positions 51931-51948, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequence is according to that of GenBank Accession No. (Gene ID: 514739, updated on 12 Jul. 2012), incorporated herein by reference in its entirety.

FIG. 3 is the partial genomic sequence (SEQ ID NO:2) of the MAP1B gene showing the location of SNP 5 on the MAP1B gene and the locations of the primers 3F and 3R (corresponding to positions 86634-86651, and positions 87260-87278, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequence is per that of GenBank Accession No. (Gene ID: 514739), incorporated herein by reference in its entirety.

FIG. 4 is the partial genomic sequence (SEQ ID NO:3) of the PPP1R11 gene showing the locations of SNPs 1-4 on the PPP1R11 gene and the locations of the primers 1F and 1R (corresponding to positions -102 to -85, and positions 470-489, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequences is according to GenBank Accession No. (Gene ID: 504846), incorporated herein by reference in its entirety.

FIG. 5 is the partial genomic sequence (SEQ ID NO:5) of the DDX4 gene, showing the location of SNP 2 on the DDX4 gene and the locations of the primers 1F and 1R (corresponding to positions 34014-34031, and positions 34398-34417, respectively) used to amplify the region comprising the SNP site. The numbering of the sequences is according to that of GenBank Accession No. (Gene ID: 493725), incorporated herein by reference in its entirety.

FIG. 6 is the partial genomic sequence (SEQ ID NO:4) of the DDX4 showing the location of SNP 1 on the DDX4 gene and the locations of the primers 2F and 2R (corresponding to

positions 61531-61549, and positions 61867-61884, respectively) used to amplify the region comprising the SNP site. The number of the sequences is per that of GenBank Accession No. (Gene ID: 493725), incorporated herein by reference in its entirety.

DETAILED DESCRIPTION OF THE INVENTION

The present inventor has found that the spermatogenesis genes MAP1B, PPP1R11 and DDX4 showed significant associations with SCR. Table 1 below summarizes the SNPs demonstrated to be significantly associated with sire conception rates according to the present invention.

TABLE 1

Genetic markers significantly associated with sire conception rate			
SNP ID	Location/Position	Nucleotide Identity of Preferred Allele	Nucleotide Identity of Polymorph in GenBank
SNP1.MAP1B	Position 3066 of FIG. 1	A	A
SNP3.MAP1B	Position 3323 of FIG. 1	T	T
SNP5.MAP1B	Position 87071 of FIG. 3	C	C
SNP1.PPP1R11	Position 112 of FIG. 4	G	T
SNP1.DDX4	Position 61646 of FIG. 6	A	A
SNP2.DDX4	Position 34239 of FIG. 5	G	G

Three SNPs in MAP1B, in low to moderate linkage disequilibrium (LD), were significantly associated with SCR. After correction for multiple testing, only one SNP in intron 5, SNP 5, showed the most significant association with SCR.

The MAP1B gene belongs to the microtubule-associated protein family and is known to affect neuronal development such as axon growth (Tymanskyj et al., 2012), development of dendritic spine and synaptic maturation (Tortosa et al., 2011), and regulation of the interaction between microtubules and actin microfilaments for axonal development (Montenegro-Venegas et al., 2010). Recent reports on the expression of MAP1B in the male reproductive tract in both rat and human (Queiróz et al., 2006) and in testis of fruit fly and mouse (Bonilla and Xu, 2008) suggest important functions of this gene in the regulation of male fertility. The finding by the present inventor, disclosed herein, that the MAP1B gene is associated with SCR, supports the conclusion that MAP1B plays a role in male fertility across a wide range of species.

The present inventor also found that a SNP in the 5'UTR of PPP1R11 was associated with SCR in the bull population examined in this study. This is the first report of association between male fertility in cattle and PPP1R11, which is consistent with previous reports on the roles of this gene in spermatogenesis in mouse and human. For example, the different isoforms of PPP1R11 (also known as TCTEX5) were found to be expressed in most mouse tissues with high expression in testis, epididymis, and in the head and tail regions of spermatozoa (Han et al., 2007). In a subsequent study, it was shown that mutations in the long transcript of PPP1R11 were associated with normal sperm function (Han et al., 2008). The authors concluded that PPP1R11 plays important roles in sperm motility and spermatogenesis. A recent study reported that an isoform of protein phosphatase 1 (PP1 γ 2), which has an essential role in spermatogenesis, forms a complex with PPP1R11 in the testis (Cheng et al., 2009). Given that PP1 γ 2 is regulated by PPP1R11, these results further support the idea that PPP1R11 has important functions in spermatogenesis.

The spermatogenesis genes investigated in this study were selected from a pool of genes whose expression is highly conserved in testis of both fruit fly and mouse (Bonilla and Xu, 2008). The protein sequence identities between cattle and human and between cattle and fly are 91% and 32%, respectively for MAP1B and 99% and 47%, respectively for PPP1R11. As such, the association of these genes with bull fertility testifies to the usefulness of the comparative genomics approach in selecting candidate male fertility genes.

To further explore involvement of male fertility genes identified in this study in female fertility, we tested the association of the SNPs in MAP1B, with fertilization and embryo survival rates using data from the IVF system. MAP1B genotypes of the cows, from which oocytes were extracted and used for fertilization and embryo culture, were significantly associated with differential fertilization rate and embryo survival rate. Recently, the expression of MAP1B was found to be downregulated in follicular cystic follicles compared to normal follicles, suggesting that alteration in MAP1B expression may be involved in reproduction failure in cattle (Choe et al., 2010). The instant disclosure again demonstrates the significance of both parental genomes to embryonic development and fertility.

Accordingly, the present invention provides nucleic acid-based genetic markers for identifying bovine animals, especially bulls, with superior fertility, specifically, sire conception rate as a measure of male fertility. In general, for use as markers, isolated oligonucleotide or polynucleotide molecules, or isolated nucleic acid fragments, preferably DNA fragments, as used. Such markers will be of at least 10 nucleotides (nt), preferably at least 11, 12, or 15 nt, usually at least 20 nt, often at least 50 nt. Such small DNA fragments are useful as primers for the polymerase chain reaction (PCR), and probes for hybridization screening, etc.

In one embodiment, the isolated nucleic acid molecule comprises not more than 1,500 nt, or not more than 1000 nt, or not more than 900 nt, or not more than 800 nt, or not more than 700 nt, or not more than 600 nt, or not more than 500 nt, or not more than 400 nt, or not more than 300 nt, or not more than 200 nt., or not more than 150 nt., or not more than 100 nt., or not more than 75 nt.

In the context of the present invention, the term "isolated" refers to a nucleic acid molecule purified to some degree from endogenous materials with which the nucleic acid molecule may naturally occur or exist. At the least, the term "isolated" refers to a nucleic acid molecule separated from chromatin or other protein or components of the genomic DNA. Preferably, the isolated oligonucleic acid molecule or polynucleic acid molecule of the present invention comprises a fragment that is shorter than that which is naturally occurring.

In the context of the present invention, the provided sequences also encompass the complementary sequence corresponding to any of the provided polymorphisms. Where appropriate, and in order to provide an unambiguous identification of the specific site of a polymorphism, the numbering of the original nucleic sequences in the GenBank may be used; alternatively, the numbering may simply refer to the specific sequence in the Sequence Listing accompanying this disclosure.

The term primer refers to a single-stranded oligonucleotide capable of acting as a point of initiation of template-directed DNA synthesis under appropriate conditions (i.e., in the presence of four different nucleoside triphosphates and an agent for polymerization, such as, DNA or RNA polymerase or reverse transcriptase) in an appropriate buffer and at a suitable temperature. The appropriate length of a primer depends on the intended use of the primer but typically ranges from 15 to

30 nucleotides. Short primer molecules generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. A primer need not reflect the exact sequence of the template but must be sufficiently complementary to hybridize with a template. The term primer site, or priming site, refers to the area of the target DNA to which a primer hybridizes. The term primer pair means a set of primers including a 5' upstream primer that hybridizes with the 5' end of the DNA sequence to be amplified and a 3', downstream primer that hybridizes with the complement of the 3' end of the sequence to be amplified. One of these two primers is often referred to as the "forward primer," while the other the "reverse primer."

The term "probe" or "hybridization probe" denotes a defined nucleic acid segment (or nucleotide analog segment) which can be used to identify by hybridization a specific polynucleotide sequence present in samples, said nucleic acid segment comprising a nucleotide sequence complementary of the specific polynucleotide sequence to be identified. "Probes" or "hybridization probes" are nucleic acids capable of binding in a base-specific manner to a complementary strand of nucleic acid.

An objective of the present invention is to determine which embodiment of the polymorphisms a specific sample of DNA has. For example, it is desirable to determine whether the nucleotide at a particular position is A or G. An oligonucleotide probe can be used for such purpose. Preferably, the oligonucleotide probe will have a detectable label, and contains an A at the corresponding position. Experimental conditions can be chosen such that if the sample DNA contains an A, they hybridization signal can be detected because the probe hybridizes to the corresponding complementary DNA strand in the sample, while if the sample DNA contains a G, no hybridization signal is detected.

Similarly, PCR primers and conditions can be devised, whereby the oligonucleotide is used as one of the PCR primers, for analyzing nucleic acids for the presence of a specific sequence. These may be direct amplification of the genomic DNA, or RT-PCR amplification of the mRNA transcript of the gene of interest. The use of the polymerase chain reaction is described in Saiki et al. (1985) *Science* 230:1350-1354. Amplification may be used to determine whether a polymorphism is present, by using a primer that is specific for the polymorphism. Alternatively, various methods are known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, for examples see Riley et al (1990) *Nucleic Acids Res.* 18:2887-2890; and Delahunty et al (1996) *Am. J. Hum. Genet.* 58:1239-1246. The detection method may also be based on direct DNA sequencing, or hybridization, or a combination thereof. Where large amounts of DNA are available, genomic DNA is used directly. Alternatively, the region of interest is cloned into a suitable vector and grown in sufficient quantity for analysis. The nucleic acid may be amplified by PCR, to provide sufficient amounts for analysis.

Hybridization may be performed in solution, or such hybridization may be performed when either the oligonucleotide probe or the target polynucleotide is covalently or non-covalently affixed to a solid support. Attachment may be mediated, for example, by antibody-antigen interactions, poly-L-Lys, streptavidin or avidin-biotin, salt bridges, hydrophobic interactions, chemical linkages, UV cross-linking baking, etc. Oligonucleotides may be synthesized directly on the solid support or attached to the solid support subsequent to synthesis. Solid-supports suitable for use in detection methods of the invention include substrates made of silicon, glass, plastic, paper and the like, which may be formed, for

example, into wells (as in 96-well plates), slides, sheets, membranes, fibers, chips, dishes, and beads. The solid support may be treated, coated or derivatized to facilitate the immobilization of the allele-specific oligonucleotide or target nucleic acid. For screening purposes, hybridization probes of the polymorphic sequences may be used where both forms are present, either in separate reactions, spatially separated on a solid phase matrix, or labeled such that they can be distinguished from each other.

Hybridization may also be performed with nucleic acid arrays and subarrays such as described in WO 95/11995. The arrays would contain a battery of allele-specific oligonucleotides representing each of the polymorphic sites. One or both polymorphic forms may be present in the array. Usually such an array will include at least 2 different polymorphic sequences, i.e. polymorphisms located at unique positions within the locus, and may include all of the provided polymorphisms. Arrays of interest may further comprise sequences, including polymorphisms, of other genetic sequences, particularly other sequences of interest. The oligonucleotide sequence on the array will usually be at least about 12 nt in length, may be the length of the provided polymorphic sequences, or may extend into the flanking regions to generate fragments of 100 to 200 nt in length. For examples of arrays, see Ramsay (1998) *Nat. Biotech.* 16:4044; Hacia et al. (1996) *Nature Genetics* 14:441-447; Lockhart et al. (1996) *Nature Biotechnol.* 14:1675-1680; and De Risi et al. (1996) *Nature Genetics* 14:457-460.

The identity of polymorphisms may also be determined using a mismatch detection technique, including but not limited to the RNase protection method using riboprobes (Winter et al., *Proc. Natl. Acad. Sci. USA* 82:7575, 1985; Meyers et al., *Science* 230:1242, 1985) and proteins which recognize nucleotide mismatches, such as the *E. coli* mutS protein (Modrich, *P. Ann Rev. Genet.* 25:229-253, 1991). Alternatively, variant alleles can be identified by single strand conformation polymorphism (SSCP) analysis (Orita et al., *Genomics* 5:874-879, 1989; Humphries et al., in *Molecular Diagnosis of Genetic Diseases*, R. Elles, ed., pp. 321-340, 1996) or denaturing gradient gel electrophoresis (DGGE) (Wartell et al., *Nucl. Acids Res.* 18:2699-2706, 1990; Sheffield et al., *Proc. Natl. Acad. Sci. USA* 86:232-236, 1989).

A polymerase-mediated primer extension method may also be used to identify the polymorphism(s). Several such methods have been described in the patent and scientific literature and include the "Genetic Bit Analysis" method (WO92/15712) and the ligase/polymerase mediated genetic bit analysis (U.S. Pat. No. 5,679,524). Related methods are disclosed in WO91/02087, WO90/09455, WO95/17676, U.S. Pat. Nos. 5,302,509, and 5,945,283. Extended primers containing a polymorphism may be detected by mass spectrometry as described in U.S. Pat. No. 5,605,798. Another primer extension method is allele-specific PCR (Ruao et al., *Nucl. Acids Res.* 17:8392, 1989; Ruao et al., *Nucl. Acids Res.* 19, 6877-6882, 1991; WO 93/22456; Turki et al., *J. Clin. Invest.* 95:1635-1641, 1995). In addition, multiple polymorphic sites may be investigated by simultaneously amplifying multiple regions of the nucleic acid using sets of allele-specific primers as described in Wallace et al. (WO 89/10414).

A detectable label may be included in an amplification reaction. Suitable labels include fluorochromes, e.g. fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein (JOE), 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4',7-hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine

(TAMRA), radioactive labels, e.g. ^{32}P , ^{35}S , ^3H ; etc. The label may be a two stage system, where the amplified DNA is conjugated to biotin, haptens, etc. having a high affinity binding partner, e.g. avidin, specific antibodies, etc., where the binding partner is conjugated to a detectable label. The label may be conjugated to one or both of the primers. Alternatively, the pool of nucleotides used in the amplification is labeled, so as to incorporate the label into the amplification product.

It is readily recognized by those ordinarily skilled in the art that in order to maximize the signal to noise ratio, in probe hybridization detection procedure, the polymorphic site should be at the center of the probe fragment used, whereby a mismatch has a maximum effect on destabilizing the hybrid molecule; and in a PCR detection procedure, the polymorphic site should be placed at the very 3'-end of the primer, whereby a mismatch has the maximum effect on preventing a chain elongation reaction by the DNA polymerase. The location of nucleotides in a polynucleotide with respect to the center of the polynucleotide are described herein in the following manner. When a polynucleotide has an odd number of nucleotides, the nucleotide at an equal distance from the 3' and 5' ends of the polynucleotide is considered to be "at the center" of the polynucleotide, and any nucleotide immediately adjacent to the nucleotide at the center, or the nucleotide at the center itself is considered to be "within 1 nucleotide of the center." With an odd number of nucleotides in a polynucleotide any of the five nucleotides positions in the middle of the polynucleotide would be considered to be within 2 nucleotides of the center, and so on. When a polynucleotide has an even number of nucleotides, there would be a bond and not a nucleotide at the center of the polynucleotide. Thus, either of the two central nucleotides would be considered to be "within 1 nucleotide of the center" and any of the four nucleotides in the middle of the polynucleotide would be considered to be "within 2 nucleotides of the center," and so on.

In some embodiments, a composition contains two or more differently labeled oligonucleotides for simultaneously probing the identity of nucleotides or nucleotide pairs at two or more polymorphic sites. It is also contemplated that primer compositions may contain two or more sets of allele-specific primer pairs to allow simultaneous targeting and amplification of two or more regions containing a polymorphic site.

Alternatively, the relevant portion of the gene of the sample of interest may be amplified via PCR and directly sequenced, and the sequence be compared to the wild type sequence shown in the figures. It is readily recognized that, other than those disclosed specifically herein, numerous primers can be devised to achieve the objectives. PCR and sequencing techniques are well known in the art and reagents and equipments are readily available commercially.

Alternatively, an invasive signal amplification assay, as described in e.g. U.S. Pat. No. 5,422,253 and Lyamichev et al., 2000, *Biochemistry* 39:9523-9532, both incorporated herein by reference in their entirety, may be used for detecting the SNP of interest. This assay takes advantage of enzymes such as the 5' nuclease activity of a DNA polymerase or the gene 6 product from bacteriophage T7 in their ability to cleave polynucleotide molecules by recognizing specific structures instead of specific sequences. A single-stranded target molecule is annealed to a pilot oligonucleotide such that the 5' end of the pilot forms a duplex with the target molecule. If the 3' end of the pilot oligonucleotide does not pair with the target, a 3' arm is formed. When exposed to a cleavage agent such as a DNA polymerase having a 5' nuclease activity or the gene 6 product from bacteriophage T7, the target molecule is cleaved in the 5' region, one nucle-

otide into the duplex adjacent to the unpaired region of the target. If a cut in a double-stranded molecule is required, the double-stranded molecule is denatured. Because this unpaired 3' arm can be as short as one nucleotide, this assay can be used for detecting a single-nucleotide difference, e.g. in the context of SNP detection. The pilot oligonucleotide is designed such that it pairs perfectly with one allele, but has a 3', single nucleotide mismatch with another allele. Cleavage only occurs if there is a mismatch between the target molecule and the pilot. To achieve signal amplification, the above invasive reaction is modified such that cleavage occurs on the pilot oligonucleotide. Two oligonucleotides are annealed in an adjacent manner to the target molecule. The resulting adjacent duplexes overlaps by at least one nucleotide to create an efficient substrate, called the overlapping substrate, for the 5' nucleases. The 5' end of the downstream oligonucleotide, also called the probe, contains an unpaired region termed the 5' arm (Lyamichev et al., 1993, *Science* 260:778-783.) or flap (Harrington and Lieber, 1994, *EMBO J* 13: 1235-1246) that is not required for the enzyme activity; however, very long arms can inhibit cleavage (Lyamichev et al., 1993, *Science* 260: 778-783). Specific cleavage of the probe, termed invasive cleavage (Lyamichev et al., 1999, *Nat. Biotechnol.* 17 292-296; Kwiatkowski et al., 1999, *Mol. Diagn.* 4, 353-364.), occurs at the position defined by the 3' end of the upstream oligonucleotide, which displaces or "invades" the probe. If the overlap between the adjacent oligonucleotides is only one nucleotide, cleavage takes place between the first two base pairs of the probe, thus releasing its 5' arm and one nucleotide of the base paired region (Lyamichev et al., 1999, *Proc. Natl. Acad. Sci. USA.* 96: 6143-6148, and Kaiser et al., 1999, *J Biol. Chem.* 274:21387-21394). If the upstream oligonucleotide and the probe are present in large molar excess over the target nucleic acid, and invasive cleavage is carried out near the melting temperature of the probe, a cut probe can rapidly dissociate, and an intact probe will anneal to the target more frequently than will a cut probe, thus initiating a new cycle of cleavage. This allows multiple probes to be cut for each target molecule under isothermal conditions, resulting in linear signal amplification with respect to target concentration and time (Lyamichev et al., 1999, *Nat. Biotechnol.* 17: 292-296).

DNA markers have several advantages; segregation is easy to measure and is unambiguous, and DNA markers are co-dominant, i.e., heterozygous and homozygous animals can be distinctively identified. Once a marker system is established selection decisions could be made very easily, since DNA markers can be assayed any time after a blood sample can be collected from the individual infant animal, or even earlier by testing embryos in vitro if very early embryos are collected. The use of marker assisted genetic selection will greatly facilitate and speed up cattle breeding problems. For example, a modification of the multiple ovulation and embryo transfer (MOET) procedure can be used with genetic marker technology. Specifically, females are superovulated, eggs are collected, in vitro fertilized using semen from superior males and implanted into other females allowing for use of the superior genetics of the female (as well as the male) without having to wait for her to give birth to one calf at a time. Developing blastomeres at the 4-8 cell stage may be assayed for presence of the marker, and selection decisions made accordingly.

In one embodiment of the invention an assay is provided for detection of presence of a desirable genotype using the markers.

The term "genotype" as used herein refers to the identity of the alleles present in an individual or a sample. In the context of the present invention a genotype preferably refers to the

11

description of the polymorphic alleles present in an individual or a sample. The term “genotyping” a sample or an individual for a polymorphic marker refers to determining the specific allele or the specific nucleotide carried by an individual at a polymorphic marker.

The present invention is suitable for identifying a bovine, including a young or adult bovine animal, an embryo, a semen sample, an egg, a fertilized egg, or a zygote, or other cell or tissue sample therefrom, to determine whether said bovine possesses the desired genotypes of the present invention, some of which are indicative of improved reproduction traits.

Further provided is a method for genotyping the bovine genes identified in Table 1, comprising determining for the two copies of the gene in a diploid genome present the identity of the nucleotide pair at the relevant SNP position (see below).

One embodiment of a genotyping method of the invention involves examining both copies of the gene, or a fragment thereof, to identify the nucleotide pair at the polymorphic site in the two copies to assign a genotype to the individual. In some embodiments, “examining a gene” may include examining one or more of: DNA containing the gene, mRNA transcripts thereof, or cDNA copies thereof. As will be readily understood by the skilled artisan, the two “copies” of a gene, mRNA or cDNA, or fragment thereof in an individual may be the same allele or may be different alleles. In another embodiment, a genotyping method of the invention comprises determining the identity of the nucleotide pair at the polymorphic site.

The present invention further provides a kit for genotyping a bovine sample, the kit comprising in a container a nucleic acid molecule, as described above, designed for detecting the polymorphism, and optionally at least another component for carrying out such detection. Preferably, a kit comprises at least two oligonucleotides packaged in the same or separate containers. The kit may also contain other components such as hybridization buffer (where the oligonucleotides are to be used as a probe) packaged in a separate container. Alternatively, where the oligonucleotides are to be used to amplify a target region, the kit may contain, preferably packaged in separate containers, a polymerase and a reaction buffer optimized for primer extension mediated by the polymerase, such as PCR.

In one embodiment the present invention provides a breeding method whereby genotyping as described above is conducted on a bovine animal, especially a bull, and based on the results, certain cattle are either selected or dropped out of the breeding program.

Through use of the linked marker loci, procedures termed “marker assisted selection” (MAS) may be used for genetic improvement within a breeding nucleus; or “marker assisted introgression” for transferring useful alleles from a resource population to a breeding nucleus (Soller 1990; Soller 1994).

A method is further provided for determining whether an individual bovine animal is suitable as a gamete donor for natural mating, artificial insemination or in vitro fertilization, the method comprising determining the identity of one or more SNPs according to the present invention using a method of the present invention, and excluding as gamete donor an individual which does not have the preferred allele identity at the respective SNP position as described in Table 1.

Specifically, an individual bovine animal, especially a bull, is excluded as a gamete donor, if its genome does not have at least:

- 1) adenine (A) at the position of its MAP1B gene corresponding to position 3066 of FIG. 1;

12

- 2) thymine (T) at the position of its MAP1B gene corresponding to position 3323 of FIG. 1;

- 3) cytosine (C) at the position of its MAP1B gene corresponding to position 87071 of FIG. 3;

- 4) guanine (G) at the position of its PPP1R11 gene corresponding to position 112 of FIG. 4;

- 5) adenine (A) at the position of its DDX4 gene corresponding to position 61646 of FIG. 6, or

- 6) G at the position of its DDX4 gene corresponding to position 34239 of FIG. 5.

In one embodiment, the individual is excluded as a gamete donor if the genotype of the individual is not homozygous of the preferred allele with regard to the respective SNP position.

The present invention additionally provides a method of selecting a bovine embryo for planting in a uterus, the method comprising genotyping the embryo according to the present invention, while preserving the viability of the embryo, and excluding from planting an embryo which does not have the preferred allele identity at the respective SNP position as described in Table 1.

In another embodiment, the present invention further provides a method for selectively breeding cattle using a multiple ovulation and embryo transfer procedure (MOET), the method comprising superovulating a female animal, collecting eggs from said superovulated female, in vitro fertilizing said eggs from a male animal which has at least one preferred allele identity at the respective SNP position as described in Table 1 and above, implanting said fertilized eggs into other females allowing for an embryo to develop.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the male animal according to the method of the present invention.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the developing embryo, and allowing pregnancy to proceed only if the genotype of the embryo comprises at least one preferred allele identity at the respective SNP position as described in Table 1.

The following examples are intended to illustrate preferred embodiments of the invention and should not be interpreted to limit the scope of the invention as defined in the claims.

EXAMPLES

Materials and Methods

Associations of candidate fertility genes examined were carried out in two experiments. In the first part, single nucleotide polymorphisms (SNPs) in the spermatogenesis genes were tested for associations with sire conception rate (SCR) in a large bull population. In the second part, genes found significantly associated with SCR were tested for association with female fertility traits (fertilization and blastocyst rates). Male fertility genes that play roles in female fertility can be used to improve reproductive performance in cattle using genetic information from both males and females in breeding schemes.

Gene Selection, SNP Identification, and Genotyping for Bull Fertility

A total of 58 spermatogenesis genes, with conserved testicular expression from fly to human, were reported in Bonilla and Xu (2008). Of those genes, only 22 were annotated in the bovine genome. For SNP identification and genotyping, genomic DNA was extracted from semen samples of 268 Holstein bulls (Genex Cooperative/CRI, Shawano, Wis.)

using standard phenol/chloroform protocols. One DNA pool was constructed from 20 random semen samples with equal amounts of DNA. The DNA pool was amplified using primers designed in the 22 candidate genes to amplify 5' untranslated regions (UTRs), exons, introns, and 3' UTRs. The PCR products were sequenced, and SNPs were identified by visually inspecting sequence traces. PCR amplification and sequencing were performed as described in Khatib et al. (2008). Table 2 shows the primer sets used to amplify the nine candidate spermatogenesis genes found to be polymorphic in the bull population.

TABLE 2

Primers used to amplify the nine spermatogenic genes					
Gene	Forward Primer	SEQ ID NO:	Reverse Primer	SEQ ID NO:	Product Size
DCUN1D1	ATACCCCTTAGGCAGTTAG	7	AATTGTAAACCCCTGAGAC	8	536
DDX4 (1)	AAACACGGAACAGAGGGT	9	AGGCAGGATTAGCAAGTATG	10	404
DDX4 (2)	AACCAAGTGGCTGGGATG	11	CAGACTCAAATGCGACAA	12	354
DNAI1 (1)	CGGTAAGTGAGCAGCATC	13	ACTGAAGCCTTTGCCCTA	14	495
DNAI1 (2)	CCCAGTGCTCCAAATCCT	15	ATGGCTCATCTTGCTTCAGTA	16	413
DNAI1 (3)	CGTGACTGGGTTTAGGAT	17	CTGGTGGCTGCTGTCTAT	18	602
GAPDHS (1)	CCAGGAAACGGCATCACC	19	ACACGCAGCAGGGCAACT	20	414
GAPDHS (2)	GTGAAGGCCAGGGACTATGA	21	ACATGAACAAGAGGGCTGCT	22	541
GSTM3	TTCTCTTCCCTGCAAGTCGT	23	TGAGAACAGCTGCCATCATC	24	664
MAP1B (1)	CCATTTCCTAAGGCACAG	25	TTCCGCCATCTTCTTACA	26	504
MAP1B (2)	CTTATGGTCGTGATTATGAA	27	AAGGCTAACACTGTGGT	28	502
MAP1B (3)	GGCTGTGACATACCTACC	29	CAGACCTTCCCTACTTATT	30	645
PPP1R11 (1)	CACATTACGGCGGAACATA	31	ATCCCAAGCAGTATCACCTA	32	591
PPP1R11 (2)	ACCTGTTCTATCTCCTCCCA	33	GTCACCTACCCACCTTGC	34	543
SPATA20	TTGGAGAAGAAACCCACCAG	35	CCTCACAAGCAAGGCTAAGG	36	459
UBC	TCGCTCAGTCGTGTCTTAC	37	TCAACCAACGCCTAATGT	38	420

Laboratory of the United States Department of Agriculture (AIPL, USDA; Beltsville, Md.), respectively. SNP with minor allele frequencies below 5% were removed. After data editing, 38,265 SNP spanning the entire bovine genome were available in both populations for the imputation process.

Imputation of SNPs was carried out for each candidate gene separately. In each case, a total of 100 SNP on each side of the gene were used to infer the genotypes of the ungenotyped SNP. Imputation was performed using the population-based haplotype clustering algorithm of Scheet and Stephens (2006), which was implemented via the fastPHASE version

A total of 24 SNPs located in the nine spermatogenic genes were genotyped in the Genex population (268 animals) by MALDI-TOF MS (GeneSeek Inc., Lincoln, Nebr.).

Imputation of SNPs for Validation of Significant SNPs Found in Genex Population in a Larger Bull Population Obtained from the USDA

Solely for the purpose of validating the conclusions drawn from the results using the Genex population, and to increase the sample size and improve the statistical power of the study, the 24 SNPs identified in the 9 candidate genes and genotyped in 268 bulls (from here forward, the reference population) were imputed in a total of 1,720 bulls (from here forward, the imputed population) so that a final dataset of 1,988 bulls with genotypic data was generated for subsequent statistical analyses. Bulls in the reference and imputed populations have been previously genotyped with the Illumina BovineSNP50 Bead Chip, and hence shared SNP were used to infer the genotypes of the unshared SNP in the imputed population. Genotypes of the reference (n=268) and the imputed populations (n=1,720) for the 50K SNP Chip were provided by Genex Cooperative/CRI (Shawano, Wis.) and the Animal Improvement Programs

1.2 software using the default settings for all parameters (University of Washington TechTransfer Digital Ventures Program, Seattle, Wash.).

Phenotypic Data for Bull Fertility

The 1,988 bulls genotyped with the 50K SNP Chip were evaluated for sire conception rate (SCR), a phenotypic evaluation of bull fertility provided to dairy producers by AIPL-USDA as described in Peñagaricano et al. (2012). Briefly, SCR is the expected difference in conception rate of a sire compared with the mean of all other evaluated sires (Kuhn and Hutchison, 2008; Kuhn et al., 2008).

In this study, SCR values ranged from -10.66% to +6.80%, and the number of breedings per bull ranged from 303 to 111,402. SCR data were obtained from seven consecutive evaluations provided by AIPL-USDA between August 2008 and December 2010. For bulls with multiple evaluations, the most recent SCR evaluation was used in the analysis.

Statistical Analysis for Bull Fertility

The association between each SNP and SCR was evaluated using the following mixed linear model,

$$SCR_{ijkl} = \mu + EVAL_j + \beta SNP_k + sire_i + e_{ijkl}$$

where μ is the general mean, $EVAL_j$ is the fixed effect of the j^{th} AIPL-USDA SCR evaluation ($j=1, 2, \dots, 7$), SNP_k is the number of copies of one allele of the SNP (corresponding to 0, 1 or 2 copies) carried by the i^{th} animal ($i=1, 2, \dots, 1988$), β is the regression coefficient for the SNP considered (also known as the allele substitution effect), $sire_i$ represents the random additive genetic effect of the l^{th} sire ($l=1, 2, \dots, 246$) of the i^{th} animal, and e_{ijk} represents the random residual for each observation. To detect possible deviations from the additive model, associations between genotype and SCR were evaluated using SNP as a categorical variable.

Random effects were assumed to follow the multivariate normal distribution,

$$\begin{pmatrix} s \\ \epsilon \end{pmatrix} \sim N \left[0, \begin{pmatrix} A\sigma_s^2 & 0 \\ 0 & W^{-1}\sigma_\epsilon^2 \end{pmatrix} \right]$$

where s and ϵ are the vectors of sire and residual effects, respectively; σ_s^2 and σ_ϵ^2 are the sire and residual effect variances, respectively; A represents the matrix of additive relationships between sires in the pedigree (1,558×1,558) and W is a diagonal matrix of order 1,988 with its elements representing reliabilities of SCR values. The A matrix was calculated based on a five-generation pedigree of sires downloaded from AIPL-USDA. The association between each SNP and SCR was tested using a likelihood ratio test by comparing to a reduced model without the SNP effect.

Phenotypic and Genotypic Data for Cow Fertility

The most significant SNP for SCR (rs109423562 located in MAP1B) was further investigated for association analysis with fertilization and blastocyst rates—the main cow fertility traits—using an IVF system. The procedures of in vitro fertilization and subsequent embryo culture were described in Khatib et al. (2008). To generate fertilization and blastocyst rate data, a total of 6,282 in vitro fertilizations were performed, and a total of 4,207 embryos were produced using oocytes from 359 ovaries collected from 359 Holstein cows and semen samples from 12 Holstein bulls. For 74 ovaries, oocytes were fertilized by two different bulls each. Fertilization rate was calculated as the number of cleaved embryos at Day 2 post-fertilization divided by the total number of fertilized oocytes collected from one ovary. Blastocyst rate was calculated as the number of embryos that reached the blastocyst stage (Day 8) and appeared normal out of the total number of embryos produced.

The 359 ovaries were genotyped for SNP rs109423562 (G/A) using PCR-RFLP. A 171 bp fragment was amplified using the primers 5'-GCAGCTCTTTTAGGAGTGT-TAGCGTCTGAT-3' (SEQ ID NO: 39) (forward) and 5'-CT-CACAGAGGGCATTGACAA-3' (SEQ ID NO: 40) (reverse). The PCR product was then digested by the restriction enzyme *HinfI* and electrophoresed on a 2.0% agarose gel. Allele G was cut while allele A was uncut.

Statistical Analysis for Cow Fertility

Association between SNP rs109423562 (G/A) in MAP1B and fertilization and blastocyst rates were analyzed using the following mixed linear model,

$$y_{ijk} = \mu + \text{ovary}_i + \text{sire}_j + \text{SNP}_{ijk} + e_{ijk}$$

where y_{ijk} represents the fertilization or blastocyst rate of oocyte k from ovary i fertilized with semen from bull j , μ represents a general mean for the trait considered, $ovary_i$ represents the random effect of the individual ovary from which oocytes were harvested, $sire_j$ represents the random effect of the sire used in the fertilization, SNP_{ijk} represents the

fixed effect of the ovary genotype for the SNP considered, and e_{ijk} represents the residuals, assumed normal, independent and identically distributed with mean 0 and variance σ_e^2 . Ovaries and bulls were assumed uncorrelated with variance structures σ_o^2 and σ_s^2 , respectively. Association between the SNP and fertilization or blastocyst rate was tested again using a likelihood ratio test by comparing with a reduced model without the SNP effect. All the statistical analyses were performed using the pedigree package (Vazquez et al. 2010) of the R language/environment (R Development Core Team 2009).

Results

SNP Identification and Association of Candidate Genes with SCR

Sequencing analysis revealed 24 SNPs in 9 spermatogenesis genes (DCUN1D1, DNAI1, DDX4, GAPDH, GSTM3, MAP1B, PPP1R11, SPATA20 and UBC) in the bull population using the pooled DNA sequencing approach. All 24 SNPs located in 9 candidate genes were tested for association with sire conception rate first in Genex population and then in a larger population of 1,988 bulls for validation.

Association Analysis in Genex Population

SNPs in the genes MAP1B, PPP1R11, and DDX4 are associated with SCR

For MAP1B gene, a SNP C/T in intron 5 at position 9331992 (University of Maryland bovine version 3.1; UMD3.1) showed significant association with sire conception rate. Primers used to amplify the gene and SNP location are shown in FIG. 1. Frequency of allele T was 25% and frequency of allele C was 75%. The allele substitution effect was -0.15 ± 0.01 (p-value=0.01) so that allele C is favorable for SCR.

For PPP1R11, one SNP (T/G) in the 5'UTR region at position 28710268 (UMD3.1) was significantly associated with SCR in the Genex population, with allele G associated with increased SCR. FIG. 4 shows SNP location and primers used to identify the SNP.

For DDX4, two SNPs located at positions 23382814 (SNP1; A/G) and 23410221 (SNP2; G/A) were identified in the gene. For SNP locations see FIG. 3. The two SNPs were in almost complete linkage disequilibrium, so they have the same allele frequencies in the bull population examined. Genotype AA of SNP1 has 0.783 units of SCR versus -0.214 SCR units for GG genotype (P-value=0.05). Similarly, GG genotype of SNP2 has 0.749 units of SCR versus -0.494 for AA genotype.

Association of Spermatogenesis Genes in the Combined Genex and USDA Populations

Three SNPs located in MAP1B and one SNP in PPP1R11 showed significant associations with SCR (Table 3). The SNP with the most significant association with SCR is SNP5.MAP1B located in intron 5 with an allele substitution effect of -0.24 and a P-value of 0.001. The other two significant SNPs were SNP1.MAP1B and SNP3.MAP1B, both located in intron 1 with an allele substitution effect of 0.15 and P-values of 0.025 and 0.039, respectively. After Bonferroni correction for multiple testing, only SNP5.MAP1B remained significant (P-value=0.024). Pair-wise linkage disequilibrium (LD) tests of MAP1B SNPs showed a moderate LD ($r^2=0.38$) between SNP1.MAP1B and SNP3.MAP1B and SNP5.MAP1B. The LD between SNP3.MAP1B and SNP5.MAP1B was relatively low ($r^2=0.14$).

SNP1.PPP1R11 located in the 5'UTR region of PPP1R11 showed significant association with SCR with an allele substitution effect of 0.15 and a P-value of 0.046.

TABLE 3

Genetic markers significantly associated with sire conception rate				
SNP ID	Gene	Genotype (N)	Allele substitution effect $\pm$ SE	P-value
SNP1.MAP1B	MAP1B	GG (463) GA (987) AA (538)	0.15 $\pm$ 0.01	0.025
SNP3.MAP1B	MAP1B	CC (972) CT (847) TT (169)	0.15 $\pm$ 0.01	0.039
SNP5.MAP1B	MAP1B	CC (1081) TC (763) TT (144)	-0.24 $\pm$ 0.01	0.001
SNP1.PPP1R11	PPP1R11	TT (1033) TG (821) GG (134)	0.15 $\pm$ 0.01	0.046

Association of MAP1B with Fertilization Rate and Embryo Survival Rate

SNP5.MAP1B located in intron 5 of MAP1B showed the most significant association with sire conception rate in the bull population analyzed above. To characterize its impact on female fertility, we tested the association of this SNP with fertilization rate and blastocyst rate in the IVF system. SNP5.MAP1B showed significant associations with both fertilization rate (P-value=0.027) and blastocyst rate (P-value=0.029) (Table 4). Oocytes collected from genotype CT cows showed the lowest fertilization rate (59.9%) compared with that from CC (66.4%) and TT (66.3%) cows (Table 4). For blastocyst rate, the CT genotype again showed the lowest rate (27.1%) while homozygous CC and TT individuals showed blastocyst rates of 31.0% and 41.8%, respectively (Table 4).

TABLE 4

Association between SNP5 of MAP1B gene and fertilization rate and blastocyst rate				
Genotype (N)	Fertilization rate		Blastocyst rate	
	Estimate $\pm$ SE	P-value	Estimate $\pm$ SE	P-value
CC (321)	0.664 $\pm$ 0.03	0.027	0.310 $\pm$ 0.02	0.029
CT (84)	0.599 $\pm$ 0.03		0.271 $\pm$ 0.03	
TT (28)	0.663 $\pm$ 0.04		0.418 $\pm$ 0.05	

REFERENCES

Amann, R. P., J. M. Dejarnette. 2012 Impact of genomic selection of AI dairy sires on their likely utilization and methods to estimate fertility: A paradigm shift. *Theriogenology* 77:795-817.

Barton, S. C., M. A. Surani, and M. L. Norris. 1984. Role of paternal and maternal genomes in mouse development. *Nature*. 311:374-376.

Bonilla, E., and E. Y. Xu. 2008. Identification and characterization of novel mammalian spermatogenic genes conserved from fly to human. *Mol. Hum. Reprod.* 14:137-142.

Cheng, L., S. Pilder, A. C. Nairn, S. Ramdas, and S. Vijayaraghavan. 2009. PP1gamma2 and PPP1R11 are parts of a multimeric complex in developing testicular germ cells in which their steady state levels are reciprocally related. *PLoS One*. 4:e4861.

Choe, C., Y. W. Cho, C. W. Kim, D. S. Son, J. Han, and D. Kang. 2010. Identification of differentially expressed genes in bovine follicular cystic ovaries. *Korean J. Physiol. Pharmacol.* 14:265-272.

Dobson, H., R. Smith, M. Royal, Ch. Knight, and I. Sheldon. 2007. The high-producing dairy cow and its reproductive performance. *Reprod Domest Anim* 42 Suppl 2:17-23.

Druet, T., S. Fritz, E. Sellem, B. Basso, O. Gérard, L. Salas-Cortes, P. Humblot, X. Druart, and A. Eggen. 2009. Estimation of genetic parameters and genome scan for 15 semen characteristics traits of Holstein bulls. *J. Anim Breed. Genet.* 126:269-277.

Feugang, J. M., A. Kaya, G. P. Page, L. Chen, T. Mehta, K. Hirani, L. Nazareth, E. Topper, R. Gibbs, and E. Memili. 2009. Two-stage genome-wide association study identifies integrin beta 5 as having potential role in bull fertility. *BMC Genomics*. 10:176.

Han, Y. B., H. L. Feng, C. K. Cheung, P. M. Lam, C. C. Wang, and C. J. Haines. 2007. Expression of a novel T-complex testis expressed 5 (Tctex5) in mouse testis, epididymis, and spermatozoa. *Mol. Reprod. Dev.* 74:1132-1140.

Han, Y., X. X. Song, H. L. Feng, C. K. Cheung, P. M. Lam, C. C. Wang, and C. J. Haines. 2008. Mutations of t-complex testis expressed gene 5 transcripts in the testis of sterile t-haplotype mutant mouse. *Asian J Androl.* 10:219-226.

Imumori, I. G., E. H. Kim, Y. M. Lee, D. J. De Koning, J. A. van Arendonk, M. De Donato, J. F. Taylor, and J. J. Kim. 2011. Genome Scan for Parent-of-Origin QTL Effects on Bovine Growth and Carcass Traits. *Front. Genet.* 2:44.

Khatib, H., R. L. Monson, W. Huang, R. Khatib, V. Schutzkus, H. Khateeb, and J. J. Parrish. 2010. Short communication: Validation of in vitro fertility genes in a Holstein bull population. *J. Dairy. Sci.* 93:2244-2249.

Khatib, H., W. Huang, X. Wang, A. H. Tran, A. B. Bindrim, V. Schutzkus, R. L. Monson, and B. S. Yandell. 2009. Single gene and gene interaction effects on fertilization and embryonic survival rates in cattle. *J. Dairy Sci.* 92:2238-2247.

Khatib, H., R. L. Monson, V. Schutzkus, D. M. Kohl, G. J. M. Rosa, and J. J. Rutledge. 2008. Mutations in the STAT5A gene are associated with embryonic survival and milk composition in cattle. *J. Dairy Sci.* 91:784-793.

Kuhn, M. T., and J. L. Hutchison. 2008. Prediction of dairy bull fertility from field data: use of multiple services and identification and utilization of factors affecting bull fertility. *J. Dairy Sci.* 91:2481-2492.

Kuhn, M. T., J. L. Hutchison, and H. D. Norman. 2008. Modeling nuisance variables for prediction of service sire fertility. *J. Dairy Sci.* 91:2823-2835.

Magee, D. A., D. P. Berry, E. W. Berkowicz, K. M. Sikora, D. J. Howard, M. P. Mullen, R. D. Evans, C. Spillane, and D. E. MacHugh. 2011. Single nucleotide polymorphisms within the bovine DLK1-DIO3 imprinted domain are associated with economically important production traits in cattle. *J. Hered.* 102:94-101.

Magee, D. A., K. M. Sikora, E. W. Berkowicz, D. P. Berry, D. J. Howard, M. P. Mullen, R. D. Evans, C. Spillane, and D. E. MacHugh. 2010. DNA sequence polymorphisms in a panel of eight candidate bovine imprinted genes and their association with performance traits in Irish Holstein-Friesian cattle. *BMC Genet.* 11:93.

Memili, E., and N. L. First. 2000. Zygotic and embryonic gene expression in cow: A review of timing and mechanisms of early gene expression as compared with other species. *Zygote*. 8:87-96.

Montenegro-Venegas, C., E. Tortosa, S. Rosso, D. Peretti, F. Bollati, M. Bisbal, I. Jausoro, J. Avila, A. Cáceres, and C. Gonzalez-Billault. 2010. MAP1B regulates axonal development by modulating Rho-GTPase Rac1 activity. *Mol. Biol. Cell.* 21:3518-3528.

- Peñagaricano, F., K. A. Weigel, and K. Khatib. 2012. Genome-wide association study identifies candidate markers for bull fertility in Holstein dairy cattle. *Anim Genet.* (In press).
- Queiróz, D. B., A. M. Silva, G. Gutiérrez-Ospina, C. S. Porto, G. Grossman, P. Petrusz, and M. C. Avellar. 2006. Cells positive for microtubule-associated protein 1B (MAP 1B) are present along rat and human efferent ductules and epididymis. *Cell Tissue Res.* 325:125-133.
- R Development Core Team. 2009. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria.
- Santos, J. E. P., W. W. Thatcher, R. C. Chebel, R. L. A. Cerri, and K. N. Galvao. 2004. The effect of embryonic death rates in cattle on the efficacy of estrus synchronization programs. *Anim Reprod. Sci.* 83:513-535.
- Scheet, P., and M. Stephens. 2006. A fast and flexible statistical model for large-scale population genotype data: Applications to inferring missing genotypes and haplotypic phase. *Am. J. Hum. Genet.* 78:629-644.
- Shook G. E. 2006. Major advances in determining appropriate selection goals. *J. Dairy Sci.* 89:1349-1361.

- Telford, N. A., A. J. Watson, and G. A. Schultz. 1990. Transition from maternal to embryonic control in early mammalian development: A comparison of several species. *Mol. Reprod. Dev.* 26:90-100.
- Tortosa, E., C. Montenegro-Venegas, M. Benoist, S. Härtel, C. González-Billault, J. A. Esteban, and J. Avila. 2011. Microtubule-associated protein 1B (MAP1B) is required for dendritic spine development and synaptic maturation. *J. Biol. Chem.* 286:40638-40648.
- Tymanskyj, S. R., T. M. Scales, and P. R. Gordon-Weeks. 2012. MAP1B enhances microtubule assembly rates and axon extension rates in developing neurons. *Mol. Cell Neurosci.* 49:110-119.
- Vazquez, A. I., D. M. Bates, G. J. M. Rosa, D. Gianola, and K. A. Weigel. 2010. Technical Note: An R package for fitting generalized linear mixed models in animal breeding. *J. Anim Sci.* 88:497-504.
- Weigel, K. A. 2006. Prospects for improving reproductive performance through genetic selection. *Anim Reprod. Sci.* 96: 323-330.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 40

<210> SEQ ID NO 1
 <211> LENGTH: 3780
 <212> TYPE: DNA
 <213> ORGANISM: Bos taurus
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <222> LOCATION: (1986)..(1986)
 <223> OTHER INFORMATION: r is a or g
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <222> LOCATION: (2081)..(2081)
 <223> OTHER INFORMATION: r is g or a
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <222> LOCATION: (2243)..(2243)
 <223> OTHER INFORMATION: y is t or c

<400> SEQUENCE: 1

```

gagcgcgctc tgcagaggcc gaatagcggg tcgctgggaa accctgggcg gggccgtaag      60
gggtccagcgg gcgcagactc gggcgcgcgg accgacccgc cccgcagccc cacccgggct      120
gccgcagtgc ccccgcccca tgcacctgcc cccacactg cggcgcccc actgggcgcg      180
gccggcgggg cgtgcgttcc gccggtgctt ggggggtgctg tgcgcctct cgtctgcctc      240
aacccggctt tgttgcctc gaagtcccg ggtgggcage tctgtctct gcctttccct      300
ttccccccgg catgcagac ctccccttct cctgaccga ggtagcggg cctccacaa      360
ccccagcccg cgctctattc tctcggggtg gtgctgaagc gcgtctgcc cgagacaccg      420
gctggtgggc gtggtgcagt ccgcactgcg gtctctacgg cagcccgagg cggacaaagg      480
gcgttcacgc agccctcggt ccccaagccc gccccccact ccccatgaaa gacgcgagaa      540
aaccttggtt tagatgaaaa aaaattaaac tctagtggtc tgctctgca ttgaaaaag      600
gtgcctgtg cccagaacaa aaggctgcag ggtggagact cgagttgcag acctggttct      660
tttgtttaac tttaaagcac tgggtgtact ttttggtta aaaaaagaaa aaaatgtgag      720
cagaaagcag acttggtatt ttattcggaa aaaaaaatg gaagaatagg ctaggtaaat      780
agtgaatgc ctcatgtgag catctaataa ccttcattt gtcaaatat agtcctttga      840
attgatcag tactaattta gtttatttgc acattttctc cttggaaaaa ttcacacgta      900

```

-continued

ctgacttttg	gtgtggctgc	tgtatgaatc	tatgactttg	gattttttaa	aaaatattat	960
ttgtcagcac	ttttgctggg	aagtaataat	aaagcagggtg	tgtttctatg	tataaaagggt	1020
gcataagcac	cggatgtggt	gtgaggagag	ggacctcat	ccccattttg	gagatggggg	1080
cccagagggg	caggaaggat	agggagacca	gctcaaggtc	acaccactca	taagtgcag	1140
aatgccggct	ctgcagcatc	actggttttt	ggccccgtcat	gatgttagtg	caggccaggc	1200
gaacatcaca	ggaagatcaa	agagcaattt	ctagagcttg	cctttataca	aaggcagtag	1260
tcattccactt	gtgggcagca	ccccatgcag	ggagggtggct	cagcaatcac	cttccatgta	1320
attatcttcc	tgctttgtta	ctctgctgat	caccctttta	gtgccctatt	tctcaggggg	1380
tttattgaag	ctgcttctgt	ttgaggataa	actagattca	cccaagttat	cggctactgt	1440
gacgtggctc	cgactatttt	tcacgctact	ggaacttagt	gatcgagttc	aattttgtct	1500
tcttgccctt	tttctttttt	aaaattttatt	gatgtattat	gtagtgaggg	aaaggctcaa	1560
atcataaacg	aggagcttgg	tgaattttca	caaaaagaca	tacctgatcc	cgatcaagaa	1620
acggacattc	ctgggacccc	cagaaacctt	ctcaggtgtc	cttttcagtc	agcatgcctt	1680
cctgattttt	tagtgccctg	atttagtcag	ctttttgctg	ggaactctga	aatagcagta	1740
ttgatcccat	taagaatcaa	ccaagtgaat	gagcaaagcc	atttcctaag	gcacagtaac	1800
agatgctgct	tttctcttgg	agatcaactc	tcttgggtcc	tggggtcttg	gatgcagctc	1860
aaaccacagg	gccttccagt	gctaagggga	aatactgtct	ctgtagcttt	tctgacagag	1920
atgacttagc	aacagggcag	gctggctggt	gcctggcctt	gatatgatgc	ttctcagct	1980
ctcagrttcc	agcagggcct	cctcctccag	aggctactct	gataccatgg	ctgcggtggc	2040
tggtgcccat	gggaccagtt	gtgtgaagca	agatggagat	rtccggggg	ctcggccctg	2100
cttgtgtgcc	gcagcctttc	cgcaggga	gcgggttcac	ttctgcccct	cttgcttgtc	2160
tcccctctca	tccggatgag	gctctctgag	tctggagacc	ctagggactt	ggatttttgc	2220
catttgatga	tttaaggctc	taygggaaac	ctagaaaata	aatctgtagg	aagatggcgg	2280
aatgcaagt	acatcaatag	gcctgaatca	gcccaccatg	gaggctgagt	acatgcttct	2340
tgaaacctag	tgttactgaa	tcaaaactgag	gcagctcacc	tgcattgcag	aaagccaatt	2400
tactgacccc	aggttggtgt	gaaggaaagt	gcagcattat	tgtaagatgc	tgatgtaagg	2460
agaacgggga	gctcgtgctt	aagaccccca	aaatccccc	agggtttcag	caaagcattt	2520
ttaaaggcag	tgtaagggag	ggtgtcccag	agtgtgtgat	cagctcatgc	accattctct	2580
aattgagaat	tagattgatg	atgaggtaac	aagactacgt	tgggcttctt	tgctggctta	2640
gatggtaaa	aatctgccta	caatgcagga	gagctcggtt	tgatccctgg	gttgagatcc	2700
cttgaagaag	ggcatgacaa	cacattccag	tattcttgcc	tggaaaatcc	ccatggacag	2760
aggagcctgg	tgggtacagt	ccatgggggt	gcaaagagtt	ggacatgact	gagtgcactag	2820
gcacagcaca	agactatggt	aatgaggact	atgtgcggat	ggatcatcaag	tagttaattt	2880
cttccatttg	atggtgatgt	tagcatctga	aaaataactc	aggaaatata	cttcagatac	2940
taatatctag	gtatttcaga	gaggaaactaa	agcagagggt	ataggggagg	ggtctgtccc	3000
aggaatgtcc	cataagggtc	tgcttggtta	cacaaggaca	gaagaccatc	attcgtttct	3060
tcagcttcat	tcaaaatgca	taatgtaggg	tctggctcatt	tcttaagtct	gaaacaacag	3120
tctttgctca	gactgggteta	gctttattta	gttagttatg	caggactcca	tgccaaacca	3180
ttgtcactcc	ttggcacctc	ctttgcccc	ttcctaatta	gtctccaaca	tagacttaac	3240
agtcatcccc	gttttttagca	gagtctcccc	tcctccagtt	tattttggga	tgtagactac	3300

-continued

```

atacactcat gttttgcaaa acgaattcta gaggcttggtg aaaagttttc attgcttcgt 3360
tttattttat tttttaaact aaaacatgta aaaaacacta agtgtcagtt tggtttcact 3420
tgctgttaga gtgtaacttt cctctgggta acattgggaa tcagcaggat ttgttcacat 3480
gaaagataga tgtgtgtaac atctactgcc ctggattttt agatgtaagt ttgcttaatt 3540
acattgtcat ttattgaata ctttcagtct acattgggta agagaattaa gaaccaggga 3600
aagagtagg gctttgtttc cttttgtttt taacaggaaa acaacggggt gatgggaatg 3660
aaaagaaatg ttgaggaatg atatatttac tatatccatc catcttcata cgtttcaaaa 3720
tcaaaaggca gatggatttc tgcttgccgt gcttaattgg tattatctac tcaaagagtt 3780

```

```

<210> SEQ ID NO 2
<211> LENGTH: 3900
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1991)..(1991)
<223> OTHER INFORMATION: y is c or t

```

```

<400> SEQUENCE: 2

```

```

agtgtctctgg ttaatcaacc agtgagggtca gctgaccact gggtagccag tacagattga 60
gaaaagagca tccaagactc tacttatctc attctgacca cactgcctca ctaatacaga 120
ctcaacatct tgttttaggt cgaaattcag cttggcaaga gcaagcatcc ctgacttcat 180
gttcttagac ttatcaagtt ctcggcagtg atctgggttt ttgatgaatc tgggtttctg 240
atgatccagc ttcattttgt tgcttcaaaa caatcacagg gatttgaatt catatatattt 300
atttgcttta catagtact tgaaggtttt agatcacagt tcacaaacat gtaaagcaaa 360
aaataagcaa cactttcttg atttattatg gaaaaattca gtatttagta ctttaggaag 420
tactagttac aggtacaagt ttttactttt aggcaacgtg aagcagcaat ttcaagactc 480
atatcagatt tcctcttttt atttgacat agaaaacaaa ctgaatttgt tcatgcttag 540
aatttgata gagccaccag ataataaatc ttgatctaaa ggacttaaca gtgaccatgc 600
acttaggaga aaacatgaaa tcaattcaaa cagataaaaa cccaactgaa atttgctgcc 660
aaactcatga aacttacct atagcccaca caattgattt tatcactttt ttttttttg 720
gtcatttaaa gataattttg agggaaagtg agttaattg aatttacatt gaggatgctt 780
tcccaacaga tttttttaa agacaaaact gcactattaa ttaatttaa aacaaacctg 840
ggtaacttc cagtggttct atcagtttgg gcttctatga gcaatgttca tttggtgtca 900
acgggagtga ttcaagggtc aagtggaaac tgcaggcatt taaaaatatt agatgatctg 960
taactcaca acctctgcta caagtcagaa ttctttggga gatttacaca tgaatatgtt 1020
taggactttt agcttaggtt cattataatg gctgggtaat ctattcatga aatgattcag 1080
tttatccaaa taccagtttg gctgattctt actaccctt gccctccaaa ataaaaataa 1140
accagttcat agctgatttt gactgtggga tggcagttc tatacatccc atggagaaag 1200
gcaagagaat taaatttagg ggatcttgct agtattttta gtggtttcac agcagtgggc 1260
tcaaaccaga tacacattag cattggctgg gatgctttta aaaagtgatg gtacctggt 1320
cagtgaagcc ttaccatagc cattgaagcc agggcatctg tattaagcat gctaagtgat 1380
tctaactcat tggccaggag gaagaaccac tgccttaca tgctagtctt gttaatgttt 1440
caaccttctg attagaacaa atcagaaagc caattctaga acaaggtag ccagaaactg 1500

```

-continued

agattaatct	gaaccttcac	tttgcccagg	ctttctgact	tggggggaat	tttggtgtg	1560
acatacctac	cccttacctc	agtcgggtat	gttctgattg	gctagagaaa	gcagagtctt	1620
tctgaacctt	cctgttgcta	aagtttggtg	tctagtcttg	tctaaggaga	gacgtctacc	1680
atttagagga	ctgtcctaag	gagagaatac	agtgttttca	tcagtttatg	catgaggctg	1740
aggtgctgag	ggctctggag	atcatatgac	attaagatct	gactactggc	tagatcaaat	1800
gtgaggggat	aatattcagc	tgtgggccaa	actgctttta	aatgaaatcc	taacatgaat	1860
tactaagatg	gcttaactat	gctttaccaa	atgcagatgc	tttcctttgt	cctttaaaat	1920
ctatttctta	gatcacattt	caaattaata	gacacactag	cagctctttt	aggagtgtta	1980
gcgtctagt	ytatcttttg	ggaaagcctt	ggcaactctt	cttaattgct	aatgtgttta	2040
agggaaacgc	ccattcttct	atttctcctg	agatggtaaa	cagtcaagtg	atgctgtctc	2100
agactgccag	tgtcaaatgc	cctctgtgag	agaggggagt	gccaaccccc	actcccatgt	2160
cccagagcgc	cttctgggga	ataagtaggg	aaggtctgct	ggacagatga	gtctctttgc	2220
atttttgtga	ccttggcctt	ctctttgttt	ttatttgttt	acaaggggcc	aggaaccacc	2280
aagacgtcca	agccctcagc	tgtgccccca	ggcccccttg	tgtacctgga	cctatgctat	2340
attcccaacc	atagcaatag	taagaatgtc	gacgttgaat	ttttcaagag	agtgagatcg	2400
tcctactacg	tggtagtggt	gaacgacctt	gctgctgagg	agcccagccg	ggctgtcttg	2460
gatgccttgc	tggaggggaa	agcccagtg	ggcagcaaca	tgcaggtaag	agttccagga	2520
cgggtgtttg	acaacacgtg	gagctgtgtc	cagaggcagc	aggaagggat	cgtgtttaat	2580
gaggcaccac	cgtggatccc	catgaggtgc	ccacagggcc	tgctgcactt	ggacaaaagt	2640
gatttcacac	acacaagctg	gtctaaaagc	attcgcgcga	ccagccacca	tggacttgga	2700
ggaaggccac	tttaccaccc	taaagtataa	tctgcagagt	gggccaaga	ttacacaccg	2760
ttcatatacc	aagaaaatta	accagcgtaa	ccaagtgtca	tatttccatg	tgagatggat	2820
aaagattagc	ctttacttgt	ctttcccaag	tagacaaaag	ctagagatat	ggccatttag	2880
aaaatcagct	gtccacatga	gattctgcag	gagcactgct	gaaaatggtc	ctcagcagga	2940
cactcccaac	acccaaacat	cgtaatgagc	cacaaaccac	tcattatttc	agttatggat	3000
tttatctaag	ttttacttac	ggttttgtat	agtgatctag	taaactgtat	ttgcataacg	3060
ttaaatagaa	atcctgggtta	tttcattata	tgaatcttaa	tgcactcagt	ggcctcttac	3120
tgaatactag	gtagaattta	agctagtaat	cacttaccca	ccccactcct	ctgtccccaa	3180
acacacacac	aaagacataa	atctttgtct	tcagtatgaa	atgttagtta	acatgcaatt	3240
agaagggttt	cggctgcatt	aataactaaa	gcccccttgt	tttaaatatg	caatatcttt	3300
aatgtaaaac	atcagttgtg	ttaaagaaaa	tacaagaaat	tccaccttaa	ctgaagaact	3360
tctcataatg	ctaaagaatt	gaaaactgat	atagatgaac	taactggcta	gtcatgactt	3420
gcttttgggt	ctagtcttca	actgccccag	aaaaactaat	tttttagcag	ctttattctg	3480
gttcctagaa	aatgtaagtt	ggaaagtcct	atggattttc	taaggacaat	agaatatttt	3540
tctctttccc	tttctttttc	taatggtcta	attaatacct	tactgctgtt	ctatttttcc	3600
ccacccattt	tctggttctg	ctcttcagta	gctgttttct	ctctccctgc	aggtgaccct	3660
gatcccgact	catgactcag	aagtgatgag	ggaatggtag	caggagaccc	atgagaaaca	3720
gcaggaccto	aacatcatgg	ttttagcaag	cagcagcaca	gtggttatgc	aagatgaatc	3780
cttccttgca	tgaagatcg	aactgtaaca	accaagggtc	gccgcaccac	aggatttgaa	3840
ctttgtttcc	agaaattctt	cgatttgaaa	ccaccttttc	taaaaaaaaa	gtcaattcat	3900

-continued

```

<210> SEQ ID NO 3
<211> LENGTH: 3060
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (232)..(232)
<223> OTHER INFORMATION: k i s t o r g
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1332)..(1332)
<223> OTHER INFORMATION: w i s a o r t
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1606)..(1606)
<223> OTHER INFORMATION: m i s a o r c
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1659)..(1659)
<223> OTHER INFORMATION: y i s c o r t

<400> SEQUENCE: 3

g c g g c g c c t g c g c a c t g t c a c a t t a c g g c g g a a c t a a t c c g g c g a c c c a g c g c t t t g a c g      60
c a t t t a g t a c c a g g a a g g g a a a g g g g g a c c a c a g a a c g c g t c a c a c c c g g a a g t a g g g a      120
g c c g g a a c t g g g g t t g g a c a g g t a t c c c a g g g g t g g g c a g c g g a g g c c a g g a g g a g      180
g g g g a a a a a g a a g g t g g a g g a t c c t g g c t g c t a a t c t g a a t c g a t a c c g a k t c t c t t a g      240
a c c t c a g a g a c a c a g a a a g a c a g a a g g g t g c c t c a t c c c c t t t c c t c c g c t t c t c t c t c      300
t c c t c a g c c t t a g c c a t g g c g g a g g c a g g g c t g a g t g a g a c c g t c a c t g a g a c a      360
a c g g t t a c c g t g a c a a c g g a g c c c g t g a g a a g g c t g g g g c g g t g c t g t t a g g g g t c t      420
g a g a g a t a c c g g g a g g a a g g a t a a g g c t t g g a g a g t t g c t g g a t g g g c t g g c c t g g      480
g g a t a t g g g a g g a a g t g g g a g a a t c g c a g a g t a t a g g g a t t t t t g g t g t g t c      540
a g a g t t g g t g c a g a a g g c t g t c a a g t g a c a t g c a a t a g a g t t a a g a g t g t a g g t g a t a c t      600
g c t t g g g a t g t g g t g t c t g t a a g t a t t g a a a g a c t g g g a a c t t g g c g a t t a a t g a g c a a      660
g g g a t g t a c t g g g g a a a t g a a g g g t t g t g a g a a g c a t g g t t g g a a g c t c g c t g t a g      720
g g a a a c t t g a c a c t a a g c a t g c t t a t c a a t a a t a t t t c t g a a g a g a t t a t t g c a a a c g      780
g a a g c a g a g g a a t g a g g g a a c a a g a a a g g g a g a t g a g a g t a t t t g a a a a t c a g      840
a g a t g t a g a g a a a a c a g c g t t t t t g c a a a a c a t t g c t t c a a t a g g a g a t g t t c c t g t      900
c g g g c t t a a t a a c c c t t t g a t t a a g g g a g t t a g a g t a a t a g t t a c t a g a g a t g c c a g g a      960
t g c t g g a g a a t a g t t g g a t a c a g a t t g g g a g g g c t g g g c t t g a g g a t g a g a g a t g t g a g      1020
a a c a g a g t c a t t t c t t t a a t g g g a a a a g a a t a g g c g t t c t g g g a a a g a a g g g a g a t c      1080
a a a g t t t a g g c a t t g g t g a c t g a a a a a a t a t t t t c a t g t a t t a a c c a c a a g a t g a      1140
t t t g g g a g g a a g a t g g a g g a a c a g c g a g g a t t a t a t t t t c c t t t g a a g a t t g c t g g g a      1200
c t t t c c c t a g g t t a g g a a t t g t a t c t t c t c t g t a t a c t a g t g g t t a c t a a g a a t a c t a a g      1260
a a c a g a a t t c t c a a g g g a c t c c t t g a g g t c a a a a a c c t g t t c t a t c t c c t c c a g c a t c      1320
a g c t c c t c t g t w g c t g t g t t g t g a t c c t g a t t g a a c t g g a a a g g g a a g a a a g g a g g c c      1380
c c a g g g a g a c g c a g g a a g a g t a g t a g g a g g g a c t a g c a g g t a t g c c t a t c c t t c t t      1440
a a c c t t c c a g g a g a c c g g a g c c t a a c c a t c a a a c t t c g g a a c g g a a g c a g a g a a a a      1500
g g t g g a a t g g a c g a g t g a c a c t g t g g a c a a t g a a c a c a t g g g c g c c g c t c a t c a a a a t g      1560
t g a g t a a t t g t g c c c c a c a g t a a c g c t g g a g t c c t c t g g c t c c c t m a g c a t a t c t t t t g c      1620

```

-continued

cttcaggcat tcaactggcct tcccaaagcc cccagatgyt cacagtctctg tggctgcctt	1680
ggtggttctc tgttatcagg gagaggaggt taaagttaga gggaaagagg tagggagggg	1740
cttcaatttc catgtgcaag gcctaaagtc aaaggtatct gaggtgggag aagaggagct	1800
ttggattccc ggctggaaag gcaaggtggg taggtgacag agtcccagag tgtaggcctg	1860
gggaagctgg atctggaagg tagaaggaga aaatggtggg aagtaggaat ttgactgag	1920
atccagtggg aatggaactg aactacatc tgaactcttc ctcttttttc actgggctcc	1980
tccatccaaa tccaggctgc tgtatttatg agaaacctcg ggcctttggc gagagctcca	2040
cagagagtga tgacgaggaa gaggagggct gtggtcacac aactgtgtg cggggccacc	2100
gcaaaggacg gcgtcatgca accccgggac caagcccccac cagccctccc cagcctctg	2160
accctccca gcccctcca gggccaatgc agcactaaat tctctgctcc cccaccattc	2220
ctgtgtctgt ctggccctga atgtattcat gtggctactc ggggactaaa cccacgattt	2280
gatcccttct ccagccctct cctccctctc cctctgctg acagagggaa gagggagagg	2340
aaggtggaca gagatcctgg aattctgact tgetgtatt ccagaacctg ggcttctggg	2400
ttccccagc cctcatttct ccttacaata cccagcctcc tctctccagg gatccaggca	2460
tcttgatccc aatctttttc ctttgttctc actgccaaac tgctgtctc gggatccagt	2520
tatcttggcc ccttgactc tctacttgag ttccaaacag ctaaattggg tttccagcag	2580
ccccagcttt cactgccagg gtccatagca gattccaggc aatcttgctc cagctatgct	2640
tgtaaatcct ggcttagagc tcttccactt atgtatttat gtcacctaa ctcttagtcg	2700
ttgcctgtgg gatgtgaggt cttctgtgag acctcagggc tctagccct tcccttctc	2760
tctgcccac ttcccccaag cccttaagag gagttaggag agagggagggt ctttgtcctt	2820
ctcaccttta atgagaaatg gaaaaaagaa atgggcatgt cctctctctc caccgttctc	2880
atgtgactag ggtttctgac aaaactggct ccaagactag tcaacttagag cccactatct	2940
cctcagcctt tggcttcca acttaggaga cagatccgac ccaggggcct gggtccctgg	3000
gagaggatgg aaaagggagg gagccaagag atgcaatctc accccttctc tccaaggcct	3060

<210> SEQ ID NO 4
 <211> LENGTH: 4080
 <212> TYPE: DNA
 <213> ORGANISM: Bos taurus
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <222> LOCATION: (2006)..(2006)
 <223> OTHER INFORMATION: r is a or g

<400> SEQUENCE: 4

ctgatatctg agattaaata tcacctctaa aaccttcctt ttttgagtc ctactatctt	60
acttaggaaa ttccattcag tatcttgccg ggagaattcc agggacagag gtgcctggtg	120
ggctatagtc catggggtca caaagaatca atcggacatg actgagcgac tgacactcat	180
tccagttggt cagacacaaa aatatgaggc atctttgatt tctttctcca gtgtacatat	240
ctgatctgtc agcagagtcc tcttgtttct gtctagcatc aaactatctc agaaccctac	300
agttgctaag ttaaaacaaa gatcagatct acttcttgcc tccaaaccca atggcttccc	360
tcctcaaagt aaagatcttt cagtggattt caaggcactt catgaaatgg cttccatcat	420
ccctctccaa atcctgtctc tctccattgc ttacctatt ctagnetcac tttgctcatt	480
actcatcccc acacgtacca gacatggttc tacctcattg cctttgttct tgatattccc	540
tctgcctaga acgtaaaaac cagatgggga cctcttttct ggtttgttg tttgtttgtg	600

-continued

agcacgtaaa gaacacctat accttagaac ctttatattt gttcttacct ctgacctata	660
atattgtttc ttcagatatc tgaatagtcc acttgtttag taatatctgt cctcagatgt	720
catctaatta gagaagggtgc ataaacccat ttggcccttt attctgctaa atttttttct	780
tttttagact taatgcatca tttttgttat ttacctctcc acaatgagtg cagatgcttt	840
gttttatttg ctgtgttttc agtatctaga atagatactg gcactactg ggtgctaaat	900
gtttgttaat aaatggagac agctgatagg gacatggagg agtgggatta caaaaagtaa	960
cacctgtta cttctattca ggctatagat tattatcttt cctctctaac attttataga	1020
aaatttcttg gtgtggaaga gtctttggct catgcttata tttaaacc aa ttaacaaagc	1080
taacaagtaa atattcttta atgtgttaag accctgagat aatatcttat atatctatat	1140
atataagata ctttggggat taaggggttt gaattgagat aatgttgaaa catagaatat	1200
tgtagagttt gtcagccctg ggttgaatgc tattattatg aatgcctctg gcagtcaagg	1260
taaaataata gattctataa ccatgggaag aacaaaggaa tttatttata gagagggaaa	1320
tgaagggctg gagccaaatt tggaactgct aagagttggc aggtagatat ctttatctt	1380
tcctaagtc tctacttatt ggttggccta tgaaggcaag gggcaagcgg tcgtttttct	1440
tttttttttag tcataaagta ggaaaaagtc ctgtctctc tatctttgac atttatccac	1500
tcaggaaata tttgaattgc tcttacctat caggcctgag tttagggtgt gggaatacag	1560
tggtgaataa gacagtttcc tactaccct atgctttttt ttcttttcct aattttgtag	1620
tttgaatggt tcattgtctt gtagggtgat aaagaactat ggtctttgtt gaaactaaga	1680
aaaaagcaga ttttattgcc acttttcttt gtcaagaaaa aatatcaaca acaagtattc	1740
atgggtgagt agattattat gatttcctag taaggaggta acttctattt gtcatttgtt	1800
aagaaatggt ggtatattta actagtaaaa aatcctggaa ttaggatctc aagatctagc	1860
tattattctt catctttaag tttttataag aaccaagtgg ctgggatgga tgagttagaa	1920
gtatcttaag ttcctcatca tgattatcaa gcagtctcac ttagtctctc taatccttag	1980
atctagggtc ttattcagct aatctrcca gtgcttggtt tttttttcac tgggcctcaa	2040
aaatgtcata gtaacacaac ttcattggca ctttactagg agatctaaaa tattaattgg	2100
tgaatatgta gaattccgag attatacttt taaaaaatca ggaatttttg agaaaggatt	2160
tgatcaacta gttgtgtatt tttgtcaaa actagaaaca gtttattagt tggttaagatt	2220
tgatgtttgt cgcatttgag tctgtatttt ggctgtaggt attagctgtc acctcatct	2280
gcaaatggag ttaattgtcc taacctcaaa gtattattgt gagaattaaa tgatgactta	2340
caagaaatta gtataatact ttgtatgtaa gaagtagaca ttaatgttaa ctgttgctat	2400
ttttgtttta ctgttatcca ttgaacttat ccaaaaagaa atctatccat tgaactttaa	2460
tggttgtctt taatagtttt cttaagggtt attctaatac atgctttgtt ttctttcaag	2520
tgatcgtgaa cagagagaaa gagagcaagc tcttgagat ttccgctgtg gaaagtgcc	2580
tgttcttgtt gctacttcag tagctgccg agggctggat attgaaatg ttcagcatgt	2640
tattaatttt gatcttcctt ctaccattga tgaatatggt catcgaattg ggcgtactgg	2700
tcgttgtgga aatactggca gagctatttc cttttttgat ctggaatcag atagccagtt	2760
agcacagcct ctagtgaag tgctatcaga tgtaagtttt taatttttaa aactgaatgg	2820
atagtgttct taccttgta ttgaagcag acattttata tgatggatt ttcagttcag	2880
ttcatttgtc cagtcgtgtc tgactctttg caaccccatg gactgcagta tgccaggctt	2940

-continued

```

cctgtccat caccaactcc cagagcttac tcgaactcat gtccatcgag ttggtgatgc 3000
catccaaccg tctcatcttc tgtcatcccc ttctctctct gccctcaatc ttgcccagca 3060
tcagggtctt ttccaatgag tcagttcttt gcatcagggt gccagagtat tggagcttca 3120
gcttcagcat cagtccttgc gatgaatatt caggactgat ttcccttagg gttgactggt 3180
ttgatctctt tgtagtccag gagactcaag agtcttctcc aacatcacag ttcaaaagca 3240
tcaattcttc agcactcagt ttcttttgaa gtccacttct cacatccata catgactact 3300
gaagaaacca tagctttgac cagacagacc ttggttgga aaataatgtc tctggttttt 3360
aatatgctgt ctaggttggt catagctttt ctgcttttct tccaaggagc aagcatcttt 3420
taatttcagt gctgtagtca ccactctgtag tgatttcgga gccccaaaa ataaagtctc 3480
tcaactgttc cattgtttct ccactgtttt gcctgaatt gatgggacg gatgccatga 3540
tcttagtttt ctgaatgttg agctttaagc caacttttct actctcttct ttcactttca 3600
tcaagaggct ctttagttct tcgctttctg ccataagggt ggtgtcgtct gcgtatctca 3660
ggttattgat atttctccag gcagtcttga ttctaccttg tcttcatcc agcccagcat 3720
ttccatgat gtactctaaa atcccacggg cggaggagcc tggtaggctg cagtccatgg 3780
ggtcgctaag agtcggacac gactgagtga cttcacttct acttttctact ttcattgcatt 3840
tgaggaggaa atggcaaccc actccagtgt tcttgcttgg agaattccag ggacggggga 3900
gcctgggtgg ctgccgtcta tggggttgca cagagtcgga cagactcaa gcgacttagc 3960
agcagcagca tataaattaa ataagcaggg tgacaatata cggccttgac ataactcttt 4020
ccctatttgg aaccagtctg ttgttccatg tccagttcta actgttgctt cttgatctgc 4080

```

```

<210> SEQ ID NO 5
<211> LENGTH: 3900
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2139)..(2139)
<223> OTHER INFORMATION: r is g or a

<400> SEQUENCE: 5

```

```

gagtgaggcc ctggatctg tatttaaaag cctccctgct gactctgat cctcttctat 60
ttggtaacca ctgatctatg gagtctttat aacttctctg cacacagatg tatagtgtat 120
tttgtggtta tttttcccg atcttgtgtc ccttagctgg tccagtatag taataaggag 180
ctcagatttt ggaatcagac acccgggatt tgagaccag atccttctct tctgtcagt 240
tgtattattt taaaaaagca tgtttaactt tgtatttctt ttttctgtt tataaattga 300
ggataatacc cacctcataa ggtttttgtg aggatttaaa aagttaaaat agaattcatt 360
tagaagagtg tcagatggat actgttttat gtgttattat tacattattt ttctataatt 420
agtagattat aactgatctt gggatcatta tctcattttt gtttgtgctt aactttattt 480
ttaactctac agagattatt ttttaataac tttttatttt gaaatcattt gactcaagaa 540
gtttcaaaaa tagtacagaa gatttccttc agcttgcttc taatgtaatt gtactcctca 600
cccagtttct cctaattgca ttgcctatt ttaattccca gtgtgggtcaa aataactgta 660
agtttgtttg aggagaacag ttggccaaag gttatgtgag gtgggttttc ttccatatat 720
gacaataaat gttagctacc atcatcatta ttccagatga tgatgaatta ttatatcacc 780
aaataataat tccattatct cagattatct taagaatctt tgcagaattc tttcttctct 840
cttcaacccc cttgtatgaa atctttgctt ctgagaaggt tgtcttgatg ttaaatgatt 900

```

-continued

ctttaggaat attgtcaatt gttgatgtca gctcaaatag gagcctgcaa caagagctgt	960
gggtcattgt ttattataaa tcaatattaa ttgagtagat tagtactttt gtacataaac	1020
aactgatagc ttttaactcg tcgagccaca tatgtcatca ctgggacctg gttctctggc	1080
actaaatgtt agtgatatgt acaaagattc cttgaaacca tcttggtatt ttccaaatat	1140
gggtttattg gaatcttcta gaaagcttaa agttattact gaaagttata tcaataaggt	1200
ataatttttt aatttagaaa aattgttcoat tcttgatat cactctgcac attcaaatg	1260
aatctctcta ggggtgggtc tgataattta tttttaacca actttcctga taatttttag	1320
tcactcttca gtgtagtgat cctcacta ctatgtataa actctggtta tgttacttaa	1380
taatgtcact aaggacagaa agccgggatg tcccaaatg cttccattag gatggatagg	1440
gaaaagttag catatattaa aaaaacacta taatgcctca gggtttattaa gaaagacaat	1500
ttacagatta atgatgacat tataaatata atagttatgc atttctgaga tccgtttgac	1560
tactcaactg ttcagatatt tctgaaactg tttcgtgaca tttatgaaat tcttattttt	1620
tggtgtgtct cagaacttga cagataacat gcttaacatt tagtatttag gtatattagg	1680
tgatttttaa aaagaattga ctgaataatg tgtttgtatt ttgttgttat ggtgatttta	1740
aaatttaaaa tttgttcat atgttagctt atgaatatat ttttctcag taatttctct	1800
tgtagatgta ctatttagat actacagtaa tataaatact gcaataatta tttagatgct	1860
attcacatgt taaattttta ttcaagaatc tagtattgac tgtgaagata atcaaacacg	1920
gaacagaggg tttccaaga gaggcggtta ggaccatgtt ttggaacaac ttgtacttaa	1980
gacagaaatt aaactgaaaa attgattttg gaagagctga aagaaaaatt ctgggtgtga	2040
aaacctttca agaaaaatac tttggcatat cctttatgct gttaatatat gagttaatat	2100
tcagtaggtg tctctccttc tgctttctga tgcactcra tttgtctttt cctaagacct	2160
ccagagtgtt ctatgaacta caaaagtggt gactgtgtga atcttggtca ttcacagtat	2220
agataaactg ggatgtcttt gtctctgagt aggaacattg gagatatggg ggaagggaga	2280
agttgtagat taattacat acttgctaat cctgcctctg cttgaggga gatggataa	2340
aaattatagt gctcagttct ggattatcta taggcagaca tgttaaaata gcaacaatat	2400
ccacgaaaa ccacagtga cttataaat tgctacaagt gtgcaaatat atttatgata	2460
gaactttagt gtttggagct gcactagata catcatagtt tttgctgcaa cttggagata	2520
tcgttttccc ttgcctatta gatgattggc tcattgaata gatcattgaa tagcaggcct	2580
tcctagtga gctgagactt gctgtggatt tcactatagc cttggatgag ttgtgagggg	2640
cgggtggtag gaatttggg gtgaatcagt tcagtcgctc agttgtgtct gactctttgc	2700
gaccccatga attgcagcat gccaggcctc cctgtccatc accgactcct ggagtccatt	2760
caaactcaag tccatcgagt cgggtgatgc atccaacct ctcactctct gttgtccct	2820
tctctcctg ccccaatcc ctcccagcat cacagtcttt tccaatgagt cagctcttcg	2880
catgaggtgg ccaaagtact ggagtttcag ctttagcatc attccttcca aagaaccccc	2940
aggactgac tcctttagaa tggactagtt ggatctcctt gcagtccaag ggactctcaa	3000
gagtcttttc caacaccaca gttcaaaagc atcaattctt cggcgctcag cttctctcac	3060
agtccaactc tcacatccat atatgaccac tggaaaaacc atagccttga ctatatggac	3120
ctttgttggc aaagtaatgt ctctgctttt cagtatgcta tctaggttgg tcataacttt	3180
ccttccaagg agtaagcgtc ttttaatttc acagctgcag tcaccatctg cagtgatattt	3240

-continued

```

ggagcccaga aaaataaagt ctgccactgt ttccactgtt tccccatcta tttcccatga 3300
agtgatggga ccagatgccca tgatctttgt tttctgaatg ttgagcttta agccaacttt 3360
ttcactctcc tctttcactt tcatcaagag gctttttagt tctctttcac tttctgcata 3420
agctgagtct ttaatggcaa ttgtaggggg ccttgcaatg atggggcgga catttagtta 3480
agaaatagac tcgtctttta acattgtctt ccttccccct ttaacaagga gttttgacac 3540
taatgttctt aaaacatagc tcttttggtt ttctgcagaa cagtggctat cttctctact 3600
attcagtttt ctttaaatca ttttaattca tatttaagtg cagcaatgaa aagccagttg 3660
cagctctttg tgcttgatcc tgacttattg actagtgtag gttgtctagt aggggtgtccc 3720
tgattgtctat tttctttaga tgtatacatt tgaaggtaga aaacttgtgt gtgacacggg 3780
ggtcactcag taaatacaga tgtgtgtgta aatagaacct tatctaagtt tatgttgaag 3840
tatcatgtca tacaggaaca ggttggtgca tatgtcataa atgtatacag ctacgtgatt 3900

```

```

<210> SEQ ID NO 6
<211> LENGTH: 3720
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1981)..(1981)
<223> OTHER INFORMATION: r is g or a
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2097)..(2097)
<223> OTHER INFORMATION: y is c or t

```

```

<400> SEQUENCE: 6
tccagcctgt tctgtggatg tttgaacttg agaagtgggg tctttgtcca gaggaaacac 60
tgcttttcgc ctggttagagg atggggtcca tccgaatcat acccagtttg ttcctttgct 120
acttcttcat cttcccgtag tttcatgtcg agtcagaatg taaggactgt ttagcttttg 180
tgaggggcaa aaatgtgttt ttgaactgga caaggtaagg tttgaaccca ttcttttgtc 240
tttcttgat acttccattt tcactttgag cacaaagcag gttggggaag caggaggggg 300
gaagatgtta ttgtggatta gagacagagg aaaaggcagg tgggggggtg gaactgaacc 360
ccacttcctg cagccgttcc ccagccggtt ttgaaaagac tctgaaagga gaataacgtc 420
tttaatcaag agcaatagta ttagctcctt tactataagt aatacttttc tttgagccta 480
tatttatatt accgggctag aaatagctga agttattcca gcagccatga ctattgtcta 540
ggagtggat gtgggctggc aatagactgg ctgattacac tgtttagaaa taaacccttt 600
tgttggcagt ctcttctggt gagaatgggt cataaaggtc cctgtggctg gttgttccat 660
ggtgcttgct tttatatcag ttcagtacct tcataatgag gtggtcttct agaatatatt 720
attataactc tgttcagag ggcgtagggc tcgtcagtta tgcaggcaac atcacaaagc 780
tttgaagaa atctcttaat taagtgttag ggctggtgct gcagtgaagg gatgaatgga 840
ctgaaatgct tccatctctg agcgtctttt caaactaaac gggccctttg ccgcatcata 900
gccaggagtc cagcagacgg acacactgag aaagtgggtg tggatgtgat tgggtgatgtt 960
cctgacttcc tctgacctac cctgggggat ttctgtactt cacgtcacac gtggctcctt 1020
gttgatggta tgggtgaaac ataggtgttg aaagaaccag aattgacagc agttcagcga 1080
ctttttgggt cttcaggtct gagaccatac cctaggcagc atcagtcctt ccacggtaga 1140
tggcactgga ctttctgtgg cgtttaagac ctaacgttct gtgactgaga atgtggcctg 1200
tcttggccac agctggtagc atgacaagat gactatctga gttaggaaga aaaagtgaag 1260

```

-continued

tgaaagtc	at	ttagttgt	ccgactcc	gacctgc	tcctctag	tcctctag	gc	1320
tcctctgt	cc	acgggatt	tt	ccaggca	aga	ataatgg	agtg	1380
agatctt	ccc	aaccagg	tc	ctgcttt	g	caggcag	att	1440
agaaagg	gta	ggagcaa	ata	cagaggc	aga	agtttgt	tc	1500
gatctgg	cca	ttcaaag	acc	ttttcatt	tc	ctctcag	atc	1560
aaaaat	cttt	gatgtgt	ggg	ccaggac	atg	atggagg	aa	1620
actcct	tgga	gaagaga	tga	aactaaa	agg	gctcta	agg	1680
aaaaaa	agtt	aataaaaa		caaaagg	tta	taaata	gctc	1740
ttacttc	ctg	tggttac	atg	cattac	tta	tggtcg	tgat	1800
acgttag	gat	cacata	a	ctccct	cta	aggcg	ccagt	1860
ttcacgt	gcc	ttgtgag	tgg	ccaacac	ag	tgggg	acttt	1920
gttaaaa	aac	acttccc	gct	tactct	gag	accctc	ctt	1980
rggagg	atta	atgacag	cac	agcgagt	gtg	gcttga	agg	2040
acccttc	agtt	gccgggt	gag	aggatt	ttc	tctcat	ccat	2100
gggtct	ccaa	gaacagg	aaa	agaggag	tct	gaggag	agga	2160
tagtccc	ctg	gctctgt	gcc	gtattgt	ttt	gtaaata	agg	2220
ttgtttt	ctt	acaaaa	atgg	aggacgt	gtg	accagc	agt	2280
tctgtgt	ttc	ggccat	cact	ggttcaa	gta	gtaacct	aa	2340
ctcttgc	cagc	ccatctt	tgg	ctttcag	tta	ggaatc	gag	2400
gacacct	tta	ccatcact	ttt	acgggat	gct	tccatt	tgt	2460
aggagg	ggagg	cgtctg	gacc	ccagagt	cgt	ggcgtc	agga	2520
agcctct	gca	gtggtc	ctac	caggag	agga	agggtc	tgg	2580
aaactct	ggt	tctccc	gtta	tcatg	ccctg	tgactc	tgga	2640
aacctta	atg	tttgtat	ctg	ttaaga	caa	ggtttg	gaat	2700
ttctgc	agac	ctgggt	tact	ggctgt	aggg	ctcta	attgg	2760
ataacct	att	tccagg	gcgt	ggggccc	ct	gctgt	acag	2820
cgtcttt	tag	ctcccat	ctg	gatgcc	atct	tctgtg	tagt	2880
tccagt	gact	cccttg	agcc	cttctct	cc	ctgtg	aggt	2940
ccatcct	gcc	cttttt	gctg	gccact	gcc	catggt	tctg	3000
ctctgt	cagg	atgtgt	gggg	ttgag	tttat	acctga	tctt	3060
gcccagt	cat	ttgtt	cctgt	tcccac	actg	gtttcc	agct	3120
ctgctct	cct	ggcctc	ctga	tggctg	gaca	tctttt	cttt	3180
tttttt	tgtt	gtcta	aactg	taaa	agcccc	atagat	catc	3240
gatgact	atc	ttgat	atgtt	gata	agagg	gt	gaact	3300
tgtcaaa	tgt	ggttata	aaat	cactg	gaact	taagg	atctg	3360
agtttg	atcc	ctgggt	cagg	aagat	ccgct	gaaga	aggga	3420
tcttg	cctgg	agaat	cccat	ggacag	agga	acctg	gagga	3480
aaaaat	tgga	catgac	cttag	tgacta	aaaca	acaaca	ataa	3540
agccct	ctct	ccacccc	agc	actaga	acag	tccct	agag	3600

-continued

ggtgagcaga atcatcaccc agtgctttta ttattatttt aatatttatt aaaaaatttt 3660

ttttgtttgg ctatattagg tcttagttgt ggcatgaggg atcttttagtt gcaacatgtg 3720

<210> SEQ ID NO 7
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DCUN1D1

<400> SEQUENCE: 7

atacccttag gcagttag 18

<210> SEQ ID NO 8
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DCUN1D1

<400> SEQUENCE: 8

aattgtaaac cctgagac 18

<210> SEQ ID NO 9
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DDX4(1)

<400> SEQUENCE: 9

aaacacggaa cagagggg 18

<210> SEQ ID NO 10
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DDX4(1)

<400> SEQUENCE: 10

aggcaggatt agcaagtatg 20

<210> SEQ ID NO 11
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DDX4(2)

<400> SEQUENCE: 11

aaccaagtgg ctgggatg 18

<210> SEQ ID NO 12
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DDX4(2)

<400> SEQUENCE: 12

cagactcaaa tgcgacaa 18

<210> SEQ ID NO 13
<211> LENGTH: 18

-continued

```

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DNAI1(1)

<400> SEQUENCE: 13

cggttaagtga gcagcatc 18

<210> SEQ ID NO 14
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DNAI1(1)

<400> SEQUENCE: 14

actgaagcct ttgccta 18

<210> SEQ ID NO 15
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DNAI1(2)

<400> SEQUENCE: 15

cccagtgctc caaatcct 18

<210> SEQ ID NO 16
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DNAI1(2)

<400> SEQUENCE: 16

atggctcatc ttgtcttcag ta 22

<210> SEQ ID NO 17
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DNAI1(3)

<400> SEQUENCE: 17

cgtgactggg ttaggat 18

<210> SEQ ID NO 18
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DNAI1(3)

<400> SEQUENCE: 18

ctgggtggctg ctgtctat 18

<210> SEQ ID NO 19
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer GAPDHS(1)

<400> SEQUENCE: 19

```

-continued

ccaggaaacg gcatacc 18

<210> SEQ ID NO 20
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer GAPDHS(1)

<400> SEQUENCE: 20

acacgcagca gggcaact 18

<210> SEQ ID NO 21
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer GAPDHS(2)

<400> SEQUENCE: 21

gtgaaggcca gggactatga 20

<210> SEQ ID NO 22
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer GAPDHS(2)

<400> SEQUENCE: 22

acatgaacaa gagggctgct 20

<210> SEQ ID NO 23
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer GSTM3

<400> SEQUENCE: 23

ttctcttccc tgcaagtcgt 20

<210> SEQ ID NO 24
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer GSTM3

<400> SEQUENCE: 24

tgagaacagc tgccatcatc 20

<210> SEQ ID NO 25
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer MAP1B(1)

<400> SEQUENCE: 25

ccatttccta aggcacag 18

<210> SEQ ID NO 26
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer MAP1B(1)

<400> SEQUENCE: 26

ttccgccatc ttcctaca 18

<210> SEQ ID NO 27
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer MAP1B(2)

<400> SEQUENCE: 27

cttatgggtcg tgattatgaa 20

<210> SEQ ID NO 28
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer MAP1B(2)

<400> SEQUENCE: 28

aaggctaaca ctgctggt 18

<210> SEQ ID NO 29
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer MAP1B(3)

<400> SEQUENCE: 29

ggctgtgaca tacctacc 18

<210> SEQ ID NO 30
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer MAP1B(3)

<400> SEQUENCE: 30

cagaccttcc ctacttatt 19

<210> SEQ ID NO 31
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer PPP1R11(1)

<400> SEQUENCE: 31

cacattacgg cggaacta 18

<210> SEQ ID NO 32
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer PPP1R11(1)

<400> SEQUENCE: 32

atcccaagca gtatcaccta 20

-continued

<210> SEQ ID NO 33
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer PPP1R11(2)

<400> SEQUENCE: 33

acctgttcta tctcctccca

20

<210> SEQ ID NO 34
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer PPP1R11(2)

<400> SEQUENCE: 34

gtcacctacc caccttgc

18

<210> SEQ ID NO 35
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer SPATA20

<400> SEQUENCE: 35

ttggagaaga aaccaccag

20

<210> SEQ ID NO 36
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer SPATA20

<400> SEQUENCE: 36

cctcacaagc aaggctaagg

20

<210> SEQ ID NO 37
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer UBC

<400> SEQUENCE: 37

tcgctcagtc gtgtcttac

19

<210> SEQ ID NO 38
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer UBC

<400> SEQUENCE: 38

tcaaccaacg cctaatgt

18

<210> SEQ ID NO 39
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer PCR-RFLP

-continued

<400> SEQUENCE: 39

gcagctcttt taggagtgtt agcgtctgat

30

<210> SEQ ID NO 40

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Reverse Primer PCR-RFLP

<400> SEQUENCE: 40

ctcacagagg gcatttgaca

20

What is claimed is:

1. A method for implanting an embryo comprising:
 in vitro fertilizing cattle eggs to obtain fertilized eggs, 20
 culturing said fertilized eggs into developing embryos,
 detecting the identity of a nucleotide of a MAP1B gene of
 an embryo at a position corresponding to position 1991
 of SEQ ID NO: 2, wherein the MAP1B gene comprises 25
 the nucleotide sequence of SEQ ID NO: 2,
 identifying an embryo that has a cytosine at said position,
 and
 implanting into a suitable female bovine said identified
 embryo.
2. The method of claim 1, wherein the identity of both 30
 copies of the gene in a cell is determined.
3. A method according to claim 1, wherein the nucleotide is
 detected by sequencing the MAP1B gene or a relevant frag-
 ment thereof.
4. A method according to claim 3, wherein the gene or 35
 relevant fragment thereof is isolated from the animal's
 nucleic acid sample via amplification by a polymerase chain
 reaction of genomic DNA of the cell.
5. A method for selecting a bull bovine animal as a breeder,
 the method comprising:
 obtaining a sample of the animal's nucleic acid sample,
 wherein the nucleic acid comprises at least a partial
 MAP1B gene comprising SEQ ID NO: 2,
 detecting a cytosine nucleotide at a position of the MAP1B
 gene of the animal corresponding to position 1991 of
 SEQ ID NO:2,
 selecting the bull bovine animal that has a cytosine at said
 position, and
 using bovine cell or tissue from the identified bull animal in
 a breeding procedure.
6. A method according to claim 5, wherein the bovine cell
 is a sperm.
7. A method according to claim 5, wherein the nucleotide is
 detected by sequencing the MAP1B gene or a relevant frag-
 ment thereof.
8. A method according to claim 7, wherein the gene or
 relevant fragment thereof is isolated from the animal's
 nucleic acid sample via amplification by a polymerase chain
 reaction of genomic DNA of the cell.
9. The method of claim 5, wherein the identity of both
 copies of the gene in a cell is determined.

* * * * *