



US009777331B2

(12) **United States Patent**
Khatib

(10) **Patent No.:** **US 9,777,331 B2**
(45) **Date of Patent:** **Oct. 3, 2017**

(54) **SINGLE NUCLEOTIDE POLYMORPHISMS
ASSOCIATED WITH BULL FERTILITY**

(71) Applicant: **WISCONSIN ALUMNI RESEARCH
FOUNDATION**, Madison, WI (US)

(72) Inventor: **Hasan Khatib**, Fitchburg, WI (US)

(73) Assignee: **WISCONSIN ALUMNI RESEARCH
FOUNDATION**, Madison, WI (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 55 days.

(21) Appl. No.: **14/754,729**

(22) Filed: **Jun. 30, 2015**

(65) **Prior Publication Data**

US 2015/0307943 A1 Oct. 29, 2015

Related U.S. Application Data

(62) Division of application No. 13/798,181, filed on Mar.
13, 2013, now Pat. No. 9,102,985.

(51) **Int. Cl.**

C12Q 1/68 (2006.01)
A01K 67/02 (2006.01)
A01K 67/027 (2006.01)
A61D 19/04 (2006.01)
A61K 35/54 (2015.01)

(52) **U.S. Cl.**

CPC **C12Q 1/6883** (2013.01); **A01K 67/02**
(2013.01); **A01K 67/027** (2013.01); **A61D**
19/04 (2013.01); **A61K 35/54** (2013.01); **C12Q**
1/68 (2013.01); **C12Q 1/6888** (2013.01); **A01K**
2227/101 (2013.01); **A01K 2267/02** (2013.01);
C12Q 2600/124 (2013.01); **C12Q 2600/156**
(2013.01); **C12Q 2600/16** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

Li et al. (J. Dairy Sci. 95: 6122-6129, published online Aug. 23,
2012).*

* cited by examiner

Primary Examiner — Juliet Switzer

(74) *Attorney, Agent, or Firm* — Kening Li; Miller
Canfield

(57) **ABSTRACT**

Single nucleotide polymorphic sites of the bovine MAP1B,
PPP1R11, and DDX4 genes are associated with improved
bull fertility as measured by e.g. sire conception rates.
Nucleic acid molecules, arrays, kits, methods of genotyping
and marker-assisted bovine breeding methods based on
these SNPs are disclosed.

9 Claims, 6 Drawing Sheets

1081 gagcgcgctc tgcagaggcc gaatagcggg togtgggaa accotgggg gggcogtaag
1141 ggtccagcgg ggcagactc gggcgcggg accgaccgc ccgcagccc caccgggct
1201 gcgcagtgcc ccccgccga tgcactgccc cccacactg cggcgccccc actggggcg
1261 gccggcgggg cgtgcgttcc gccggtgctt ggggggtgtg tgcgcctct cgtctgcctc
1321 aacccggctt tgttgcgctc gaagtccccc ggtgggcagc tctgtctct gctttccct
1381 tccccccgg catcgagac ctcccctct cctgaccca ggtcgcggt cctccacaa
1441 cccagcccg cgctctattc tctgggggtg gtgctgaagc gcgtctgcc cgagacaccg
1501 gctgggtggg gtgggtcagt ccgcactgag gtctctacgg cagcccgagg cggacaaagg
1561 gcgttcacgc agccctcgtt ccccacgccc gcccccact ccccatgaaa gacgcagaa
1621 aaccttggtt tagatgaaaa aaaattaaac tctagtgttc tgcctctgca tttgaaaaag
1681 gtgcctgtg cccagaaaca aaggctgacg ggtggagact cgagttgcag acctggttct
1741 tttgtttaac tttaaagcac tgggtgttact tttggctta aaaaaagaaa aaatgtgag
1801 cagaaagcag acttggttatt ttattcggaa aaaaaaatg gaagaatagg ctaggtcaat
1861 agtgaatgc ctcatgtgag catctaataa ccttcattt gtcaaatcat agtctttga
1921 atttgatcag taactaattta gtttatttgc acattttctc cttggaaaat ttccacgta
1981 ctgactttgg gtgtggctgc tgtatgaatc tatgactttg gattttttaa aaaatattat
2041 ttgttcacgc ttttgctggg aagtaataat aaagcagggt tgtttctatg tataaaagg
2101 gcataagcac ccgatgtggt gtgaggagag ggacctcat ccccattttg gagatgggg
2161 ccagagggg caggaaggat agggagacca gctcaaggct acaccactca taagtgcag
2221 aatgcggct ctgcagcac actggttttt ggcccgctat gatgttagtg caggccaggc
2281 gaacatcac ggaagatcaa agagcaattt cttagagctt cttttataca aaggcagtag
2341 tcatccactt gtgggcagca ccccatgcag ggaggtggct cagcaatcac cttccatgta
2401 attatcttcc tgccttgtta ctctgctgat caccctttta gtgcccatt tctcagggg
2461 tttattgaag ctgcttctgt ttgaggataa actagattca ccaagttat cgtcactgt
2521 gacgtggtct cgactatttt tcaogctact ggaacttagt gatcgagttc aattttgtct
2581 tcttgccccc tttctttttt aaaattttat gatgtattat gtagtgggg aaaggctcaa
2641 atcataaagc agggagcttg tgaattttca caaaaagaca taactgatcc ccatcaagaa
2701 acggacatc ctgggacccc cagaaacct ctcaggtgtc cttttcagtc agcatgcctt
2761 cctgattttt tagtgccctg atttagtcag ctttttgagg ggaactctga aatagcagta
2821 ttgatcccat taagaatcaa ccaagtgaat gagcaaggcc atttccctaa gacagtaac

2881 agatgctgct tttcctctgg agatcaactc tcttgggtcc tggggtcttg gatgcagctc
2941 aaaccacagc gccttcaggt gctaaaggga aatactgtct ctgtagcttt tctgacagag
3001 atgaacttagc aacagggcag gctggtgtt gccctggcct gatatgatgc tctcagct
3061 ctcag[a/g]ttcc agcagggcct cctctccag aggtcactct gataccatgg ctgcggtggc

3121 tgggtgcccac gggaccagtt gtgtgaagca agatggagat [g/a]ctcggggg ctcggccctg

3181 cttgtgtgcc gcagcctttc cgcagggaaa gcggttcac tctgcccct cttgcttgtc

3241 tccccctcca tccggatgag gctctctgag tctggagacc ctagggactt ggatttttgc

3301 catttgatga tttaaagctc ta[t/c]gggaaac ctgaaaaata aatctgtagg aagatgggg

3361 aatgcaagt acatcaatag gccgaaatca gccaccatg gaggctgagt acatgcttct

3421 tgaaccttag tgttactgaa tcaaaactgag gcagctcacc tgcattgcagt aaagccaatt

3481 tactgacccc aggttgtggt gaaggaaaagt gcagcattat tgtaagatgc tgatgtaaag

3541 agaaacggga gctcgtgctt aagaccccca aaatccccc aagggtttcag caaagcattt

3601 ttaaaggcag tgtaaggag ggtgtcccag agtgtgtgat cagctcatgc accattctct

3661 aattgagaat tagattgatg atgaggtaac aagactacgt tgggcttctt tctgtgctta

3721 gatggtaaaag aatctgccta caatgcaggga gagctcggtt tgatccctgg gttgagatcc

3781 cttgaagaag ggcatagaaa cacattccag tattcttgc tggaaaatcc ccatggacag

3841 agggacctgg tgggtacagt ccatggggtt gcaaagagtt ggacatgact gagtgactag

3901 gcacagcaca agactatgtt aatgaggact atgtgoggat ggtcatcaag tagttaattt

3961 cttccatttg atggtgattt tagcatctga aaaataactc aggaaatata cttcagatac

4021 taatatctag gtatttcaga gaggaactaa agcagagggg ataggggagg ggtotgtccc

4081 aggaatgtcc cataaggctc tgccttggtta cacaaggaca gaagaccatc attcgtttct

4141 tcagcttcat tcaaaatgca taatgtaggg tctggtcatt tcttaagctc gaaacaacag

4201 tctttgctca gactggtcta gctttattta gttagttagt caggactcca tgcacaacca

4261 ttgtactccc ttggcacctc ctttgcctcc tctctaatta gtctccaaca tagacttaac

4321 agtcatcccc gttttttagca gagtctccc tctccagtt tattttggga tgtagactac

4381 atacactcat gttttgcaaa acgaattcta gagccttgtg aaaagtttc attgcttctg

4441 tttattttat tttttaact aaaaactgta aaaaacacta agtgcagtt tggtttcaac

4501 tgotgttaga gtgtaacttt cctctgggtt acattgggaa tcagcaggat ttgttcatca

4561 gaagataga tgtgtgtaac atctaactgc ctggattttt agatgtaagt tttgctaatt

4621 acattgtcat ttattgaata ctttcagctc acattgggtt agagaattaa gaaccaggga

4681 aagagttagg gctttgtttc cattttgttt taacaggaaa acaacggggg gatgggaatg

4741 aasagaaatg ttgaggaatg atatatattac tatatccatc catcttcaata cgtttcaaaa

4801 tcaaaaggca gatggatttc tgcctgcgct gcttaattgg tattatctac tcaaaagatt

Figure 1

49681 tccagcctgt tctgtggatg tttagaacttg agaagtggg tctttgtcca gaggaaacac
49741 tgccttttgc ctggtagagg atgggctcca tccgaatcat acccagtttg ttccctttgct
49801 acttcttcat cttcccgtag ttatcatgtcg agtcagaatg taaggactgt ttagccttttg
49861 tgaggggcaa aaatgtgttt ttgaactgga caaggtaagg tttgaaccca ttcttttgct
49921 tttcttgat acttccattt tcactttgag cacaagcag gttggggaag caggaggggg
49981 gaagatgtta ttgtggatta gagacagagg aaaaggcagg tggggggttg gaactgaacc
50041 ccacttcctg cagccgtttc ccagccggtt ttgaaaagac tctgaaagga gaataacgtc
50101 tttaatcaag agcaatagta ttagctcctt tactataagt aatacttttc tttgagccta
50161 tatttatttt accgggctag aaatagctga agttattcca gcagccatga ctattgtcta
50221 ggagttggat gtgggctgga aatagactgg ctgattacac tgtttagaaa taaaccctt
50281 tgttggcagt ctcttctggt gagaatggtt cataaaggtc cctgtggtg gttgttccat
50341 ggtccttgct tttatctcag ttcatgaccc tcaataatgag gtggtctctc agaatatatt
50401 attataactc tgttgcagag gggttagggc tcgtcagtta tgcaggcaac atcacaaagc
50461 tttggaagaa atctcttaat taagtgcag ggctggtct gcagtgaagg gatgaatgga
50521 ctgaaatgct tccatctctg agcgtctttt caaactaaac gggcccttg ccgcatcata
50581 gccaggagtc cagcagacgg acacactgag aaagtgttg tggatgtgat tgggtgatgtt
50641 cctgacttcc totgacctac cctggggat ttctgtaott cactgcacac gtggtcctt
50701 tttgatggta tggtagaaac ataggtgttg aaagaaccag aattgacagc agttacaggga
50761 ccttttgggt cttcaggtct gagaccatac cctaggcagc atcagtcctt ccacggtaga
50821 tggcactgga ctttctgttg cgtttaagac ctaacgttct gtgactgaga atgtggcctg
50881 tcttggccac agctggtagc atgacaagat gactatctga gttaggaaga aaaagtgaag
50941 tgaagtcatt ttagttgtgt ccgaactcgt gactgcagc tcttctaggc tctctaggc
51001 tctctgtctc acgggatttt ccaggcaaga ataatggagt ggggtgcat ttctctctcc
51061 agatcttccc aacccaggtc tctgtcttg caggcagatt cgttatgtgt ctacaatgaa
51121 agaaagggtg ggagcaaatg cagaggcaga agtttgttcc ctctaggaa ggttattctt
51181 gatctggcca ttcaaagacc ttttcatttc ctctcagatc ttttcaaagt gactaacctg
51241 aaaaactctt gatgtgtggg ccaggacatg atggagggaag gcatctttt ctttctttt
51301 actccttgga gaagagatga aactaaaagg gctctaaggg aaaaaaaaaa attcttaaaa
51361 aaaaaaagt taaaaaaa caaaaggtaa taatatagtc tttgtaaaac gtttaccacc
51421 ttaactctct tggttacatg cattacctta tggctgtgat tatgaaagat ttctagagaa
51481 accgttagat gatacactaa ctccctccta aggcgccagt ggagcccaaa gtcttctgtg
51541 ttcacgtgcc ttgtgagtgg cccaacacag tggggacttt ataaatatca aatcattgtc
51601 gttaaaaaac acttccgctc tcaactctgag acccttctt ttaaggagtg catgtggtgg
51661 tgaaggagatta atgacagcac agcagtggtg gctgaagggt ggtgacatca cccggcttga
SNP6
51721 acccttcagt gccgggtgag aggattttca tctcatcoat cctcctgagt ttgcca[c/t]gag
SNP4
51781 gggctctcaa gaacaggaaa agaggagtct gaggagagga gacttctgga cattctgtga
51841 tagtccctcg gtctgtgccc gtattgtttt gtaaataaagg cagttatggt ttctagtctg
51901 ttgtttttct acaaaaatgg aggacgtgtg accagcagtg tttagcctcg tgaatgagat
51961 tctgtgtttc ggccatcact gtttcaagta gtaaacctaa gagctgagct taagttgctt
52021 ctcttgacgc ccatcttttg ctttcagtaa ggaatctgag caacattaga ctgagaatca
52081 gacaccttta ccacacttt accggatgct tccatttgcg gtgtgatagg acgcaggtgc
52141 aggagggagg cgtctggacc ccagagtcgt ggctccaggga ggtcccgtag gacatctc
52201 agcctctgca gtggtcctac caggagagga aggtgcttgg gtgtcgggat acccatgctc
52261 aactcctggt tctcccgcta tcatgcccgt tgaactctga caagtcactt agcctctctg
52321 aactttaatg tttgtatctg ttaagacaag ggtttggaat agatccgtcc aaattcacat
52381 ttctgcagac ctgggttact ggctgtaggg ctctaattgg actggatctc ctcatccctg
52441 ataacctatt tccagggcgt ggggcccctc gctgtacagc gtcttgcttc attttccac
52501 cgtottttag ctcccatctg gatgcatctc totgtgtagt atggaagcct tcttaaaaa
52561 tccagtgaat ccttgagcc cttctctccc ctgctgaggt gtgtgtccag gagccagggg
52621 ccactcctgc ctttttgctg gcaactgccc catggttctg gtctcatgcc agggctggca
52681 ctctgtcagg atgtggtggg ttgagtttat acctgatott gatgtaaaac catggcctct
52741 gccagtcatt ttgttctgt tcccacactg gcttccagct cttttgtgga ctctgactct
52801 ctgctctctt ggcctctgta tggctggaca tcttttcttt tcttctaga atgcccacc
52861 tttttttgtt gtctaactgt taaaagccc atagatcact tccatttca aaccttaga
52921 gatgactatc ttgatattgt gataagaggt gaactttctc agaggagttt cttgttaacg
52981 tgtcaaatgt ggttataaat cactggaact taaggatctg tctgccaagc agtagacacg
53041 agtttgatcc ctgggtcagg aagatccgt gaagaaggga atggtatcc atgccaatg
53101 tcttgctgg agaactccat ggacagagga acctggagc tacagtctat ggtgtcaca
53161 aaaaatttga catgacttag tgactaaaca acaacaataa gagaagcttt aagggaagtc
53221 agcctctct ccaacccagc actagaacag tccctagagc agagtctccc aaatctgct
53281 ggtgagcaga atcatcacc agtgccttta ttattatttt aatatttatt aaaaaattt
53341 tttgttttgg ctatattagg tctagtgtg ggcatgagg atctttagtt gcaacatgct

Figure 2

85081 agtgctctggy ttaatcaacc agtgagggtca gctgaccact gggtaccacg tacagattga
85141 gaaaagagca tccaagactc tacttatctc attctgacca cactgcctca ctaatacaga
85201 ctcaacatct tgttttaggt cgaatttcag ctgggcaaga gcaagcatcc ctgacttcct
85261 gttcttagac ttatcaagtt ctgggcagtg atctgggttt ttgatgaatc tgggtttctg
85321 atgatccagc ttcattttgt tgcctcaaaa caatcacagg gatttgaatt catatatctt
85381 atttgcttta catagttact tgaagggttt agatcacagt tcacaaacat gtaaaagcaa
85441 aaataagcaa cactttcttg atttattatg gaaaaatca gtatttagta ctttaggaag
85501 tactagttaac aggtacaagt ttttactttt aggcacagtg aagcagcaat ttcaagactc
85561 atatcagatt tctctttttt atttgcacat agaaaacaaa ctgaatttgt tcatgcttag
85621 aatttgtata gagccaccag ataataaata ttgatctaaa ggacttaaca gtgaccatgc
85681 aottaggaga aaacatgaaa tcaattcaaa cagataaaaa ccaactgaa atttgctgcc
85741 aaactcatga aacttaacct atagcccaca caattgattt tatcactttt ttttttttgg
85801 gtcattttaa gataattttg agggaaagtg agttaatttg aatttacatt gaggatgtg
85861 tcccaacaga tttttttaa agacaaaact gcactattaa ttaattttta aacaaacctg
85921 ggtcaacttc cagtgggtct atcagtttgg gttctatga gcaatgttca tttggtgtca
85981 acgggagtg tccaaggtgc aagtggaaac tgcaggcatt taaaaatatt agatgatctg
86041 taactcaaaa aactctgcta caagtcagaa ttctttggga gatttacaca tgaatatgtt
86101 taggactttt agcttaggtt cattataatg gctgggtta ctattcatga aatgattcag
86161 tttatccaaa taccagtttg gctgattctt actacccctt gccctccaaa ataaaaata
86221 accagttcat agctgatttt gactgtggga tggcagcttc tatacatccc atggagaaag
86281 gcaagagaat taaatttagg ggaatttctt agtattttta gtggtttcac agcagtggtg
86341 tcaaacacaga tacacattag cattggctgg gatgctttta aaaagtgatg gtacctggtt
86401 cagtgaagcc ttaccatagc cattgaagcc agggcatctg tattaagcat gctaagtgat
86461 tctaactcatg tggccaggag gaagaaccac tgccttacaa tgcctagtct gttaatgttt
86521 caacttctg attagaacaa atcagaaagc caattctaga aacaaggtag ccagaaactg
86581 agattaactc gaacottcat tttgcccagg cttctgact tggggggaat tttgggtgtg
86641 acataactac ccttaacctc agtcoggtat gttctgattg gctagagaaa gcagagtctt
86701 tctgaacctt cctgttgcta agtttggtta tctagtcttg totaaggaga gacgtctacc
86761 atttagagga ctgtcctaag gagagaatac agtgttttca tcagtttatg catgaggtg
86821 aggtgctgag ggtcttggag atcatatgac attaatgctt gactactggc tagatcaaat
86881 gtgaggggat aatatccagc tgtgggcca actgctttta aatgaaatcc taacatgaat
86941 tactaagatg gottaaactat gotttaacaa atgcagatgc tttcctttgt ccttttaaat
87001 ctattttctta gatcacattt caaattaaaa gacacactag cagctctttt aggagtggtta
87061 gcgtctagtt tctcttttgg ggaaagcctt ggcaactctt ctaattgtct aatgtgttta
SNPS
87121 agggaaacgc cccattcttc atttctctct agatggtaaa cagtoagtg atgctgtctc
87181 agactgcccag tgtcaaatgc cctctgtgag agaggggagt gccaacaccc actcccatgt
87241 cccagagcgc cttctggggg ataatgagg aggtctctgt ggacagatga gtctctttgc
87301 atttttgtga ccttgccctt ctctttgttt ttatttgttt acaaagggcc aggaaccacc
87361 aagacgtcca agccctcagc tgtgcccoca gcccctctg tgtacctgga cctatgctat
87421 attcccaacc atagcaatag taagaatgtc gacgttgaat ttttcaagag agtgagatcg
87481 tectactacg tgggtgagtg gaacgacctt gctgctgagg agcccagccg ggcgtctctg
87541 gatgccttgc tgggaaggaa agcccagtg ggcagcaaca tgcaggtaag agttccaggga
87601 cgggtgtttgc acaacacgtg gagctgtgtc cagaggcagc aggaagggat cgtgtttaat
87661 gaggcaccac cgtggatccc catgaggtgc ccacagggcc tgcctgcaat ggacaaagtg
87721 gatttcacac acacaagctg gtctaaaaagc attcgcgcca ccagccaacca tggacttggga
87781 ggaaggccac ttttaacacc taaagtataa totgcagagt gggcccaaga ttacacacog
87841 ttcataatac aagaaaatta accagcgtaa ccaagtgtca tatttccatg tgagatggat
87901 aaagattagc ctttacttgt ctttcccaag tagacaaaag ctagagatat ggocatttag
87961 aaaatcagct gtccacatga gattctgcag gagcactgct gaaaatggtc ctacagcaga
88021 cactcccaac acccaaacat cgtaatgagc cacaaacac tcattatttc agttatggat
88081 tttatctaag ttttacttac ggttttgtat agtgatctag taaactgtat ttgcataaog
88141 ttaaatagaa atcctgggtta tttcattata tgaatctaa tgcactcagt ggctctttac
88201 tgaatactag gtagaattta agctagtaat cacttacoca cccactctct ctgtccocaa
88261 acacacacac aaagacataa atctttgtct tcatgatgaa atgttagtta acatgcaatt
88321 agaaggtttt cggctgcatt aataactaaa gcccttttgt tttaaatatg caatatcttt
88381 aatgtaaaaa atcagttgtg ttaagaaaaa tacaagaaat tccaccttaa ctgaagaact
88441 tctcataatg ctaagaatgt gaaaactgat atagatgaac taactggcta gtcactgaat
88501 gottttgggt ctagtcttca actgcccag aaaaactaat tttttagcag ctttattctg
88561 gttcttagaa aatgtaatgt ggaaagtct atggatttct taaggacaaat agaattttt
88621 tctctttccc tttcttttct taatgggtta attaatacct tactgtgtt ctatttttcc
88681 ccaccccatt tctggtctg ctcttcagta gctgtttct ctctcctgc aggtgacact
88741 gatcccgact catgactcag aagtgatgag ggaatggtac caggagaccc atgagaaaca
88801 gcaggacctc aacatcatgg ttttagcaag cagcagcaca gtggttatgc aagatgaatc
88861 cttcctctga tgcagatcg aactgtaaaa accaaggcca gccgcaccac aggatttgaa
88921 ctttgtttcc agaaattctt cgatttgaaa ccacttttcc taaaaaaaaa gtcaattcat

Figure 3

-120 gggggcgcctg cgcactgtca cattacgggg gaaataatcc ggagaccag cgctttgaag
-60 catttagtac caggaaggga aaagggggac cacagaacgc gtcacaccg gaagtaggga
1 gccggaaactg gggttggaca gggtatccc aggggtgggg cagoggaggc ccaggaggag
61 ggggaaaaaa gaaggtggag gatcctggct gctaactga atcgataccg a[t/g]tctcttag
SNP1
121 acctcagaga cacagaaaag acagaagggt gctcatccc ctttcctccg cttctctctc
181 tctcagcct tagccatggc ggaggcaggg gccgggctga gtgagaccgt cactgagaca
241 acgggttaccg tgacaacgga gccctgaga aaggctgggg goggtgctgt ttagggtct
301 gagagatacc gggagggaag ggataaggct ttggagagtt gctggatggg ctgggctgg
361 ggatatggga ggaagtgggt ttgggagaat cgcagagtat tagggatttt ttgggtgtgc
421 agagttgggt cagaaggctg gtcaagtga atgcaataga gttaagatgt aggtgatact
481 gcttgggag gtggtgtctg taagtattga aagactggga acttgccgat taatgagcaa
541 gggatgtact gggggaatg aagggtttgtg tgagaaagca tgggttgaag ctogctgtag
601 ggaaacttga cactaagcat gcttatcaat aaatatttct tgaagagatt attgcaaacg
661 gaagcagagg gaatgaggga acaagaaaag ggagatgatg ggagtatttt gaaaaatcag
721 agatgtagag aaaaacagcg tttttgcaaa aacattgctt tcaataggag atgttccctg
781 cgggcttaat aaccttttga ttaagggagt ttagagtaat agttactaga gatgccagga
841 tgctggagaa taggtggata acagattggg agggctgggc ttgaggatga gagatgtgag
901 aacagagtca tttctttaat gggaaaaaga ataggcggtc tgggaaaaga aaggagatc
961 aaagttagg cattggtgac tgaaaaata attttcatgt attaatacca coaagatga
1021 tttggggagg aagatggagg aacagcagg attatatattt cctttgaaga ttgtctggga
1081 ctttccctag gttaggaatt gtatcttctc tgtatactag tggttactaa gaataactag
1141 aacagaattc ctcaaggagc tccttgaggt caaaaacctg ttctatctct tccagcato
1201 agctcctctg t[a/t]gctgtgtt tgtgactctg attgaactgg gaaagggaag aaaggaggcc
SNP4
1261 ccagggagga cgcaggaga gttagtagga ggggaactagc taggtatgcc tatccttctt
1321 aaccttccag gagaaccgga gctaaccat caaacttcgg aaacggaagc cagagaaaaa
1381 ggtggaattg acgagtgaac ctgtggacaa tgaacacatg ggccgcgcct catcaaatg
1441 tgagtaattg ttgccccaca gtaacgctgg agtccctggc cccct[a/c]agca tatcttttgc
SNP2
1501 cttcaggcat tcaactggct tccaaaagcc ccagatg[c/t]t cacagtctg tggctgcctt
SNP3
1561 ggtggttctc tgttatcagg gagaggaggt taaagttaga gggaaagagg tagggagggg
1621 cttcaatttc catgtgcaag gctaaaagtc aaaggatatc gaggtgggag aagaggagct
1681 ttggattccc ggcgtgaaag gcaagggtgg taggtgacag agtcccagag ttagggcctg
1741 gggagctgg atctggaagg tagaaggaga aaatggtggg aagtaggaat tttgactgag
1801 atccagtggg aatggaaotg acactacatc tgaactcttc ctctttttc actgggctcc
1861 tccatocaaa tccaggctgc tgtatttatg agaaaacctg ggcttttggc gagagctcca
1921 cagagagtga tgacaggga gaggagggtc gtggtcacac acactgtgtg cggggccacc
1981 gcaaggagc gcgtcatgca accccgggac caagccccac cagccctccc cagcctctg
2041 accctccca gccctccca gggccaatgc agcactaaat tctcctctc cccaccatc
2101 ctgtgtctgt ctggcctga atgtattcat gtggtacttc ggggaactaa cccacgatt
2161 gatcccttct ccagccctct cctccctct cctctgctg acagaggga gagggagagg
2221 aaggtggaca gagatcctgg aattctgact tgotgtatt ccagaaacta ggtctctggg
2281 ttcccccagc cctcatttct ccttacaata cccagcctc tctctccagg gatccaggca
2341 tcttgatccc aatcttttct ctttgttctc actgcaaac tgcctgtctt gggatccagt
2401 tatcttggcc ccttgcactc tctaatttag ttccaaacag cttaaattggg ttccagcag
2461 cccagcttt cactgcagg gtctagtca gattccaggc aatcttgcct cagctatgct
2521 tgttaactct ggttagagc tcttccactt atgtatttat gtcactccta ctcttagtog
2581 ttgctgtgg gatgtgagg cttctgtgag acctcagggc tcttagccct tcccttctc
2641 tcttgcctac ttccccaag ccttaagag gatttaggag agaggagggt ctttgtctc
2701 ctacacctta atgagaaatg gaaaaagaa atgggcattg cctctctct caccgttctc
2761 atgtgactag ggtttctgac aaaactggct ccaagactag tcaactagag ccaactatc
2821 cctcagcctt tggcttcca acttaggaga cagatccgac ccaggggcct gggctcctgg
2881 gagaggatgg aaaaggagg gagccaagag atgcaatctc acccttctc tccaggcct

Figure 4

32101 gagtgaggcc ctggatcctg tattttaaag cctccctgct gactctgatg cctctttcat
32161 ttggtaacca ctgatctatg gagtctttat aactctctg cacacagatg tatagtgtat
32221 tttgtgggta tttttcccg atcttgtgtc ccttagctgg tccagtatag taataaggag
32281 ctcagatttt ggaatcagac acccgggatt tgagaccag atccttctct tctgtcagt
32341 tgtattatct taaaaagca tgtttaactt tgtatttctt tttttctggt tataaatgta
32401 ggataatacc cactcataa gggttttctg aggttttaa aagttaaaat agaattcatt
32461 tagaagagtg tcagatggat actgttttat gtgttattat tacattatct tctataaatt
32521 agtagattat aactgatctt gggatcatta tctcatcttt gtttctgctt aactttattt
32581 ttaactctac agagattatt ttttaataac tttttatttt gaaatcattt gactcaagaa
32641 gtttcaaaaa tagtacagaa gatttctctc agcttgcttc taatgtaatt gtactctca
32701 cccagtttct cctaattgtc ttagcctatt ttaattccca gtgtgggcaa aataactgta
32761 agtttgtttg aggagaaacag ttggccaaag gttatgtgag gtgggttttc tttcatatat
3281 gaaataaaat gtttagctac atcatcatta ttccagatga tgatgaatta ttatatcatc
32881 aaataataat tccattatct cagattatct taagaatctt tgcagaatct tttctttctc
32941 cttcaacccc cttgtatgaa atctttgctt ctgagaagggt tgccttgatg ttaaattgatt
33001 ctttaggaat attgtcaatt gttgatgtca gctcaaatag gagcctgcaa caagagctgt
33061 gggctcattg ttattataaa tcaatattaa ttgagtagat tagtactttt gtacataaac
33121 aactgatagc ttttaactct togagccaca tatgtcatca ctgggacctt gttctctggc
33181 actaaatggt agtgatattg acaagattct cttgaaacca tcttgggtatt ttccaatat
33241 ggggtttatt gaatcttcta gaaagcttaa agttattact gaaagtata tcaataagggt
33301 ataatttttt aatttagaaa aattgttcat tctggatat cactctgcac attcaaatg
33361 aatctctcta ggggtgggttc tgataattta tttttaacca actttctctga taatttttag
33421 tcatccttca gtgtagtgtat cctcatacta ctatgtataa actctggtaa tggtaactaa
33481 taatgtcact aaggacagaa agccgggatg tcccaaatg cttccattag gatggatagg
33541 gaaaagtttg catataataa aaaaacacta taatgctcca ggtttattaa gaaagacaat
33601 ttacagatta atgatgacat tataaataca atagttatgc attttctgaga tccgtttgac
33661 tactcaactg ttcagatatt tctgaaactg tttcgtgaca tttatgaaat tcttattttt
33721 tggtgtgtct cagaacttga cagataacat gcttaacatt tagtatttag gtatattagg
33781 tgatttttaa aaagaattga ctgaataatg tgtttgtatt ttgttgttat ggtgatttta
33841 aaatttaaaa ttttgttcat atgttagctt atgaatatat tttttctcag taattttctc
33901 tgtgatagta ctatttagat actacagtaa tataaatact gcaataatta ttttagatgt
33961 attcactgtt taaattttta ttcaagaatc tagtattgac tgtgaagata atcaaacag
34021 gaaacagagg ttttocaaga gagcggttaa ggacactgtt ttggaacaac ttgtacttaa
34081 gacagaaatt aaactgaaaa attgattttg gaagagctga aagaaaaatt ctgggtgtga
34141 aaacctttca agaaaaatac tttggcatat cctttatgct gttaatattt gagttaatat
34201 tcagtaggtg tctctccttc tgctttctga tgcactcga tttgtctttt cctaagaact

SNP2

34261 ccagagtgtt ctatgaacta caaaaggtgg gactgtgtga atcttggta ttoacagtat
34321 agataaaactg ggatgtcttt gtctotgagt aggaacattg gagatatggg ggaagggaga
34381 agttgtagat taattacact aactgttaat cctgctctg cttgaggtga gatggtataa
34441 aaatttagt gctcagttct ggattatcta taggcagaca tgttaaaata gcaacaatat
34501 ccacgaaaaa ccacagtga cttataaaat tgcataaagt gtgcaaatat atttatgata
34561 gaaacttagt gtttgagctt gcaactagata catcatagtt ttgtctgcaa cttggagata
34621 tctgtttccc ttgctatata gatgattggc tcaatgaata gatcattgaa tagcagacct
34681 tctatgtgaa gctgagactt gctgtggatt tcaactatag cttggatgag ttgtgagggg
34741 cgggtgggtg gaatttgggt gtgaatcagt tcaatcgtc agttgtgtct gaacttttgc
34801 gaccccatga attgcagcat ggcaggcttc cctgtccatc accgaactct ggagttcatt
34861 caaactcaag tccatcgagt cgtgtatgct atccaacct ctcactctct gttgtccctc
34921 tctctctctg cccccaatcc ctccagcat cacagtcttt tccaatgagt cagctctctg
34981 catgaggtgg ccaaagtact ggagtttctg ctttagcatc attccttoca aagaacaccc
35041 aggactgac tcttttagaa tggactagtt ggatctcctt gaagtccaag ggactctcaa
35101 gagtcttttc caacaccaca gttcaaaaag atcaattctt cggcgctcag ctttcttcc
35161 agtccaactc tcaatccatc atatgaccac tggaaaaacc atagccttga ctatatggac
35221 ctttgttggc aaagttaatt ctctgctttt cagtatgcta tctaggttgg tcaataactt
35281 ccttccaagg agtaagcttc ttttaatttc acagctgacg taccatctct cagtgtattt
35341 ggagcccaaga aaaaataaagt ctgcoactgt ttccactgtt tcccatctta tttcccatga
35401 agtgatggga ccagatgcca tgatctttgt tttctgaatg ttgagcttta agccaacttt
35461 tctactctcc tcttccactt tcaatcaagag gotttttagt tctcttccac tttctcata
35521 agctgagtct ttaattggca ttgtaggggg ccttgcaatg atggggcgga catttagtta
35581 agaaatagac tctgttttta acattgtctt ccttccctt ttaacaagga gttttgacac
35641 taatgttctt aaaaatagc ttttttgggt tcttgcagaa cagtggctat ctttcttact
35701 attcagtttt ctttaaatca ttttaattca tatttaagt cagcaatgaa aagccagttg
35761 cagctctttg tgcttgatcc tgacttattg actagtgtag gttgtctagt aggggtgccc
35821 tgattgttat tttctttaga tgtatacatt tgaaggtaga aaacttgtgt gtgacacggg
35881 ggctactcag taaatacaga tgtgtgtgta aatagaacct tatctagtt tatgttgaag
35941 tatcgtgcca tacaggaaca ggttgggtga tatgtcataa atgtatacag ctcagtgaat

Figure 5

59641 ctgatacttg agattaaata tcaactotaa aaccttcoctt ttttgcagtc ctactatott
59701 aottaggaaa ttccatcag tatcttgccg ggagaattec agggacagag gtgcctggty
59761 ggctatagtc oatgggggtca caaagaatca atcggacatg actgagcgac tgacaotcat
59821 tccagttggt cagacacaaa aatatgaggg atctttgatt tctthctcca gtgtacatat
59881 ctgatctgtc agcagagtc tcttggttct gtctagcaco aaactatato agaaccocat
59941 agttgctaag ttaaaacaaa gatcagatct acttcttgcc tccaaaacca atggcttccc
60001 tccotcaaat aasgatcttt cagtggattt caaggacott catgaaatgg cttccatcat
60061 cctctcccaa atcctgctgc tctccattgc ttacccattt ctagnetgac tttgctcatt
60121 actcatcccc acacgtacaa gacatgggtc taactcattg cctttgttct tgatattccc
60181 tctgcctaga acgtaaaaac cagatgggga cctcttttct ggtttgtttg tttgtttgtg
60241 agcaogtaaa gaacacctat accottagaac otttatattt gttcttacct ctgaacctata
60301 atattgtttc ttccagatato tgaatagtte acttggttag taatatctgt cctcagatgt
60361 catctaatta gagaaggtgc ataaacccat ttggcccttt attctgttaa atttttttct
60421 tttttagact taatgcacaa tattgtttat ttacotctcc acaatgagtg cagatgcttt
60481 gttttatttg ctgtgttttc agtatctaga atagatactg gcactactg ggtgctaaat
60541 gttttgtaat aatggagac agctgatagg gacatggagg agtgggatta caaaaagtaa
60601 caacctgtta cttctattca ggctatagat tattatcttt cctctctaac attttataga
60661 aaatttcttg gtgtggaaga gtctttggtc catgcttata tttaaaccaa ttaacaaaagc
60721 taacaagtaa atattcttta atgtgttaag accctgagat aatatottat atattctatat
60781 atataagata ctttggggat taagggggtt gaattgagat aatgttgaaa catagaatat
60841 tgcagagttt gtcagccctg ggttgaatgc tattattatg aatgcctctg gcagtcasgg
60901 taaaataata gattctataa ccatgggaag aacaaaggaa tttatttata gagagggaaa
60961 tgaagggctg gagcccaatt tggaaactgc aagagtggc aggtagatat catttatctt
61021 tccctaagtc tctacttatt ggttggccta tgaaggcaag gggcaaggcg togtttttct
61081 ttttttttag tcataaagta ggaaaaagtc cttgtctctc tatctttgac atttatccac
61141 tcaggaaata tttgaattgc tcttacctat caggccctgag tttaggtgct gggaatacag
61201 tgggtgaataa gacagtttcc taactacccot atgctttttt ttctttttct aattttgtag
61261 tttgaatggt tcatgtcttt gttaggtgat aaagaactat ggtctttgtt gaaactaaga
61321 aaaaagcaga ttttattgct acttttcttt gtcaagaaaa aatatcaaca acaagtatct
61381 atgggtgagt agattattat gatttcttag taaggaggtt acttctattt gtcatttgtt
61441 aagaaaatgt ggtatatatta actagtaaaa aatcctggaa tttaggatctc aagatctagc
61501 tattattctt catctttaag tttttataag ~~aaacaaagtg~~ ctgggatgga tgagttagaa
61561 gtattcttaag ttcctcatca tgattatcaa gcagttctca ttagtctctc taactcttag
61621 atctagggtc ttattcagct aatcttctct tcca gtgcttggtt tttttttcac tgggcotcaa

SNP1

61681 aaatgtcata gtaacacac ttcattggca otttactagg agatctaaaa tattaatttg
61741 tgaatatgta gaattccag ahtatacttt taasaaatca ggaatttttg agaaaggatt
61801 tgatcaacta gttgtgtatt ttttgtcaaa actagaaaaa gtttattagt tggtaagatt
61861 tgatgtctgt ~~agcatttggg~~ tctgtatttt ggctgtaggt attagctgtc acctccatct
61921 gcaaatggag ttaattgtcc taacctcaaa gtattattgt gagaatttaa tgatgactba
61981 caagaaatta gtataactt ttgtatgtaa gaagttagaa ttaattgtta ctgtgtctat
62041 ttttgtttta ctgttatcca ttgaacttat ccaaaaaaaa atctatccat tgaactttaa
62101 tggttgtctt taatagtttt cttagggtct attotaatac atgctttgtt ttttttcaag
62161 tgaatgtgaa cagagagaaa gagagcaago tcttgagat ttccgctgtg gaaagtgcoc
62221 tgttcttgtt gctactcag tagctgccc agggctggat attgaaaatg ttcagratgt
62281 taataatttt gatcttcttt chaaccttga tgaatatgt catcgaaatg ggctactcgg
62341 togtttgtga aatactggca gagctatttc ottttttgat ctggaatcag atagccagt
62401 agcacagcct ctagtgaag tgctatcaga tgttaagttt taatttttaa aactgaatgy
62461 atagtgttct taacttgtca ttgaaagcag acattttata tgtatggat ttcagtccag
62521 ttcatttgcct cagtctgttc tgaacttttg caaccccatg gactgcagta tgcaggctt
62581 cctgtctcat cccaaactcc cagagcttac tgaactcat gtccatcyag ttgtgtatgc
62641 catccaaacg tctcatcttc tgtcatccoc ttctctctct gcttccaato tttgcccaga
62701 tcagggtctt ttccaatgag tcagttcttt gcatcaggtg gccagagtat tggagcttca
62761 gcttccagcat cagtccttgc gatgaatatt caggactgat ttcttttagg gttgactggt
62821 ttgatctctt tgtagtccag gagactcaag agtcttctcc aacatccacg ttcaaaagca
62881 tcaattcttc agcactcagt tttctttgaa gtccactctt cactatcata catgaactct
62941 gaagaaaaca tagctttgac cagacagacc tttgggtgga aaataatgtc totggttttt
63001 aatatgtctt ctagggttgtt catagctttt ctgcttttct tccaaggagc aagcatcttt
63061 taatttcatg gctgtagtca ccatctgtag tgatttcgga gcccccaaaa ataaagtctc
63121 tcaotgtttc cattgtttct coactgtttt gccctgaatt gatgggaacg gatgcaatga
63181 tcttagtttt ctgaatgttg agctttaagc caacttttct actctcttct ttcaacttca
63241 tcaagaggtt otttagttct togtttcttg ccaataagggt ggtgtcgtct cgttatctca
63301 ggttatctat atttctccag gcagctctga ttctactctg tgccttctcc agcccagcat
63361 ttacacatgt gtactctaaa atcccacggg cggaggagcc tggtaggctg cagtccatgy
63421 ggtcgctaag agtcggacac gactgagtga cttcacttct acttttcaoh ttcactgcatt
63481 tgaaggaggaa atggcaaccc actccaggtt tcttgctctg agaattcccag ggaacggggga
63541 cctgggtggg ctgcccctca tggggttgca cagagtcgga cccgactcaa gcgacttagc
63601 agcagcagca tataaattaa ataaagcagg tgacaatata cggccttgac atactctctt
63661 cctacttttg aacagctctg tctgtccatg tccagttcta actgtgtctt cttgatctgc

Figure 6

1

SINGLE NUCLEOTIDE POLYMORPHISMS ASSOCIATED WITH BULL FERTILITY

CROSS-REFERENCE TO RELATED APPLICATION

This is a divisional application of U.S. application Ser. No. 13/798,181 filed on Mar. 13, 2013, claiming priority to U.S. Patent Application 61/681,152, filed on Aug. 9, 2012, the entire disclosure of which is incorporated herein by reference.

STATEMENT OF GOVERNMENT INTEREST

This invention was made with government support under 12-CRHF-0-6055 awarded by the USDA/NIFA. The government has certain rights in the invention.

FIELD OF THE INVENTION

The present invention relates to compositions and methods for testing and selecting cattle using molecular genetic methods by assaying for the presence of at least one genetic marker indicative of increased bull fertility. Specifically, genetic variations in the MAP1B and PPP1R11 genes are tested and used for selecting cattle animals with improved blastocyst or fertilization rates, or both.

BACKGROUND OF THE INVENTION

The dairy cattle genome has been significantly restructured over the past 30 years due to intensive breeding effort selecting for production traits, including high quality milk and high and sustained productivity. However, while those efforts led to dramatic improvement of productivity, there has been significant reproductive deterioration in high-producing dairy cows, which in turn has caused substantial economic loss in the dairy cattle industry (Lucy, 2007, Fertility in high-producing dairy cows: reasons for decline and corrective strategies for sustainable improvement. *Society of Reproduction and Fertility Supplement*. 64 237-254). Key factors contributing to decreasing fertility of dairy cow are low fertilization rates and decreased embryonic survival.

Fertility is a complex trait that comprises developmental stages such as combining sperm and egg to form a zygote, compaction of embryo cells to form a morula, establishment of the blastocyst, attachment of the embryo to the uterus, and fetal development (Amann and DeJarnette, 2012). This complexity makes accurate prediction of successful pregnancy difficult, as aberrant development of sperm, oocyte, embryo, or fetus all would lead to conception failure. Conception rate in dairy cattle is about 40%, and only 50% of the fertilized eggs produce viable embryos (Santos et al., 2004). The decline in reproductive performance in cattle over the past few decades (Dobson et al., 2007) has been ascribed primarily to fertilization failure and early embryonic loss (Santos et al., 2004).

Previous studies have shown that genetic makeup of an individual plays crucial roles in embryonic development and reproductive success (Weigel, 2006; Shook, 2006). Although a male and female parent each contributes half of its genetic material to the new zygote and both are necessary for embryo development, it is not obvious whether or not this contribution is equally important to pregnancy success. For example, it is well established that the paternal genome supports growth of extra-embryonic tissues while the maternal genome fosters development of the embryo proper

2

(Barton et al., 1984). After fertilization, the development of an embryo is controlled by maternal genomic information that is accumulated during oogenesis (Telford et al., 1990). It is only at the 8-cell stage in the bovine embryo that the embryonic genome activates and the embryo switches to transcribing its own RNA (Memili and First, 2000).

Despite that most breeding schemes in cattle are focused on the selection of elite bulls using progeny testing or genomic selection, and that some semen traits (e.g., sperm motility and percentage of abnormal sperm) show moderate to high heritabilities (Druet et al., 2009), most fertility studies in cattle have focused on the maternal contribution, and the paternal contribution to reproductive performance has not been thoroughly investigated, and only a few studies have been reported in the literature (Feugang et al., 2009; Khatib et al., 2010; Peñagaricano et al., 2012). Therefore, characterization of bull fertility markers is both feasible and highly desirable, and the deployment of these markers in cattle breeding would lead to improved reproductive performance in cattle.

A recent comparative genomics study has characterized many genes involved in the control of spermatogenesis that were highly conserved from fly to human (Bonilla and Xu, 2008). Some of these genes were reported to be crucial for human fertility. However, it is not known whether or not these spermatogenesis genes play important roles in the fertility of bulls.

SUMMARY OF THE INVENTION

The present inventor carried out an association analysis between highly conserved spermatogenesis genes and sire conception rate (SCR) as a measure of bull fertility, with the objective that significant polymorphisms associated with bull fertility can be used as genetic markers in breeding programs aimed at improving reproductive performance in cattle.

Specifically, an association analysis is performed between highly conserved spermatogenesis genes and SCR in US Holstein populations as a measure of bull fertility. Sequence analysis revealed 24 single nucleotide polymorphisms (SNPs) in 9 genes in the bull population using the pooled DNA sequencing approach. These 9 genes were selected for their high level of sequence conservation between flies and humans. Overall, the 24 SNPs were tested for association with SCR in a population of 1,988 bulls. Three SNPs located in the MAP1B gene, one SNP in the PPP1R11 gene and one SNP in the DDX4 gene showed significant associations with SCR. Nucleotide probes based upon these SNPs are found to be useful for genetic testing of bull animals for improved fertilization rate.

Accordingly, in one embodiment, the present invention provides an isolated oligo- or poly-nucleotide molecule consisting of

- 1) a nucleotide of Position 3066 of SEQ ID NO:1 and at least 12, but not more than 200 contiguous nucleotides of FIG. 1 adjacent to position 3066;
- 2) Position 3323 of SEQ ID NO:1 and at least 12, but not more than 200 contiguous nucleotides of FIG. 1 adjacent to position 3323;
- 3) Position 87071 of SEQ ID NO:2 and at least 12, but not more than 200 contiguous nucleotides of FIG. 3 adjacent to position 87071,
- (4) Position 112 of SEQ ID NO:3 and at least 12, but not more than 200 contiguous nucleotides of SEQ ID NO:3 adjacent to position 112,

3

(5) Position 61646 of SEQ ID NO:4 and at least 12, but not more than 200 contiguous nucleotides of FIG. 6 adjacent to position 61646, and

6) Position 34239 of SEQ ID NO:5 and at least 12, but not more than 200 contiguous nucleotides of FIG. 5 adjacent to position 61646.

In one embodiment, the nucleotide molecule of the present invention comprises at least about 15 contiguous nucleotides adjacent to its respective position (hereinafter the “SNP position”) of the respective figure. In one embodiment, the nucleic acid molecule of the present invention comprises at least about 20 contiguous nucleotides adjacent to the respective SNP position. In one embodiment, the oligonucleotide molecule of the present invention consists of not more than about 100 nucleotides. In one embodiment, the oligonucleotide molecule of the present invention consists of not more than about 50 nucleotides. In one embodiment, the SNP position of the nucleotide molecule of the present invention near or at the center of the molecule; alternatively, the SNP position is at the 3'-end of the oligonucleotide molecule.

Also provided herein is an array of nucleic acid molecules, comprising the isolated oligonucleotide molecule of the present invention, supported on a substrate. The substrate may be any suitable medium, known and readily available to one of ordinary skills in the art, and the array may be addressable.

The present invention further provides a kit comprising an isolated oligonucleotide molecule of the present invention, and a suitable container.

In another embodiment, the present invention provides a method for detecting single nucleotide polymorphism (SNP) in a gene listed in Table 1 below in a bovine cell, the method comprising optionally isolating a DNA from the bovine cell, determining the identity of a nucleotide on the gene of the cell at a SNP position identified in Table 1 below, and comparing the identity to the preferred nucleotide identity at a corresponding position in Table 1.

In one embodiment, the bovine cell may be an adult cell, an embryo cell, a sperm, an egg, a fertilized egg, or a zygote. The identity of the nucleotide may be determined by many methods known and readily available to those ordinarily skilled in the art, such as but not limited to sequencing a nucleic acid molecule comprising a suitable portion of the gene of the cell comprising a respective SNP position, or by hybridizing a suitable probe to a nucleic acid preparation from the cell, which probe may be suitably labeled e.g. fluorescently or radioactively.

The nucleic acid molecule may be isolated from the cell via a large variety of methods, known and readily available to an ordinarily skilled artisan, such as amplification by the polymerase chain reaction (PCR) of genomic DNA of the cell, or when appropriate, by RT-PCR of the mRNA of the cell.

In preferred embodiment, both copies of the gene in a diploid genome are genotyped according to the method of the present invention.

The identity of the nucleotide may be determined based on genotypes of the parent of the cell, genotypes of the daughter of the cell, or both, through genetic analysis methods well-known to those skilled in the art.

A method is further provided for determining whether an individual bovine animal is suitable as a gamete donor for natural mating, artificial insemination or in vitro fertilization, the method comprising detecting the SNP according to the above method of the present invention, and excluding as

4

gamete donor an individual which does not have the preferred allele identity at the respective SNP position as described in Table 1.

In one embodiment, the individual is excluded as a gamete donor if the individual, whose genotype is not homozygous of the preferred allele with regard to the respective SNP position.

The present invention additionally provides a method of selecting a bovine embryo for planting in a uterus, the method comprising genotyping the embryo according to the present invention, while preserving the viability of the embryo, and excluding from planting an embryo which does not have the preferred allele identity at the respective SNP position as described in Table 1.

In another embodiment, the present invention further provides a method for selectively breeding cattle using a multiple ovulation and embryo transfer procedure (MOET), the method comprising superovulating a female animal, collecting eggs from said superovulated female, in vitro fertilizing said eggs from a male animal which has at least one preferred allele identity at the respective SNP position as described in Table 1, implanting said fertilized eggs into other females allowing for an embryo to develop.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the male animal according to the method of the present invention.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the developing embryo, and allowing pregnancy to proceed only if the genotype of the embryo comprises at least one preferred allele identity at the respective SNP position as described in Table 1.

DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts a partial genomic sequence of MAP1B, showing the locations of SNPs 1, 2 and 3 on the MAP1B gene and the locations of the primers (1F and 1R, corresponding to positions 2859-2876, and positions 3346-3362, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequences is according to that of GenBank Accession No. (Gene ID: 514739, updated on 12 Jul. 2012), incorporated herein by reference in its entirety.

FIG. 2 is the partial genomic sequence of the MAP1B gene showing the locations of SNPs 4 and 6 on the MAP1B gene and the locations of the primers 2F and 2R (corresponding to positions 51447-51466, and positions 51931-51948, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequence is according to that of GenBank Accession No. (Gene ID: 514739, updated on 12 Jul. 2012), incorporated herein by reference in its entirety.

FIG. 3 is the partial genomic sequence of the MAP1B gene showing the location of SNP 5 on the MAP1B gene and the locations of the primers 3F and 3R (corresponding to positions 86634-86651, and positions 87260-87278, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequence is per that of GenBank Accession No. (Gene ID: 514739), incorporated herein by reference in its entirety.

FIG. 4 is the partial genomic sequence of the PPP1R11 gene showing the locations of SNPs 1-4 on the PPP1R11 gene and the locations of the primers 1F and 1R (corresponding to positions -102 to -85, and positions 470-489, respectively) used to amplify the region comprising the SNP sites. The numbering of the sequences is according to

5

GenBank Accession No. (Gene ID: 504846), incorporated herein by reference in its entirety.

FIG. 5 is the partial genomic sequence of the DDX4 gene, showing the location of SNP 2 on the DDX4 gene and the locations of the primers 1F and 1R (corresponding to positions 34014-34031, and positions 34398-34417, respectively) used to amplify the region comprising the SNP site. The numbering of the sequences is according to that of GenBank Accession No. (Gene ID: 493725), incorporated herein by reference in its entirety.

FIG. 6 is the partial genomic sequence of the DDX4 showing the location of SNP 1 on the DDX4 gene and the locations of the primers 2F and 2R (corresponding to positions 61531-61549, and positions 61867-61884, respectively) used to amplify the region comprising the SNP site. The number of the sequences is per that of GenBank Accession No. (Gene ID: 493725), incorporated herein by reference in its entirety.

DETAILED DESCRIPTION OF THE INVENTION

The present inventor has found that the spermatogenesis genes MAP1B, PPP1R11 and DDX4 showed significant associations with SCR. Table 1 below summarizes the SNPs demonstrated to be significantly associated with sire conception rates according to the present invention.

TABLE 1

Genetic markers significantly associated with sire conception rate			
SNP ID	Location/Position	Nucleotide Identity of Preferred Allele	Nucleotide Identity of Polymorph in GenBank
SNP1.MAP1B	Position 3066 of FIG. 1	A	A
SNP3.MAP1B	Position 3323 of FIG. 1	T	T
SNP5.MAP1B	Position 87071 of FIG. 3	C	C
SNP1.PPP1R11	Position 112 of FIG. 4	G	T
SNP1.DDX4	Position 61646 of FIG. 6	A	A
SNP2.DDX4	Position 34239 of FIG. 5	G	G

Three SNPs in MAP1B, in low to moderate linkage disequilibrium (LD), were significantly associated with SCR. After correction for multiple testing, only one SNP in intron 5, SNP 5, showed the most significant association with SCR.

The MAP1B gene belongs to the microtubule-associated protein family and is known to affect neuronal development such as axon growth (Tymanskyj et al., 2012), development of dendritic spine and synaptic maturation (Tortosa et al., 2011), and regulation of the interaction between microtubules and actin microfilaments for axonal development (Montenegro-Venegas et al., 2010). Recent reports on the expression of MAP1B in the male reproductive tract in both rat and human (Queiróz et al., 2006) and in testis of fruit fly and mouse (Bonilla and Xu, 2008) suggest important functions of this gene in the regulation of male fertility. The finding by the present inventor, disclosed herein, that the MAP1B gene is associated with SCR, supports the conclusion that MAP1B plays a role in male fertility across a wide range of species.

The present inventor also found that a SNP in the 5'UTR of PPP1R11 was associated with SCR in the bull population examined in this study. This is the first report of association between male fertility in cattle and PPP1R11, which is consistent with previous reports on the roles of this gene in

6

spermatogenesis in mouse and human. For example, the different isoforms of PPP1R11 (also known as TCTEX5) were found to be expressed in most mouse tissues with high expression in testis, epididymis, and in the head and tail regions of spermatozoa (Han et al., 2007). In a subsequent study, it was shown that mutations in the long transcript of PPP1R11 were associated with normal sperm function (Han et al., 2008). The authors concluded that PPP1R11 plays important roles in sperm motility and spermatogenesis. A recent study reported that an isoform of protein phosphatase 1 (PP1 γ 2), which has an essential role in spermatogenesis, forms a complex with PPP1R11 in the testis (Cheng et al., 2009). Given that PP1 γ 2 is regulated by PPP1R11, these results further support the idea that PPP1R11 has important functions in spermatogenesis.

The spermatogenesis genes investigated in this study were selected from a pool of genes whose expression is highly conserved in testis of both fruit fly and mouse (Bonilla and Xu, 2008). The protein sequence identities between cattle and human and between cattle and fly are 91% and 32%, respectively for MAP1B and 99% and 47%, respectively for PPP1R11. As such, the association of these genes with bull fertility testifies to the usefulness of the comparative genomics approach in selecting candidate male fertility genes.

To further explore involvement of male fertility genes identified in this study in female fertility, we tested the association of the SNPs in MAP1B, with fertilization and embryo survival rates using data from the IVF system. MAP1B genotypes of the cows, from which oocytes were extracted and used for fertilization and embryo culture, were significantly associated with differential fertilization rate and embryo survival rate. Recently, the expression of MAP1B was found to be downregulated in follicular cystic follicles compared to normal follicles, suggesting that alteration in MAP1B expression may be involved in reproduction failure in cattle (Choe et al., 2010). The instant disclosure again demonstrates the significance of both parental genomes to embryonic development and fertility.

Accordingly, the present invention provides nucleic acid-based genetic markers for identifying bovine animals, especially bulls, with superior fertility, specifically, sire conception rate as a measure of male fertility. In general, for use as markers, isolated oligonucleotide or polynucleotide molecules, or isolated nucleic acid fragments, preferably DNA fragments, as used. Such markers will be of at least 10 nucleotides (nt), preferably at least 11, 12, or 15 nt, usually at least 20 nt, often at least 50 nt. Such small DNA fragments are useful as primers for the polymerase chain reaction (PCR), and probes for hybridization screening, etc.

In one embodiment, the isolated nucleic acid molecule comprises not more than 1,500 nt, or not more than 1000 nt, or not more than 900 nt, or not more than 800 nt, or not more than 700 nt, or not more than 600 nt, or not more than 500 nt, or not more than 400 nt, or not more than 300 nt, or not more than 200 nt., or not more than 150 nt., or not more than 100 nt., or not more than 75 nt.

In the context of the present invention, the term "isolated" refers to a nucleic acid molecule purified to some degree from endogenous materials with which the nucleic acid molecule may naturally occur or exist. At the least, the term "isolated" refers to a nucleic acid molecule separated from chromatin or other protein or components of the genomic DNA. Preferably, the isolated oligonucleic acid molecule or polynucleic acid molecule of the present invention comprises a fragment that is shorter than that which is naturally occurring.

In the context of the present invention, the provided sequences also encompass the complementary sequence corresponding to any of the provided polymorphisms. Where appropriate, and in order to provide an unambiguous identification of the specific site of a polymorphism, the numbering of the original nucleic sequences in the GenBank may be used; alternatively, the numbering may simply refer to the specific sequence in the Sequence Listing accompanying this disclosure.

The term primer refers to a single-stranded oligonucleotide capable of acting as a point of initiation of template-directed DNA synthesis under appropriate conditions (i.e., in the presence of four different nucleoside triphosphates and an agent for polymerization, such as, DNA or RNA polymerase or reverse transcriptase) in an appropriate buffer and at a suitable temperature. The appropriate length of a primer depends on the intended use of the primer but typically ranges from 15 to 30 nucleotides. Short primer molecules generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. A primer need not reflect the exact sequence of the template but must be sufficiently complementary to hybridize with a template. The term primer site, or priming site, refers to the area of the target DNA to which a primer hybridizes. The term primer pair means a set of primers including a 5' upstream primer that hybridizes with the 5' end of the DNA sequence to be amplified and a 3', downstream primer that hybridizes with the complement of the 3' end of the sequence to be amplified. One of these two primers is often referred to as the "forward primer," while the other the "reverse primer."

The term "probe" or "hybridization probe" denotes a defined nucleic acid segment (or nucleotide analog segment) which can be used to identify by hybridization a specific polynucleotide sequence present in samples, said nucleic acid segment comprising a nucleotide sequence complementary of the specific polynucleotide sequence to be identified. "Probes" or "hybridization probes" are nucleic acids capable of binding in a base-specific manner to a complementary strand of nucleic acid.

An objective of the present invention is to determine which embodiment of the polymorphisms a specific sample of DNA has. For example, it is desirable to determine whether the nucleotide at a particular position is A or G. An oligonucleotide probe can be used for such purpose. Preferably, the oligonucleotide probe will have a detectable label, and contains an A at the corresponding position. Experimental conditions can be chosen such that if the sample DNA contains an A, they hybridization signal can be detected because the probe hybridizes to the corresponding complementary DNA strand in the sample, while if the sample DNA contains a G, no hybridization signal is detected.

Similarly, PCR primers and conditions can be devised, whereby the oligonucleotide is used as one of the PCR primers, for analyzing nucleic acids for the presence of a specific sequence. These may be direct amplification of the genomic DNA, or RT-PCR amplification of the mRNA transcript of the gene of interest. The use of the polymerase chain reaction is described in Saiki et al. (1985) *Science* 230:1350-1354. Amplification may be used to determine whether a polymorphism is present, by using a primer that is specific for the polymorphism. Alternatively, various methods are known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, for examples see Riley et al (1990) *Nucleic Acids Res.* 18:2887-2890; and Delahunty et al (1996) *Am. J. Hum. Genet.* 58:1239-1246. The detection method may also be based on

direct DNA sequencing, or hybridization, or a combination thereof. Where large amounts of DNA are available, genomic DNA is used directly. Alternatively, the region of interest is cloned into a suitable vector and grown in sufficient quantity for analysis. The nucleic acid may be amplified by PCR, to provide sufficient amounts for analysis.

Hybridization may be performed in solution, or such hybridization may be performed when either the oligonucleotide probe or the target polynucleotide is covalently or noncovalently affixed to a solid support. Attachment may be mediated, for example, by antibody-antigen interactions, poly-L-Lys, streptavidin or avidin-biotin, salt bridges, hydrophobic interactions, chemical linkages, UV cross-linking baking, etc. Oligonucleotides may be synthesized directly on the solid support or attached to the solid support subsequent to synthesis. Solid-supports suitable for use in detection methods of the invention include substrates made of silicon, glass, plastic, paper and the like, which may be formed, for example, into wells (as in 96-well plates), slides, sheets, membranes, fibers, chips, dishes, and beads. The solid support may be treated, coated or derivatized to facilitate the immobilization of the allele-specific oligonucleotide or target nucleic acid. For screening purposes, hybridization probes of the polymorphic sequences may be used where both forms are present, either in separate reactions, spatially separated on a solid phase matrix, or labeled such that they can be distinguished from each other.

Hybridization may also be performed with nucleic acid arrays and subarrays such as described in WO 95/11995. The arrays would contain a battery of allele-specific oligonucleotides representing each of the polymorphic sites. One or both polymorphic forms may be present in the array. Usually such an array will include at least 2 different polymorphic sequences, i.e. polymorphisms located at unique positions within the locus, and may include all of the provided polymorphisms. Arrays of interest may further comprise sequences, including polymorphisms, of other genetic sequences, particularly other sequences of interest. The oligonucleotide sequence on the array will usually be at least about 12 nt in length, may be the length of the provided polymorphic sequences, or may extend into the flanking regions to generate fragments of 100 to 200 nt in length. For examples of arrays, see Ramsay (1998) *Nat. Biotech.* 16:4044; Hacia et al. (1996) *Nature Genetics* 14:441-447; Lockhart et al. (1996) *Nature Biotechnol.* 14:1675-1680; and De Risi et al. (1996) *Nature Genetics* 14:457-460.

The identity of polymorphisms may also be determined using a mismatch detection technique, including but not limited to the RNase protection method using riboprobes (Winter et al., *Proc. Natl. Acad. Sci. USA* 82:7575, 1985; Meyers et al., *Science* 230:1242, 1985) and proteins which recognize nucleotide mismatches, such as the *E. coli* mutS protein (Modrich, *P. Ann. Rev. Genet.* 25:229-253, 1991). Alternatively, variant alleles can be identified by single strand conformation polymorphism (SSCP) analysis (Orita et al., *Genomics* 5:874-879, 1989; Humphries et al., in *Molecular Diagnosis of Genetic Diseases*, R. Elles, ed., pp. 321-340, 1996) or denaturing gradient gel electrophoresis (DGGE) (Wartell et al., *Nucl. Acids Res.* 18:2699-2706, 1990; Sheffield et al., *Proc. Natl. Acad. Sci. USA* 86:232-236, 1989).

A polymerase-mediated primer extension method may also be used to identify the polymorphism(s). Several such methods have been described in the patent and scientific literature and include the "Genetic Bit Analysis" method (WO92/15712) and the ligase/polymerase mediated genetic

bit analysis (U.S. Pat. No. 5,679,524). Related methods are disclosed in WO91/02087, WO90/09455, WO95/17676, U.S. Pat. No. 5,302,509, and U.S. Pat. No. 5,945,283. Extended primers containing a polymorphism may be detected by mass spectrometry as described in U.S. Pat. No. 5,605,798. Another primer extension method is allele-specific PCR (Ruao et al., Nucl. Acids Res. 17:8392, 1989; Ruao et al., Nucl. Acids Res. 19, 6877-6882, 1991; WO 93/22456; Turki et al., J. Clin. Invest. 95:1635-1641, 1995). In addition, multiple polymorphic sites may be investigated by simultaneously amplifying multiple regions of the nucleic acid using sets of allele-specific primers as described in Wallace et al. (WO 89/10414).

A detectable label may be included in an amplification reaction. Suitable labels include fluorochromes, e.g. fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein (JOE), 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7-hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA), radioactive labels, e.g. ^{32}P , ^{35}S , ^3H ; etc. The label may be a two stage system, where the amplified DNA is conjugated to biotin, haptens, etc. having a high affinity binding partner, e.g. avidin, specific antibodies, etc., where the binding partner is conjugated to a detectable label. The label may be conjugated to one or both of the primers. Alternatively, the pool of nucleotides used in the amplification is labeled, so as to incorporate the label into the amplification product.

It is readily recognized by those ordinarily skilled in the art that in order to maximize the signal to noise ratio, in probe hybridization detection procedure, the polymorphic site should be at the center of the probe fragment used, whereby a mismatch has a maximum effect on destabilizing the hybrid molecule; and in a PCR detection procedure, the polymorphic site should be placed at the very 3'-end of the primer, whereby a mismatch has the maximum effect on preventing a chain elongation reaction by the DNA polymerase. The location of nucleotides in a polynucleotide with respect to the center of the polynucleotide are described herein in the following manner. When a polynucleotide has an odd number of nucleotides, the nucleotide at an equal distance from the 3' and 5' ends of the polynucleotide is considered to be "at the center" of the polynucleotide, and any nucleotide immediately adjacent to the nucleotide at the center, or the nucleotide at the center itself is considered to be "within 1 nucleotide of the center." With an odd number of nucleotides in a polynucleotide any of the five nucleotides positions in the middle of the polynucleotide would be considered to be within 2 nucleotides of the center, and so on. When a polynucleotide has an even number of nucleotides, there would be a bond and not a nucleotide at the center of the polynucleotide. Thus, either of the two central nucleotides would be considered to be "within 1 nucleotide of the center" and any of the four nucleotides in the middle of the polynucleotide would be considered to be "within 2 nucleotides of the center," and so on.

In some embodiments, a composition contains two or more differently labeled oligonucleotides for simultaneously probing the identity of nucleotides or nucleotide pairs at two or more polymorphic sites. It is also contemplated that primer compositions may contain two or more sets of

allele-specific primer pairs to allow simultaneous targeting and amplification of two or more regions containing a polymorphic site.

Alternatively, the relevant portion of the gene of the sample of interest may be amplified via PCR and directly sequenced, and the sequence be compared to the will type sequence shown in the figures. It is readily recognized that, other than those disclosed specifically herein, numerous primers can be devised to achieve the objectives. PCR and sequencing techniques are well known in the art and reagents and equipments are readily available commercially.

Alternatively, an invasive signal amplification assay, as described in e.g. U.S. Pat. No. 5,422,253 and Lyamichev et al., 2000, *Biochemistry* 39:9523-9532, both incorporated herein by reference in their entirety, may be used for detecting the SNP of interest. This assay takes advantage of enzymes such as the 5' nuclease activity of a DNA polymerase or the gene 6 product from bacteriophage T7 in their ability to cleave polynucleotide molecules by recognizing specific structures instead of specific sequences. A single-stranded target molecule is annealed to a pilot oligonucleotide such that the 5' end of the pilot forms a duplex with the target molecule. If the 3' end of the pilot oligonucleotide does not pair with the target, a 3' arm is formed. When exposed to a cleavage agent such as a DNA polymerase having a 5' nuclease activity or the gene 6 product from bacteriophage T7, the target molecule is cleaved in the 5' region, one nucleotide into the duplex adjacent to the unpaired region of the target. If a cut in a double-stranded molecule is required, the double-stranded molecule is denatured. Because this unpaired 3' arm can be as short as one nucleotide, this assay can be used for detecting a single-nucleotide difference, e.g. in the context of SNP detection. The pilot oligonucleotide is designed such that it pairs perfectly with one allele, but has a 3', single nucleotide mismatch with another allele. Cleavage only occurs if there is a mismatch between the target molecule and the pilot. To achieve signal amplification, the above invasive reaction is modified such that cleavage occurs on the pilot oligonucleotide. Two oligonucleotides are annealed in an adjacent manner to the target molecule. The resulting adjacent duplexes overlaps by at least one nucleotide to create an efficient substrate, called the overlapping substrate, for the 5' nucleases. The 5' end of the downstream oligonucleotide, also called the probe, contains an unpaired region termed the 5' arm (Lyamichev et al., 1993, *Science* 260:778-783) or flap (Harrington and Lieber, 1994, *EMBO J* 13: 1235-1246) that is not required for the enzyme activity; however, very long arms can inhibit cleavage (Lyamichev et al., 1993, *Science* 260:778-783). Specific cleavage of the probe, termed invasive cleavage (Lyamichev et al., 1999, *Nat. Biotechnol.* 17 292-296; Kwiatkowski et al., 1999, *Mol. Diagn.* 4, 353-364), occurs at the position defined by the 3' end of the upstream oligonucleotide, which displaces or "invades" the probe. If the overlap between the adjacent oligonucleotides is only one nucleotide, cleavage takes place between the first two base pairs of the probe, thus releasing its 5' arm and one nucleotide of the base paired region (Lyamichev et al., 1999, *Proc. Natl. Acad. Sci. USA.* 96: 6143-6148, and Kaiser et al., 1999, *J. Biol. Chem.* 274:21387-21394). If the upstream oligonucleotide and the probe are present in large molar excess over the target nucleic acid, and invasive cleavage is carried out near the melting temperature of the probe, a cut probe can rapidly dissociate, and an intact probe will anneal to the target more frequently than will a cut probe, thus initiating a new cycle of cleavage. This allows multiple probes to be cut for each target molecule under isothermal

conditions, resulting in linear signal amplification with respect to target concentration and time (Lyamichev et al., 1999, *Nat. Biotechnol.* 17: 292-296).

DNA markers have several advantages; segregation is easy to measure and is unambiguous, and DNA markers are co-dominant, i.e., heterozygous and homozygous animals can be distinctively identified. Once a marker system is established selection decisions could be made very easily, since DNA markers can be assayed any time after a blood sample can be collected from the individual infant animal, or even earlier by testing embryos in vitro if very early embryos are collected. The use of marker assisted genetic selection will greatly facilitate and speed up cattle breeding problems. For example, a modification of the multiple ovulation and embryo transfer (MOET) procedure can be used with genetic marker technology. Specifically, females are superovulated, eggs are collected, in vitro fertilized using semen from superior males and implanted into other females allowing for use of the superior genetics of the female (as well as the male) without having to wait for her to give birth to one calf at a time. Developing blastomeres at the 4-8 cell stage may be assayed for presence of the marker, and selection decisions made accordingly.

In one embodiment of the invention an assay is provided for detection of presence of a desirable genotype using the markers.

The term "genotype" as used herein refers to the identity of the alleles present in an individual or a sample. In the context of the present invention a genotype preferably refers to the description of the polymorphic alleles present in an individual or a sample. The term "genotyping" a sample or an individual for a polymorphic marker refers to determining the specific allele or the specific nucleotide carried by an individual at a polymorphic marker.

The present invention is suitable for identifying a bovine, including a young or adult bovine animal, an embryo, a semen sample, an egg, a fertilized egg, or a zygote, or other cell or tissue sample therefrom, to determine whether said bovine possesses the desired genotypes of the present invention, some of which are indicative of improved reproduction traits.

Further provided is a method for genotyping the bovine genes identified in Table 1, comprising determining for the two copies of the gene in a diploid genome present the identity of the nucleotide pair at the relevant SNP position (see below).

One embodiment of a genotyping method of the invention involves examining both copies of the gene, or a fragment thereof, to identify the nucleotide pair at the polymorphic site in the two copies to assign a genotype to the individual. In some embodiments, "examining a gene" may include examining one or more of: DNA containing the gene, mRNA transcripts thereof, or cDNA copies thereof. As will be readily understood by the skilled artisan, the two "copies" of a gene, mRNA or cDNA, or fragment thereof in an individual may be the same allele or may be different alleles. In another embodiment, a genotyping method of the invention comprises determining the identity of the nucleotide pair at the polymorphic site.

The present invention further provides a kit for genotyping a bovine sample, the kit comprising in a container a nucleic acid molecule, as described above, designed for detecting the polymorphism, and optionally at least another component for carrying out such detection. Preferably, a kit comprises at least two oligonucleotides packaged in the same or separate containers. The kit may also contain other components such as hybridization buffer (where the oligo-

nucleotides are to be used as a probe) packaged in a separate container. Alternatively, where the oligonucleotides are to be used to amplify a target region, the kit may contain, preferably packaged in separate containers, a polymerase and a reaction buffer optimized for primer extension mediated by the polymerase, such as PCR.

In one embodiment the present invention provides a breeding method whereby genotyping as described above is conducted on a bovine animal, especially a bull, and based on the results, certain cattle are either selected or dropped out of the breeding program.

Through use of the linked marker loci, procedures termed "marker assisted selection" (MAS) may be used for genetic improvement within a breeding nucleus; or "marker assisted introgression" for transferring useful alleles from a resource population to a breeding nucleus (Soller 1990; Soller 1994).

A method is further provided for determining whether an individual bovine animal is suitable as a gamete donor for natural mating, artificial insemination or in vitro fertilization, the method comprising determining the identity of one or more SNPs according to the present invention using a method of the present invention, and excluding as gamete donor an individual which does not have the preferred allele identity at the respective SNP position as described in Table 1.

Specifically, an individual bovine animal, especially a bull, is excluded as a gamete donor, if its genome does not have at least:

- 1) adenine (A) at the position of its MAP1B gene corresponding to position 3066 of FIG. 1;
- 2) thymine (T) at the position of its MAP1B gene corresponding to position 3323 of FIG. 1;
- 3) cytosine (C) at the position of its MAP1B gene corresponding to position 87071 of FIG. 3;
- 4) guanine (G) at the position of its PPP1R11 gene corresponding to position 112 of FIG. 4;
- 5) adenine (A) at the position of its DDX4 gene corresponding to position 61646 of FIG. 6, or
- 6) G at the position of its DDX4 gene corresponding to position 34239 of FIG. 5.

In one embodiment, the individual is excluded as a gamete donor if the gene type of the individual is not homozygous of the preferred allele with regard to the respective SNP position.

The present invention additionally provides a method of selecting a bovine embryo for planting in a uterus, the method comprising genotyping the embryo according to the present invention, while preserving the viability of the embryo, and excluding from planting an embryo which does not have the preferred allele identity at the respective SNP position as described in Table 1.

In another embodiment, the present invention further provides a method for selectively breeding cattle using a multiple ovulation and embryo transfer procedure (MOET), the method comprising superovulating a female animal, collecting eggs from said superovulated female, in vitro fertilizing said eggs from a male animal which has at least one preferred allele identity at the respective SNP position as described in Table 1 and above, implanting said fertilized eggs into other females allowing for an embryo to develop.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the male animal according to the method of the present invention.

In another embodiment, the method for selectively breeding cattle using MOET may further comprise a step of genotyping the developing embryo, and allowing pregnancy to proceed only if the genotype of the embryo comprises at least one preferred allele identity at the respective SNP position as described in Table 1.

The following examples are intended to illustrate preferred embodiments of the invention and should not be interpreted to limit the scope of the invention as defined in the claims.

Examples

Materials and Methods

Associations of candidate fertility genes examined were carried out in two experiments. In the first part, single

Shawano, Wis.) using standard phenol/chloroform protocols. One DNA pool was constructed from 20 random semen samples with equal amounts of DNA. The DNA pool was amplified using primers designed in the 22 candidate genes to amplify 5' untranslated regions (UTRs), exons, introns, and 3' UTRs. The PCR products were sequenced, and SNPs were identified by visually inspecting sequence traces. PCR amplification and sequencing were performed as described in Khatib et al. (2008). Table 2 shows the primer sets used to amplify the nine candidate spermatogenesis genes found to be polymorphic in the bull population.

TABLE 2

Primers used to amplify the nine spermatogenic genes					
Gene	Forward Primer	SEQ ID NO:	Reverse Primer	SEQ ID NO:	Product Size
DCUN1D1	ATACCCTTAGGCAGTTAG	7	AATTGTAACCCTGAGAC	8	536
DDX4 (1)	AAACACGGAACAGAGGGT	9	AGGCAGGATTAGCAAGTATG	10	404
DDX4 (2)	AACCAAGTGGCTGGGATG	11	CAGACTCAAATGCGACAA	12	354
DNAI1 (1)	CGGTAAGTGAAGCAGCATC	13	ACTGAAGCCTTTGCCCTA	14	495
DNAI1 (2)	CCCAGTGCTCCAAATCCT	15	ATGGCTCATCTTGTCTTCAGTA	16	413
DNAI1 (3)	CGTGACTGGGTTTAGGAT	17	CTGGTGGCTGCTGTCTAT	18	602
GAPDHS (1)	CCAGGAAACGGCATCACC	19	ACACGCAGCAGGGCAACT	20	414
GAPDHS (2)	GTGAAGGCCAGGACTATGA	21	ACATGAACAAGAGGGCTGCT	22	541
GSTM3	TTCTCTTCCTGCAAGTCGT	23	TGAGAACAGCTGCCATCATC	24	664
MAP1B (1)	CCATTTCTTAAGGCACAG	25	TTCCGCCATCTTCTTACA	26	504
MAP1B (2)	CTTATGGTCGTGATTATGAA	27	AAGGCTAACACTGCTGGT	28	502
MAP1B (3)	GGCTGTGACATACCTACC	29	CAGACCTTCCCTACTTATT	30	645
PPP1R11 (1)	CACATTACGGCGGAACTA	31	ATCCAAGCAGTATCACCTA	32	591
PPP1R11 (2)	ACCTGTTCTATCTCCTCCCA	33	GTCACCTACCCACCTTGC	34	543
SPATA20	TTGGAGAAGAAACCCACCAG	35	CCTCACAAGCAAGGCTAAGG	36	459
UBC	TCGCTCAGTCGTGCTTAC	37	TCAACCAACGCCTAATGT	38	420

nucleotide polymorphisms (SNPs) in the spermatogenesis genes were tested for associations with sire conception rate (SCR) in a large bull population. In the second part, genes found significantly associated with SCR were tested for association with female fertility traits (fertilization and blastocyst rates). Male fertility genes that play roles in female fertility can be used to improve reproductive performance in cattle using genetic information from both males and females in breeding schemes.

Gene Selection, SNP Identification, and Genotyping for Bull Fertility

A total of 58 spermatogenesis genes, with conserved testicular expression from fly to human, were reported in Bonilla and Xu (2008). Of those genes, only 22 were annotated in the bovine genome. For SNP identification and genotyping, genomic DNA was extracted from semen samples of 268 Holstein bulls (Genex Cooperative/CRI,

A total of 24 SNPs located in the nine spermatogenic genes were genotyped in the Genex population (268 animals) by MALDI-TOF MS (GeneSeek Inc., Lincoln, Nebr.).

Imputation of SNPs for Validation of Significant SNPs Found in Genex Population in a Larger Bull Population Obtained from the USDA

Solely for the purpose of validating the conclusions drawn from the results using the Genex population, and to increase the sample size and improve the statistical power of the study, the 24 SNPs identified in the 9 candidate genes and genotyped in 268 bulls (from here forward, the reference population) were imputed in a total of 1,720 bulls (from here forward, the imputed population) so that a final dataset of 1,988 bulls with genotypic data was generated for subsequent statistical analyses. Bulls in the reference and imputed populations have been previously genotyped with the Illumina BovineSNP50 Bead Chip, and hence shared SNP were used to infer the genotypes of the unshared SNP in the imputed population. Genotypes of the reference (n=268) and

the imputed populations (n=1,720) for the 50K SNP Chip were provided by Genex Cooperative/CRI (Shawano, Wis.) and the Animal Improvement Programs Laboratory of the United States Department of Agriculture (AIPL, USDA; Beltsville, Md.), respectively. SNP with minor allele frequencies below 5% were removed. After data editing, 38,265 SNP spanning the entire bovine genome were available in both populations for the imputation process.

Imputation of SNPs was carried out for each candidate gene separately. In each case, a total of 100 SNP on each side of the gene were used to infer the genotypes of the ungenotyped SNP. Imputation was performed using the population-based haplotype clustering algorithm of Scheet and Stephens (2006), which was implemented via the fastPHASE version 1.2 software using the default settings for all parameters (University of Washington TechTransfer Digital Ventures Program, Seattle, Wash.).

Phenotypic Data for Bull Fertility

The 1,988 bulls genotyped with the 50K SNP Chip were evaluated for sire conception rate (SCR), a phenotypic evaluation of bull fertility provided to dairy producers by AIPL-USDA as described in Peñagaricano et al. (2012). Briefly, SCR is the expected difference in conception rate of a sire compared with the mean of all other evaluated sires (Kuhn and Hutchison, 2008; Kuhn et al., 2008).

In this study, SCR values ranged from -10.66% to +6.80%, and the number of breedings per bull ranged from 303 to 111,402. SCR data were obtained from seven consecutive evaluations provided by AIPL-USDA between August 2008 and December 2010. For bulls with multiple evaluations, the most recent SCR evaluation was used in the analysis.

Statistical Analysis for Bull Fertility

The association between each SNP and SCR was evaluated using the following mixed linear model,

$$SCR_{ijk} = \mu + EVAL_j + \beta SNP_k + sire_i + e_{ijk}$$

where μ is the general mean, $EVAL_j$ is the fixed effect of the j^{th} AIPL-USDA SCR evaluation ($j=1, 2, \dots, 7$), SNP_k is the number of copies of one allele of the SNP (corresponding to 0, 1 or 2 copies) carried by the i^{th} animal ($i=1, 2, \dots, 1988$), β is the regression coefficient for the SNP considered (also known as the allele substitution effect), $sire_i$ represents the random additive genetic effect of the l^{th} sire ($l=1, 2, \dots, 246$) of the i^{th} animal, and e_{ijk} represents the random residual for each observation. To detect possible deviations from the additive model, associations between genotype and SCR were evaluated using SNP as a categorical variable.

Random effects were assumed to follow the multivariate normal distribution,

$$\begin{pmatrix} s \\ e \end{pmatrix} \sim N \left[0, \begin{pmatrix} A\sigma_s^2 & 9 \\ 0 & W^{-1}\sigma_e^2 \end{pmatrix} \right]$$

where s and e are the vectors of sire and residual effects, respectively; σ_s^2 and σ_e^2 are the sire and residual effect variances, respectively; A represents the matrix of additive relationships between sires in the pedigree (1,558×1,558) and W is a diagonal matrix of order 1,988 with its elements representing reliabilities of SCR values. The A matrix was calculated based on a five-generation pedigree of sires downloaded from AIPL-USDA. The association between each SNP and SCR was tested using a likelihood ratio test by comparing to a reduced model without the SNP effect.

Phenotypic and Genotypic Data for Cow Fertility

The most significant SNP for SCR (rs109423562 located in MAP1B) was further investigated for association analysis with fertilization and blastocyst rates—the main cow fertility traits—using an IVF system. The procedures of in vitro fertilization and subsequent embryo culture were described in Khatib et al. (2008). To generate fertilization and blastocyst rate data, a total of 6,282 in vitro fertilizations were performed, and a total of 4,207 embryos were produced using oocytes from 359 ovaries collected from 359 Holstein cows and semen samples from 12 Holstein bulls. For 74 ovaries, oocytes were fertilized by two different bulls each. Fertilization rate was calculated as the number of cleaved embryos at Day 2 post-fertilization divided by the total number of fertilized oocytes collected from one ovary. Blastocyst rate was calculated as the number of embryos that reached the blastocyst stage (Day 8) and appeared normal out of the total number of embryos produced.

The 359 ovaries were genotyped for SNP rs109423562 (G/A) using PCR-RFLP. A 171 bp fragment was amplified using the primers 5' GCAGCTCTTTAGGAGTGTAGCGTCTGAT-3' (SEQ ID NO: 39) (forward) and 5'-CTCACAGAGGGCATTGACA-3' (SEQ ID NO: 40) (reverse). The PCR product was then digested by the restriction enzyme *HinfI* and electrophoresed on a 2.0% agarose gel. Allele G was cut while allele A was uncut.

Statistical Analysis for Cow Fertility

Association between SNP rs109423562 (G/A) in MAP1B and fertilization and blastocyst rates were analyzed using the following mixed linear model,

$$y_{ijk} = \mu + ovary_i + sire_j + SNP_{ijk} + e_{ijk}$$

where y_{ijk} represents the fertilization or blastocyst rate of oocyte k from ovary i fertilized with semen from bull j , μ represents a general mean for the trait considered, $ovary_i$ represents the random effect of the individual ovary from which oocytes were harvested, $sire_j$ represents the random effect of the sire used in the fertilization, SNP_{ijk} represents the fixed effect of the ovary genotype for the SNP considered, and e_{ijk} represents the residuals, assumed normal, independent and identically distributed with mean 0 and variance σ_e^2 . Ovaries and bulls were assumed uncorrelated with variance structures σ_o^2 and σ_s^2 , respectively. Association between the SNP and fertilization or blastocyst rate was tested again using a likelihood ratio test by comparing with a reduced model without the SNP effect. All the statistical analyses were performed using the pedigreeemm package (Vazquez et al. 2010) of the R language/environment (R Development Core Team 2009).

Results

SNP Identification and Association of Candidate Genes with SCR

Sequencing analysis revealed 24 SNPs in 9 spermatogenesis genes (DCUN1D1, DNA11, DDX4, GAPDHS, GSTM3, MAP1B, PPP1R11, SPATA20 and UBC) in the bull population using the pooled DNA sequencing approach. All 24 SNPs located in 9 candidate genes were tested for association with sire conception rate first in Genex population and then in a larger population of 1,988 bulls for validation.

Association Analysis in Genex Population

SNPs in the genes MAP1B, PPP1R11, and DDX4 are associated with SCR

For MAP1B gene, a SNP C/T in intron 5 at position 9331992 (University of Maryland bovine version 3.1; UMD3.1) showed significant association with sire conception rate. Primers used to amplify the gene and SNP location

are shown in FIG. 1. Frequency of allele T was 25% and frequency of allele C was 75%. The allele substitution effect was -0.15 ± 0.01 (p-value=0.01) so that allele C is favorable for SCR.

For PPP1R11, one SNP (T/G) in the 5'UTR region at position 28710268 (UMD3.1) was significantly associated with SCR in the Genex population, with allele G associated with increased SCR. SEQ ID NO:6 shows SNP location and primers used to identify the SNP.

For DDX4, two SNPs located at positions 23382814 (SNP1; A/G) and 23410221 (SNP2; G/A) were identified in the gene. For SNP locations see FIG. 3. The two SNPs were in almost complete linkage disequilibrium, so they have the same allele frequencies in the bull population examined. Genotype AA of SNP1 has 0.783 units of SCR versus -0.214 SCR units for GG genotype (P-value=0.05). Similarly, GG genotype of SNP2 has 0.749 units of SCR versus -0.494 for AA genotype.

Association of Spermatogenesis Genes in the Combined Genex and USDA Populations

Three SNPs located in MAP1B and one SNP in PPP1R11 showed significant associations with SCR (Table 3). The SNP with the most significant association with SCR is SNP5.MAP1B located in intron 5 with an allele substitution effect of -0.24 and a P-value of 0.001. The other two significant SNPs were SNP1.MAP1B and SNP3.MAP1B, both located in intron 1 with an allele substitution effect of 0.15 and P-values of 0.025 and 0.039, respectively. After Bonferroni correction for multiple testing, only SNP5.MAP1B remained significant (P-value=0.024). Pair-wise linkage disequilibrium (LD) tests of MAP1B SNPs showed a moderate LD ($r^2=0.38$) between SNP1.MAP1B and SNP3.MAP1B and SNP5.MAP1B. The LD between SNP3.MAP1B and SNP5.MAP1B was relatively low ($r^2=0.14$).

SNP1.PPP1R11 located in the 5'UTR region of PPP1R11 showed significant association with SCR with an allele substitution effect of 0.15 and a P-value of 0.046.

TABLE 3

Genetic markers significantly associated with sire conception rate				
SNP ID	Gene	Genotype (N)	Allele substitution effect $\pm$ SE	P-value
SNP1.MAP1B	MAP1B	GG (463)	0.15 ± 0.01	0.025
		GA (987)		
		AA (538)		
SNP3.MAP1B	MAP1B	CC (972)	0.15 ± 0.01	0.039
		CT (847)		
		TT (169)		
SNP5.MAP1B	MAP1B	CC (1081)	-0.24 ± 0.01	0.001
		TC (763)		
		TT (144)		
SNP1.PPP1R11	PPP1R11	TT (1033)	0.15 ± 0.01	0.046
		TG (821)		
		GG (134)		

Association of MAP1B with Fertilization Rate and Embryo Survival Rate

SNP5.MAP1B located in intron 5 of MAP1B showed the most significant association with sire conception rate in the bull population analyzed above. To characterize its impact on female fertility, we tested the association of this SNP with fertilization rate and blastocyst rate in the IVF system. SNP5.MAP1B showed significant associations with both fertilization rate (P-value=0.027) and blastocyst rate (P-value=0.029) (Table 4). Oocytes collected from genotype

CT cows showed the lowest fertilization rate (59.9%) compared with that from CC (66.4%) and TT (66.3%) cows (Table 4). For blastocyst rate, the CT genotype again showed the lowest rate (27.1%) while homozygous CC and TT individuals showed blastocyst rates of 31.0% and 41.8%, respectively (Table 4).

TABLE 4

Association between SNPs of MAP1B gene and fertilization rate and blastocyst rate				
Genotype (N)	Fertilization rate		Blastocyst rate	
	Estimate $\pm$ SE	P-value	Estimate $\pm$ SE	P-value
CC (321)	0.664 ± 0.03	0.027	0.310 ± 0.02	0.029
CT (84)	0.599 ± 0.03		0.271 ± 0.03	
TT (28)	0.663 ± 0.04		0.418 ± 0.05	

REFERENCES

Amann, R. P., J. M. Dejarnette. 2012. Impact of genomic selection of AI dairy sires on their likely utilization and methods to estimate fertility: A paradigm shift. *Theriogenology* 77:795-817.

Barton, S. C., M. A. Surani, and M. L. Norris. 1984. Role of paternal and maternal genomes in mouse development. *Nature*. 311:374-376.

Bonilla, E., and E. Y. Xu. 2008. Identification and characterization of novel mammalian spermatogenic genes conserved from fly to human. *Mol. Hum. Reprod.* 14:137-142.

Cheng, L., S. Pilder, A. C. Nairn, S. Ramdas, and S. Vijayaraghavan. 2009. PP1gamma2 and PPP1R11 are parts of a multimeric complex in developing testicular germ cells in which their steady state levels are reciprocally related. *PLoS One*. 4:e4861.

Choe, C., Y. W. Cho, C. W. Kim, D. S. Son, J. Han, and D. Kang. 2010. Identification of differentially expressed genes in bovine follicular cystic ovaries. *Korean J. Physiol. Pharmacol.* 14:265-272.

Dobson, H., R. Smith, M. Royal, Ch. Knight, and I. Sheldon. 2007. The high-producing dairy cow and its reproductive performance. *Reprod Domest Anim.* 42 Suppl 2:17-23.

Druet, T., S. Fritz, E. Sellem, B. Basso, O. Gérard, L. Salas-Cortes, P. Humblot, X. Druart, and A. Eggen. 2009. Estimation of genetic parameters and genome scan for 15 semen characteristics traits of Holstein bulls. *J. Anim. Breed. Genet.* 126:269-277.

Feugang, J. M., A. Kaya, G. P. Page, L. Chen, T. Mehta, K. Hirani, L. Nazareth, E. Topper, R. Gibbs, and E. Memili. 2009. Two-stage genome-wide association study identifies integrin beta 5 as having potential role in bull fertility. *BMC Genomics*. 10:176.

Han, Y. B., H. L. Feng, C. K. Cheung, P. M. Lam, C. C. Wang, and C. J. Haines. 2007. Expression of a novel T-complex testis expressed 5 (Tctex5) in mouse testis, epididymis, and spermatozoa. *Mol. Reprod. Dev.* 74:1132-1140.

Han, Y., X. X. Song, H. L. Feng, C. K. Cheung, P. M. Lam, C. C. Wang, and C. J. Haines. 2008. Mutations of t-complex testis expressed gene S transcripts in the testis of sterile t-haplotype mutant mouse. *Asian J Androl.* 10:219-226.

Imumorin, I. G., E. H. Kim, Y. M. Lee, D. J. De Koning, J. A. van Arendonk, M. De Donato, J. F. Taylor, and J. J.

- Kim. 2011. Genome Scan for Parent-of-Origin QTL Effects on Bovine Growth and Carcass Traits. *Front. Genet.* 2:44.
- Khatib, H., R. L. Monson, W. Huang, R. Khatib, V. Schutzkus, H. Khateeb, and J. J. Parrish. 2010. Short communication: Validation of in vitro fertility genes in a Holstein bull population. *J. Dairy. Sci.* 93:2244-2249.
- Khatib, H., W. Huang, X. Wang, A. H. Tran, A. B. Bindrim, V. Schutzkus, R. L. Monson, and B. S. Yandell. 2009. Single gene and gene interaction effects on fertilization and embryonic survival rates in cattle. *J. Dairy Sci.* 92:2238-2247.
- Khatib, H., R. L. Monson, V. Schutzkus, D. M. Kohl, G. J. M. Rosa, and J. J. Rutledge. 2008. Mutations in the STAT5A gene are associated with embryonic survival and milk composition in cattle. *J. Dairy Sci.* 91:784-793.
- Kuhn, M. T., and J. L. Hutchison. 2008. Prediction of dairy bull fertility from field data: use of multiple services and identification and utilization of factors affecting bull fertility. *J. Dairy Sci.* 91:2481-2492.
- Kuhn, M. T., J. L. Hutchison, and H. D. Norman. 2008. Modeling nuisance variables for prediction of service sire fertility. *J. Dairy Sci.* 91:2823-2835.
- Magee, D. A., D. P. Berry, E. W. Berkowicz, K. M. Sikora, D. J. Howard, M. P. Mullen, R. D. Evans, C. Spillane, and D. E. MacHugh. 2011. Single nucleotide polymorphisms within the bovine DLK1-DIO3 imprinted domain are associated with economically important production traits in cattle. *J. Hered.* 102:94-101.
- Magee, D. A., K. M. Sikora, E. W. Berkowicz, D. P. Berry, D. J. Howard, M. P. Mullen, R. D. Evans, C. Spillane, and D. E. MacHugh. 2010. DNA sequence polymorphisms in a panel of eight candidate bovine imprinted genes and their association with performance traits in Irish Holstein-Friesian cattle. *BMC Genet.* 11:93.
- Memili, E., and N. L. First. 2000. Zygotic and embryonic gene expression in cow: A review of timing and mechanisms of early gene expression as compared with other species. *Zygote.* 8:87-96.
- Montenegro-Venegas, C., E. Tortosa, S. Rosso, D. Peretti, F. Bollati, M. Bisbal, I. Jausoro, J. Avila, A. Caceres, and C. Gonzalez-Billault. 2010. MAP1B regulates axonal development by modulating Rho-GTPase Rac1 activity. *Mol. Biol. Cell.* 21:3518-3528.

- Peñagaricano, F., K. A. Weigel, and K. Khatib. 2012. Genome-wide association study identifies candidate markers for bull fertility in Holstein dairy cattle. *Anim. Genet.* (In press).
- Queiróz, D. B., A. M. Silva, G. Gutiérrez-Ospina, C. S. Porto, G. Grossman, P. Petrusz, and M. C. Avellar. 2006. Cells positive for microtubule-associated protein 1B (MAP 1B) are present along rat and human efferent ductules and epididymis. *Cell Tissue Res.* 325:125-133.
- R Development Core Team. 2009. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria.
- Santos, J. E. P., W. W. Thatcher, R. C. Chebel, R. L. A. Cerri, and K. N. Galvao. 2004. The effect of embryonic death rates in cattle on the efficacy of estrus synchronization programs. *Anim. Reprod. Sci.* 83:513-535.
- Scheet, P., and M. Stephens. 2006. A fast and flexible statistical model for large-scale population genotype data: Applications to inferring missing genotypes and haplotypic phase. *Am. J. Hum. Genet.* 78:629-644.
- Shook G. E. 2006. Major advances in determining appropriate selection goals. *J. Dairy Sci.* 89:1349-1361.
- Telford, N. A., A. J. Watson, and G. A. Schultz. 1990. Transition from maternal to embryonic control in early mammalian development: A comparison of several species. *Mol. Reprod. Dev.* 26:90-100.
- Tortosa, E., C. Montenegro-Venegas, M. Benoist, S. Härtel, C. González-Billault, J. A. Esteban, and J. Avila. 2011. Microtubule-associated protein 1B (MAP1B) is required for dendritic spine development and synaptic maturation. *J. Biol. Chem.* 286:40638-40648.
- Tymanskyj, S. R., T. M. Scales, and P. R. Gordon-Weeks. 2012. MAP1B enhances microtubule assembly rates and axon extension rates in developing neurons. *Mol. Cell Neurosci.* 49:110-119.
- Vazquez, A. I., D. M. Bates, G. J. M. Rosa, D. Gianola, and K. A. Weigel. 2010. Technical Note: An R package for fitting generalized linear mixed models in animal breeding. *J. Anim. Sci.* 88:497-504.
- Weigel, K. A. 2006. Prospects for improving reproductive performance through genetic selection. *Anim. Reprod. Sci.* 96: 323-330.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 40

<210> SEQ ID NO 1

<211> LENGTH: 3780

<212> TYPE: DNA

<213> ORGANISM: Bos taurus

<220> FEATURE:

<221> NAME/KEY: misc_feature

<222> LOCATION: (1986)..(1986)

<223> OTHER INFORMATION: r is a or g

<220> FEATURE:

<221> NAME/KEY: misc_feature

<222> LOCATION: (2081)..(2081)

<223> OTHER INFORMATION: r is g or a

<220> FEATURE:

-continued

<221> NAME/KEY: misc_feature
 <222> LOCATION: (2243)..(2243)
 <223> OTHER INFORMATION: y is t or c

<400> SEQUENCE: 1

```

gagcgcgctc tgcagaggcc gaatagcggg tcgctgggaa accctgggcg gggccgtaag    60
ggtccagcgg gcgcagactc gggcgcgcgg accgacccgc cccgcagccc caccggggct    120
gccgcagtgc ccccgcccca tgcacctgcc ccccaactg cggcgcccc actgggcgcg    180
gccggccggg cgtgcgttcc gccgggtgctt ggggggtgctg tgcgccctct cgtctgcctc    240
aaccgggctt tgttgcgctc gaagtcccg ggtgggcagc tctgtcctct gcctttccct    300
ttcccccg catcgagac ctccctctct cctgaccga ggtcgcggtt ccctccaca    360
ccccagcccg cgctctattc tctcggggtg gtgctgaagc gcgtctgcc cgagacaccg    420
gtggtggggt gtggtgcagt ccgcactgcg gtctctacgg cagcccgagg cggacaaagg    480
gcgttcacgc agccctcggt cccacgccc gccccccact ccccatgaaa gacgcgagaa    540
aaccttggtt tagatgaaaa aaaattaaac tctagtggct tgcctctgca tttgaaaacg    600
gtcgctgtg cccagaacaa aaggctgcag ggtggagact cgagttgcag acctggttct    660
tttgtttaac tttaaagcac tgggtgttact ttttggtta aaaaaagaa aaaatgtgag    720
cagaaagcag acttgttatt ttattcgaa aaaaaaatg gaagaatagg ctaggtcaat    780
agtgaatgc ctcatgtgag catctaata cccttcatt gtcaaaactat agtcctttga    840
atttgatcag tactaattta gtttatttgc acattttctc cttgaaaaat ttcacacgta    900
ctgactttgg gtgtggctgc tgtatgaatc tatgactttg gatttttaa aaaatattat    960
ttgtcagcac ttttgctggg aagtaataat aaagcagggt tgtttctatg tataaaagg    1020
gcataagcac ccgatgtggt gtgaggagag ggacctcat cccattttg gagatggggg    1080
cccagagggg caggaaggat agggagacca gctcaaggct acaccactca taagtgcag    1140
aatgccggct ctgcagcatc actgggtttt ggcctgcat gatgttagtg caggccaggc    1200
gaacatcaca ggaagatcaa agagcaattt ctagagcttg ctttataca aaggcagtag    1260
tcatccactt gtgggcagca ccccatgcag ggaggtggct cagcaatcac cttccatgta    1320
attatcttcc tgctttgtta ctctgctgat cacccttta gtgcctatt tctcagggg    1380
tttattgaag ctgcttctgt ttgaggataa actagattca cccaagttat cggctactgt    1440
gacgtgggtc cgactatttt tcacgctact ggaacttagt gatcgagttc aattttgtct    1500
tcttgccctt tttctttttt aaaatttatt gatgtattat gtagtgagg aaaggctcaa    1560
atcataaacg aggagcttgg tgaattttca caaaaagaca tacctgatcc cgatcaagaa    1620
acggacattc ctgggacccc cagaaacctc ctgaggtgtc cttttcagtc agcatgcctt    1680
cctgattttt tagtgccctg atttagtcag ctttttgctg ggaactctga aatagcagta    1740
ttgatcccat taagaatcaa ccaagtgaat gagcaaagcc atttcctaag gcacagtaac    1800
agatgctgct tttcctctgg agatcaactc tcttgggtcc tggggtcttg gatgcagctc    1860
aaaccacagg gcctccagt gctaagggga aatactgtc ctgtagcttt tctgacagag    1920
atgacttagc aacagggcag gctggctggt gccctggcct gatatgatgc ttcctcagct    1980
ctcagrttcc agcagggcct cctcctccag aggtcactct gataccatgg ctgcggtggc    2040
tggtgcccac gggaccagtt gtgtgaagca agatggagat rctccggggg ctcgccctg    2100
cttgtgtgcc gcagcctttc cgcagggaaa gcggttcac tctgccccct cttgcttgtc    2160
tcccctctca tccgatgag gctctctgag tctggagacc ctagggaact ggatttttgc    2220

```

-continued

catttgatga ttttaaggctc taygggaaac ctagaaaata aatctgtagg aagatggcgg	2280
aaatgcaagt acatcaatag gcttgaatca gcccaccatg gaggctgagt acatgcttct	2340
tgaaacctag tggtactgaa tcaaaactgag gcagctcacc tgcattgcagt aaagccaatt	2400
tactgacccc aggttggtgtg gaaggaaagt gcagcattat tgtaagatgc tgatgtaagg	2460
agaacgggga gctcgtgctt aagaccccc aatccccca agggtttcag caaagcattt	2520
ttaaaggcag tgtaaggag ggtgtcccag agtgtgtgat cagctcatgc accattctct	2580
aattgagaat tagattgatg atgaggtaac aagactacgt tgggcttcct tgctggctta	2640
gatggtaaag aatctgccta caatgcagga gagctcggtt tgatccctgg gttgagatcc	2700
cttgaagaag ggcattgaca cacattccag tattcttgcc tggaaaatcc ccatggacag	2760
aggagcctgg tgggtacagt ccatggggtt gcaaagagtt ggacatgact gactgactag	2820
gcacagcaca agactatggt aatgaggact atgtgcggat ggtcatcaag tagttaattt	2880
cttcatttg atggtgattt tagcatctga aaaataactc aggaatatata cttcagatac	2940
taatatctag gtatttcaga gaggaactaa agcagagggt atagggagg ggtctgtccc	3000
aggaatgtcc cataaggctc tgcttggtta cacaaggaca gaagaccatc attcgtttct	3060
tcagcttcat tcaaaatgca taatgtaggg tctggtcatt tcttaagtct gaaacaacag	3120
tctttgtcga gactgggtta gctttattta gttagttagt caggactcca tgccaaacca	3180
ttgtcactcc ttggcacctc ctttgcccc ttctaatta gtctccaaca tagacttaac	3240
agtcacccc gtttttagca gagtctcccc tctccagt tttttggga tgtagactac	3300
atacactcat gttttgcaaa acgaattcta gagccttggtg aaaagttttc attgcttcgt	3360
tttattttat tttttaaaact aaaacatgta aaaaacacta agtgtcagtt tggtttctc	3420
tgctgttaga gtgtaacttt cctctgggtta acattgggaa tcagcaggat ttgttcatca	3480
gaaagataga tgtgtgtaac atctactgcc ctggattttt agatgtaagt tttgctaatt	3540
acattgtcat ttattgaata ctttcagtct acattgggtta agagaattaa gaaccaggga	3600
aagagttagg gctttgtttc cttttgttt taacaggaaa acaacggggt gatgggaatg	3660
aaaagaaatg ttgaggaatg atatatttac tatatccatc catcttcata cgtttcaaaa	3720
tcaaaaggca gatggatttc tgcttgcgct gcttaattgg tattatctac tcaaagagtt	3780

<210> SEQ ID NO 2
 <211> LENGTH: 3900
 <212> TYPE: DNA
 <213> ORGANISM: Bos taurus
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <222> LOCATION: (1991)..(1991)
 <223> OTHER INFORMATION: y is c or t

<400> SEQUENCE: 2

agtgtcttgg ttaatcaacc agtgagggtca gctgaccact gggtagccag tacagattga	60
gaaaagagca tccaagactc tacttattcc attctgacca cactgectca ctaatacaga	120
ctcaacatct tgtttttaggt cgaaattcag cttggcaaga gcaagcatcc ctgacttcat	180
gttcttagac ttatcaagtt ctcggcagtg atctggggtt ttgatgaatc tgggtttctg	240
atgatccagc ttcattttgt tgcttcaaaa caatcacagg gatttgaatt catatatttt	300
atttgcttta catagtact tgaagggttt agatcacagt tcacaaacat gtaaagcaaa	360
aaataagcaa cactttcttg atttattatg gaaaaattca gtatttagta ctttaggaag	420

-continued

tactagttac aggtacaagt ttttactttt aggcaacgtg aagcagcaat ttcaagactc	480
atatcagatt tcctcttttt atttgcacat agaaaacaaa ctgaatttgt tcatgcttag	540
aatttgtata gagccaccag ataataaatc ttgatctaaa ggacttaaca gtgaccatgc	600
acttaggaga aaacatgaaa tcaattcaaa cagataaaaa cccaactgaa atttgcctgc	660
aaactcatga aacttacact atagcccaca caattgattt tatcactttt tttttttttg	720
gtcatttaaa gataattttg agggaaagtg agttaatttg aatttacatt gaggatgctt	780
tcccaacaga tttttttaaa agacaaaact gcactattaa ttaattttaa aacaaacctg	840
ggtaacttc cagtggttct atcagtttgg gcttctatga gcaatgttca tttgggtgca	900
acgggagtga ttcaagggtc aagtggaaac tgcaggcatt taaaaatatt agatgatctg	960
taactcaca acctctgcta caagtcagaa ttctttggga gatttacaca tgaatatgtt	1020
taggactttt agcttaggtt cattataatg gctggttaat ctattcatga aatgattcag	1080
tttatccaaa taccagtttg gctgattctt actacccct gccctccaa ataaaaataa	1140
accagttcat agctgatttt gactgtggga tggcagcttc tatacatccc atggagaaag	1200
gcaagagaat taaatttagg ggatcttgct agtattttaa gtggtttcac agcagtggtc	1260
tcaaaccaga tacacattag cattggctgg gatgctttta aaaagtgatg gtacctggt	1320
cagtgaagcc ttaccatagc cattgaagcc agggcatctg tattaagcat gctaagtgat	1380
tctaactatg tggccaggag gaagaaccac tgccctacaa tgctagtctt gttaatgtt	1440
caacctctg attagaacaa atcagaaagc caattctaga aacaaggtag ccagaaactg	1500
agattaatct gaaccttcat tttgccagg ctttctgact tggggggaat tttggctgtg	1560
acatacctac cccttacctc agtcgggtat gttctgattg gctagagaaa gcagagtctt	1620
tctgaacctt cctgttgeta aagtttggtt tctagtcttg tctaaggaga gacgtctacc	1680
atttagagga ctgtcctaag gagagaatac agtgttttca tcagtttatg catgaggctg	1740
aggtgctgag ggtcttgtag atcatatgac attaatgctt gactactggc tagatcaaat	1800
gtgaggggat aatattcagc tgtgggcca actgctttta aatgaaatcc taacatgaat	1860
tactaagatg gcttaactat gctttaccaa atgcagatgc tttcctttgt cctttaaaat	1920
ctatttctta gatcacattt caaattaaaa gacacactag cagctctttt aggagtgtta	1980
gcgtctagtt ytactcttgg ggaagacctt ggcaactctt cttaattgct aatgtgttta	2040
agggaaacgc ccattcttc atttctctg agatggtaaa cagtcaagtg atgctgtctc	2100
agactgccag tgtcaaatgc cctctgtgag agaggggagt gccaaccccc actcccatgt	2160
cccagagcgc cttctgggga ataagtaggg aaggtctgct ggacagatga gtctctttgc	2220
atttttgtga ccctggcctt ctctttgttt ttatttgttt acaaagggcc aggaaccacc	2280
aagacgtcca agccctcagc tgtgccccca ggccccctg tgtacctgga cctatgctat	2340
attcccaacc atagcaatag taagaatgtc gacgttgaat ttttcaagag agtgagatcg	2400
tcctactacg tggtagtggt gaacgacctt gctgctgagg agcccagccg ggctgtcttg	2460
gatgccttgc tggaaggga agcccagtgg ggcagcaaca tgcaggtaag agttccagga	2520
cgggtgttgc acaacacgtg gagctgtgtc cagaggcagc aggaagggat cgtgtttaat	2580
gaggcaccac cgtggatccc catgaggtgc ccacagggcc tgctgcactt ggacaaagtg	2640
gatttcacac acacaagctg gtctaaaagc attcgcgcca ccagccacca tggacttgga	2700
ggaaggccac tttaccacc taaagtataa tctgcagagt gggcccaaga ttacacaccg	2760
ttcatatacc aagaaaatta accagcgtaa ccaagtgtca tatttccatg tgagatggat	2820

-continued

```

aagattagc ctttacttgt ctttcccaag tagacaaaag ctagagatat ggccatttag 2880
aaaatcagct gtccacatga gattctgcag gagcactgct gaaaatggtc ctcagcagga 2940
cactcccaac acccaaacat cgtaatgagc cacaaaccac tcattatttc agttatggat 3000
tttatctaag ttttacttac ggttttgtat agtgatctag taaactgtat ttgcataacg 3060
ttaaatagaa atcctgggta tttcattata tgaaacttaa tgcactcagt ggctctttac 3120
tgaatactag gtagaattta agctagtaat cacttaccca cccactcct ctgtccccaa 3180
acacacacac aaagacataa atctttgctc tcatgatgaa atgttagtta acatgcaatt 3240
agaaggtttt cggtgcatt aataactaaa gcccctttgt tttaaataatg caatatcttt 3300
aatgtaaaac atcagttgtg ttaaagaaaa tacaagaaat tccaccttaa ctgaagaact 3360
tctcataatg ctaaagaatt gaaaactgat atagatgaac taactggcta gtcatgactt 3420
gcttttggtt ctagtcttca actgccccag aaaaactaat tttttagcag ctttattctg 3480
gttcctagaa aatgtaagtt ggaaagtcct atggattttc taaggacaat agaataattt 3540
tctctttccc tttcttttcc taatgggtcta attaatacct tactgctgtt ctatttttcc 3600
ccacccatt tctggttctg ctcttcagta gctgttttct ctctccctgc aggtgacct 3660
gatcccgact catgactcag aagtgatgag ggaatggtac caggagacct atgagaaaca 3720
gcaggacctc aacatcatgg ttttagcaag cagcagcaca gtggttatgc aagatgaatc 3780
cttccctgca tgcaagatcg aactgtaaca accaagggtc gccgcaccac aggatttgaa 3840
ctttgtttcc agaaattctt cgatttgaaa ccaccttttc taaaaaaaaa gtcaattcat 3900

```

```

<210> SEQ ID NO 3
<211> LENGTH: 3060
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (232)..(232)
<223> OTHER INFORMATION: k is t or g
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1332)..(1332)
<223> OTHER INFORMATION: w is a or t
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1606)..(1606)
<223> OTHER INFORMATION: m is a or c
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1659)..(1659)
<223> OTHER INFORMATION: y is c or t

```

```

<400> SEQUENCE: 3

```

```

ggcgcgctg cgactgtca cattacggcg gaactaatcc ggcgaccag cgctttgacg 60
catttagtac caggaaggga aaagggggac cacagaacgc gtcacaccg gaagtaggga 120
gccggaactg ggggttgaca ggttatcccc aggggtgggg cagcgaggc ccaggaggag 180
ggggaaaaaa gaaggtggag gatcctggct gctaactctga atcgataccg aktctcttag 240
acctcagaga cacagaaaag acagaagggt gcctcatccc ctttccctcg cttctctctc 300
tcctcagcct tagccatggc ggaggcaggg gccgggctga gtgagaccg cactgagaca 360
acggttaccg tgacaacgga gcccgtaga aaggctgggg gcgggtgctgt ttaggggtct 420
gagagatacc gggaggggag ggataaggct ttggagagtt gctggatggg ctgggcctgg 480
ggatatggga ggaagtgggt ttgggagaat cgcagagtat tagggatttt ttggtgtgtc 540

```

-continued

agagttggtg	cagaaggctg	gtcaagtgac	atgcaataga	gttaagatgt	aggtgatact	600
gcttgggatg	gtggtgtctg	taagtattga	aagactggga	acttggcgat	taatgagcaa	660
gggatgtact	gggggaaatg	aagggttggtg	tgagaaagca	tggttggaag	ctcgctgtag	720
ggaaacttga	cactaagcat	gcttatcaat	aaatatttct	tgaagagatt	attgcaaacg	780
gaagcagagg	gaatgaggga	acaagaaaag	ggagatgatg	ggagtatttt	gaaaaatcag	840
agatgtagag	aaaaacagcg	tttttgcaaa	aacattgctt	tcaataggag	atgttcctgt	900
cgggcttaat	aaccctttga	ttaagggagt	ttagagtaat	agttactaga	gatgccagga	960
tgctggagaa	taggtggata	acagattggg	agggctgggc	ttgaggatga	gagatgtgag	1020
aacagagtca	tttctttaat	gggaaaaaga	ataggcgctc	tgggaaaaga	aaggagatc	1080
aaagtttagg	cattggtgac	tgaaaaata	attttcatgt	attaatacca	ccaagatga	1140
tttggggagg	aagatggagg	aacagcgagg	attatatttt	cctttgaaga	tttgctggga	1200
ctttccctag	gttaggaatt	gtatcttctc	tgtatactag	tggttactaa	gaataactaag	1260
aacagaatc	ctcaagggac	tccttgaggt	caaaaacctg	ttctatctcc	tcccagcatc	1320
agtcctctg	twgctgtgtt	tgtgatcctg	attgaactgg	gaaagggag	aaaggaggcc	1380
ccagggagga	cgcaggaaga	gttagtagga	ggggactagc	taggtatgcc	tatccttctt	1440
aaccttccag	gagaaccgga	gcctaaccat	caaacttcgg	aaacggaagc	cagagaaaaa	1500
ggtggaatg	acgagtgaca	ctgtggacaa	tgaacacatg	ggccgccgct	catcaaaatg	1560
tgagtaattg	ttgccccaca	gtaacgtgg	agtcctggct	cccctmagca	tatcttttgc	1620
cttcaggcat	tcaactggcct	tcccaaagcc	cccagatgyt	cacagtcctg	tggtgcctt	1680
ggtggttctc	tgttatcagg	gagaggaggt	taaagttaga	gggaaagagg	tagggagggg	1740
cttcaatttc	catgtgcaag	gcctaaagtc	aaaggatatc	gaggtgggag	aagaggagct	1800
ttggattccc	ggctggaaag	gcaaggtggg	taggtgacag	agtcccagag	tgtaggcctg	1860
gggaagctgg	atctggaagg	tagaaggaga	aaatggtggg	aagtaggaat	tttgactgag	1920
atccagtggg	aatggaactg	acactacatc	tgaactcttc	ctcctttttc	actgggctcc	1980
tccatccaaa	tccaggctgc	tgtatttatg	agaaacctcg	ggcctttggc	gagagctcca	2040
cagagagtga	tgacgaggaa	gaggagggct	gtggtcacac	acactgtgtg	cgggggccacc	2100
gcaaaggacg	gcgtcatgca	accccgggac	caagcccccac	cagccctccc	cagcctcctg	2160
acccctccca	gccccctcca	gggccaatgc	agcactaaat	tctcgcctcc	cccaccattc	2220
ctgtgtctgt	ctggccctga	atgtattcat	gtggctactc	ggggactaaa	cccacgattt	2280
gatcccttct	ccagcccccct	cctccctctc	cctctgcctg	acagagggaa	gagggagagg	2340
aagggtgaca	gagatcctgg	aattctgact	tgtctctatt	ccagaacctc	ggcttctggg	2400
ttccccacgc	cctcatttct	ccttacaata	cccagcctcc	tctctccagg	gatccaggca	2460
tcttgatccc	aatctttttc	ctttgttctc	actgccaaac	tgcctgtcct	gggatccagt	2520
tatcttggcc	ccttgcactc	tctacttgag	ttccaaacag	ctaaattggg	tttccagcag	2580
ccccagcttt	cactgccagg	gtcctagtca	gattccaggc	aatcttgctc	cagctatgct	2640
tgtaaatcct	ggcttagagc	tcttccactt	atgtatttat	gtcatcctaa	ctcttagtcg	2700
ttgcctgtgg	gatgtgaggt	cttctgtgag	acctcagggc	tcctagccct	ttcccttctc	2760
tcctgccccc	ttcccccaag	cccttaagag	gagttaggag	agagggaggt	ctttgtcctt	2820
ctcaccttta	atgagaaatg	gaaaaaagaa	atgggcatgt	cctctctcct	caccgttctc	2880
atgtgactag	ggtttctgac	aaaactggct	ccaagactag	tcacttagag	cccactatct	2940

-continued

```
cctcagcctt tggctcttcca acttaggaga cagatccgac ccaggggctt gggctcctgg 3000
gagaggatgg aaaagggagg gagccaagag atgcaatctc accccttctt tccaaggcct 3060
```

```
<210> SEQ ID NO 4
<211> LENGTH: 4080
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2006)..(2006)
<223> OTHER INFORMATION: r is a or g
```

```
<400> SEQUENCE: 4
```

```
ctgatatctg agattaaata tcacctctaa aaccttcctt ttttgcatgc ctactatctt 60
acttaggaaa ttccattcag tatcttgccg ggagaattcc agggacagag gtgcctgggtg 120
ggctatagtc catgggggtca caaagaatca atcggacatg actgagcgac tgacactcat 180
tccagttgtt cagacacaaa aatatgaggc atctttgatt tctttctcca gtgtacatat 240
ctgatctgtc agcagagtcc tcttgtttct gtctagcacc aaactatata agaaccctac 300
agttgctaag ttaaaacaaa gatcagatct acttcttgcc tccaaaccca atggcttccc 360
tctctaaagt aaagatcttt cagtggattt caaggcactt catgaaatgg ctcccatcat 420
ccctctccaa atcctgctgc tctccattgc ttacctatt ctactgtcac ttgctcatt 480
actcatcccc acacgtacca gacatgggtc tactctattg cctttgttct tgatattccc 540
ctgacctaga acgtaaaaac cagatgggga cctcttttct gggttggttg tttgtttgtg 600
agcacgtaaa gaacacctat acctagaac ctttatattt gttcttacct ctgacctata 660
atattgttct ttcagatata tgaatagttc acttgtttag taatatctgt cctcagatgt 720
catctaatta gagaagggtc ataaacccat ttggcccttt attctgctaa atttttttct 780
tttttagact taatgcatca tatttgttat ttacctctcc acaatgagtg cagatgcttt 840
gttttatttg ctgtgttttc agtatctaga atagatactg gcactactg ggtgctaaat 900
gtttgttaat aaatggagac agctgatagg gacatggagg agtgggatta caaaaagtaa 960
caccctgtta cttctattca ggctatagat tattatcttt cctctctaac attttataga 1020
aaatttcttg gtgtggaaga gtctttggct catgcttata tttaaacc aa ttaacaaagc 1080
taacaagtaa atattcttta atgtgttaag accctgagat aatatcttat atatctatat 1140
atataagata ctttggggat taaggggttt gaattgagat aatgttgaaa catagaatat 1200
tgtagagttt gtcagccctg ggttgaatgc tattattatg aatgcctctg gcagtcaagg 1260
taaaataata gattctataa ccattgggag aacaaaggaa tttatttata gagagggaaa 1320
tgaagggctg gagccaaatt tggaactgct aagagttggc aggtagatat catttatctt 1380
tccctaagtc tctacttatt ggttggccta tgaaggcaag gggcaagcgg tcgtttttct 1440
ttttttttag tcataaagta ggaaaaagtc cttgtctctc tatctttgac atttatccac 1500
tcaggaaata tttgaattgc tcttacctat caggcctgag tttagggtgt gggaatacag 1560
tggtgaataa gacagtttcc tactcaccct atgctttttt ttcttttctt aattttgtag 1620
tttgaatgtt tcattgtctt gtaggtgatg aaagaactat ggtctttgtt gaaactaaga 1680
aaaaagcaga ttttattgcc acttttcttt gtcaagaaaa aatatcaaca acaagtattc 1740
atgggtgagt agattattat gatttcctag taaggaggta acttctattt gtcatttggt 1800
aagaaatgtt ggtatattta actagtaaaa aatcctggaa ttaggatctc aagatctagc 1860
```

-continued

tattattctt	catctttaag	ttttataag	aaccaagtgg	ctgggatgga	tgagttagaa	1920
gtatcttaag	ttcctcatca	tgattatcaa	gcagtctcac	ttagtctctc	taatccttag	1980
atctaggtgc	ttattcagct	aatctrcca	gtgcttggtg	tttttttcac	tgggcctcaa	2040
aaatgtcata	gtaacacaac	ttcattggca	ctttactagg	agatctaaaa	tattaattgg	2100
tgaatatgta	gaattccgag	attatacttt	taaaaaatca	ggaatttttg	agaaaggatt	2160
tgatcaacta	gttgtgtatt	tttgtcaaaa	actagaaaca	gtttattagt	tggttaagatt	2220
tgatgtttgt	cgcatttgag	tctgtatttt	ggctgtaggt	attagctgtc	accttcactc	2280
gcaaattggag	ttaattgtcc	taacctcaaa	gtattattgt	gagaattaaa	tgatgactta	2340
caagaaatta	gtataatact	ttgtatgtaa	gaagtagaca	ttaatgttaa	ctgttgetat	2400
ttttgtttta	ctgttatcca	ttgaacttat	ccaaaagaa	atctatccat	tgaactttaa	2460
tggttgtctt	taatagtttt	cttaagggct	attctaatac	atgctttggt	ttctttcaag	2520
tgatcgtgaa	cagagagaaa	gagagcaagc	tcttgagatg	ttccgctgtg	gaaagtgtcc	2580
tggtcttgtt	gctacttcag	tagctgtccc	agggctggat	attgaaaatg	ttcagcatgt	2640
tattaatttt	gatcttcctt	ctaccattga	tgaatatgtt	catcgaattg	ggcgtactgg	2700
tcgttgtgga	aatactggca	gagctatttc	cttttttgat	ctggaatcag	atagccagtt	2760
agcacagcct	ctagtgaag	tgctatcaga	tgtaagtttt	taatttttaa	aactgaatgg	2820
atagtgttct	taccttgta	ttgaagcag	acattttata	tgtatggatt	ttcagttcag	2880
ttcatttgtc	cagtcgtgtc	tgactctttg	caaccccatg	gactgcagta	tgccaggctt	2940
ccctgtccat	caccaactcc	cagagcttac	tcgaactcat	gtccatcgag	ttggtgatgc	3000
catccaaccg	tctcatcttc	tgctcatccc	ttctcctcct	gccttcaatc	tttgccagca	3060
tcagggtctt	ttccaatgag	tcagttcttt	gcatcagggt	gccagagtat	tggtgcttca	3120
gcttcagcat	cagtccttgc	gatgaatatt	caggactgat	ttcctttagg	gttgactggt	3180
ttgatctcct	tgtagtccag	gagactcaag	agtctctctc	aacatcacag	ttcaaaagca	3240
tcaattcttc	agcactcagt	ttcttttgaa	gtccacttct	cacatccata	catgactact	3300
gaagaaacca	tagctttgac	cagacagacc	tttggtggca	aaataatgtc	tctggttttt	3360
aatatgctgt	ctaggttggt	catagctttt	ctgcttttct	tccaaggagc	aagcatcttt	3420
taatttcag	gctgtagtca	ccatctgtag	tgatttcgga	gccccaaaa	ataaagtctc	3480
tcactgttct	cattgtttct	ccatctgttt	gcctgaatt	gatgggaccg	gatgccatga	3540
tcttagtttt	ctgaatgttg	agctttaagc	caacttttct	actctctctc	ttcactttca	3600
tcaagaggct	ctttagtctt	tcgctttctg	ccataagggt	gggtgtcgtc	gcgtatctca	3660
ggttattgat	attttccag	gcagtcttga	ttctaccttg	tgcttcaccc	agcccagcat	3720
ttcacatgat	gtactctaaa	atcccacggg	cggaggagcc	tggtaggctg	cagtccatgg	3780
ggtcgctaag	agtcggacac	gactgagtga	cttcacttct	acttttcaat	ttcatgcatt	3840
tgaggaggaa	atggcaaccc	actccagtgt	tcttgccctg	agaatcccag	ggacggggga	3900
gcctgggtgg	ctgccgtcta	tgggggttga	cagagtcgga	cacgactcaa	gcgacttagc	3960
agcagcagca	tataaattaa	ataagcaggg	tgacaatata	cggccttgac	atactccttt	4020
ccctatttgg	aaccagtctg	ttgttccatg	tccagtctca	actgttgctt	cttgatctgc	4080

<210> SEQ ID NO 5

<211> LENGTH: 3900

<212> TYPE: DNA

<213> ORGANISM: Bos taurus

-continued

```

<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2139)..(2139)
<223> OTHER INFORMATION: r is g or a

<400> SEQUENCE: 5

gagtgaggcc ctggatctg tatttaaaag cctcctgct gactctgatg cctctttcat    60
ttggtaacca ctgatctatg gagtctttat aacttctctg cacacagatg tatagtgtat    120
tttgtgggta tttttcccgat atcttgtgtc ccttagctgg tccagtatag taataaggag    180
ctcagatttt ggaatcagac acccgggatt tgagaccag atccttctct tctgtcagt    240
tgtattattt taaaaagca tgtttaactt tgtatttctt ttttctgtt tataaattga    300
ggataatacc cacctcataa gggttttgtg aggatttaa aagttaaaat agaattcatt    360
tagaagagtg tcagatggat actgttttat gtgttattat tacattattt ttctataatt    420
agtagattat aactgatctt gggatcatta tctcattttt gtttgtgctt aactttattt    480
ttaactctac agagattatt ttttaataac tttttatttt gaaatcattt gactcaagaa    540
gtttcaaaaa tagtacagaa gatttccttc agcttgcttc taatgtaatt gtactcctca    600
cccagtttct cctaattgca ttagcctatt ttaattccca gtgtgggtcaa aataactgta    660
agtttggttg aggagaacag ttggccaaag gttatgtgag gtgggttttc tttcatatat    720
gacaataaat gttagctacc atcatcatta ttccagatga tgatgaatta ttatatcatc    780
aaataataat tccattattc cagattattc taagaatctt tgcagaattc tttctttcct    840
cttcaacccc cttgtatgaa atctttgctt ctgagaaggt tgtcttgatg ttaaatgatt    900
ctttaggaat attgtcaatt gttgatgtca gctcaaatag gagcctgcaa caagagctgt    960
gggtcattgt ttattataaa tcaatattaa ttgagtagat tagtactttt gtacataaac   1020
aactgatagc ttttaactctg tcgagccaca tatgtcatca ctgggacctt gttctctggc   1080
actaaatggt agtgatatgt acaagattc cttgaaacca tcttggtatt ttccaaatat   1140
gggtttattg gaatcttcta gaaagcttaa agttattact gaaagttata tcaataaggt   1200
ataatttttt aatttagaaa aattgttcat tcttgatat cactctgcac attcaaatg   1260
aatctctcta ggggtgggtc tgataattta tttttaacca actttcctga taatttttag   1320
tcaccttca gtgtagtgat cctcatacta ctatgtataa actctggtaa tggtacttaa   1380
taatgtcact aaggacagaa agccgggatg tccccaaatg cttccattag gatggatagg   1440
gaaaagtttg catatattaa aaaaacacta taatgcttca gggttattaa gaaagacaat   1500
ttacagatta atgatgacat tataaatata atagttatgc atttctgaga tccgtttgac   1560
tactcaactg ttcagatatt tctgaaactg ttctgtgaca tttatgaaat tcttattttt   1620
tggtgtgtgt cagaacttga cagataacat gcttaacatt tagtatttag gtatattagg   1680
tgatttttaa aaagaattga ctgaataatg tgtttgatt ttgttggtat ggtgatttta   1740
aaatttaaaa tttgttcat atgttagctt atgaatatat ttttctcag taatttctct   1800
tgtgatagta ctatttagat actacagtaa tataaatact gcaataatta tttagatgct   1860
attcacatgt taaattttta ttcaagaatc tagtattgac tgtgaagata atcaaacacg   1920
gaacagaggg tttccaaga gagggcgtaa ggaccatgtt ttggaacaac ttgtacttaa   1980
gacagaaatt aaactgaaaa attgattttg gaagagctga aagaaaaatt ctggtggtga   2040
aaacctttca agaaaaatc tttggcatat cctttatgct gttaatatat gagttaatat   2100
tcagtaggtg tctctccttc tgctttctga tgctactera tttgtctttt cctaagacct   2160

```

-continued

```

ccagagtgtt ctatgaacta caaaaggtgg gactgtgtga atcttggtea ttcacagtat 2220
agataaactg ggatgtcttt gtctctgagt aggaacattg gagatatggg ggaagggaga 2280
agttgtagat taattacat acttgctaact cctgcctctg cttgaggtga gatggtataa 2340
aaattatagt gctcagttct ggattatcta taggcagaca tgttaaaata gcaacaatat 2400
ccacgaaaaa ccacagtga cttataaaat tgctacaagt gtgcaaatat atttatgata 2460
gaactttagt gtttgagact gcactagata catcatagtt tttgctgcaa cttggagata 2520
tcgttttccc ttgctatta gatgattggc tcattgaata gatcattgaa tagcaggcct 2580
tcctagttaa gctgagactt gctgtggatt tcactatagc cttggatgag ttgtgagggg 2640
cgggtgggtag gaatttggg gtgaatcagt tcagtcgctc agttgtgtct gactctttgc 2700
gaccccatga attgcagcat gccaggcctc cctgtccatc accgactcct ggagttcatt 2760
caaaactcaag tccatcgagt cggtagtgcc atccaacat ctcactctct gttgtccct 2820
tctctctctg ccccaatcc ctcccagcat cacagtcttt tccaatgagt cagctcttcg 2880
catgaggtgg ccaaagtact ggagtttcag ctttagcatc attccttcca aagaacaccc 2940
aggactgato tcctttagaa tggactagtt ggatctcctt gcagtcacag ggactctcaa 3000
gagtcctttc caacaccaca gttcaaaagc atcaattctt cggcgctcag ctttcttcac 3060
agtccaactc tcacatccat atatgaccac tggaaaaacc atagccttga ctatatggac 3120
ctttgttggc aaagtaatgt ctctgctttt cagtatgcta tctaggttgg tcataacttt 3180
ccttccaagg agtaagcgtc ttttaatttc acagctgcag tcaccatctg cagtgatatt 3240
ggagcccaga aaaataaagt ctgccactgt ttccactgtt tcccactcta tttccatga 3300
agtgatggga ccagatgcca tgatctttgt tttctgaatg ttgagcttta agccaacttt 3360
ttcactctcc tctttcaatt tcataagag gctttttagt tctcttcac tttctgcata 3420
agctgagtct ttaatggcaa ttgtaggggg ccctgcaatg atggggcgga catttagtta 3480
agaaatagac tcgtctttta acattgctct ccttccccct ttaacaagga gttttgacac 3540
taatgttctt aaaacatagc tcttttggtt ttctgcagaa cagtggctat ctttcttact 3600
attcagtttt ctttaaatca ttttaattca tatttaagtg cagcaatgaa aagccagttg 3660
cagctctttg tgcttgatcc tgacttattg actagtgtag gttgtctagt aggggtgccc 3720
tgattgctat tttctttaga tgtatacatt tgaaggtaga aaacttgtgt gtgacacggt 3780
ggtcactcag taaatacaga tgtgtgtgta aatagaacct tatctaagtt tatgttgaag 3840
tatcatgtca tacaggaaca ggttggtgca tatgtcataa atgtatacag ctcagtgatt 3900

```

```

<210> SEQ ID NO 6
<211> LENGTH: 3720
<212> TYPE: DNA
<213> ORGANISM: Bos taurus
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1981)..(1981)
<223> OTHER INFORMATION: r is g or a
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2097)..(2097)
<223> OTHER INFORMATION: y is c or t

<400> SEQUENCE: 6

```

```

tccagcctgt tctgtgtagt tttgaacttg agaagtgggg tctttgtcca gaggaacac 60
tgcttttcgc ctggtagagg atgggctcca tccgaatcat acccagtttg ttcctttgct 120
acttcttcat cttcccgtag tttcatgtcg agtcagaatg taaggactgt ttagcttttg 180

```

-continued

tgaggggcaa aaatgtgttt ttgaactgga caaggtaagg tttgaaccca ttcttttgtc	240
tttcttgtat acttccattt tcactttgag cacaaagcag gttggggaag caggaggggg	300
gaagatgtta ttgtggatta gagacagagg aaaaggcagg tgggggggtg gaactgaacc	360
ccacttcctg cagcogtttc ccagccggtt ttgaaaagac tctgaaagga gaataacgtc	420
tttaatcaag agcaatagta ttagtctcctt tactataagt aatacttttc tttgagccta	480
tatttatattt accgggctag aaatagctga agttattcca gcagccatga ctattgtcta	540
ggagttggat gtgggctggc aatagactgg ctgattacac tgtttagaaa taaacccctt	600
tgttggcagt ctcttctggt gagaatggtt cataaaggtc cctgtggctg gttgttccat	660
ggtgcttgct tttatatcag ttcagtaccc tcataatgag gtggtcttct agaatatatt	720
attataactc tgttcagag ggcgtagggc tcgtcagtta tgcaggcaac atcacaaagc	780
tttgaagaa atctcttaat taagtcttag ggctggtgct gcagtgaagg gatgaatgga	840
ctgaaatgct tccatctctg agcgtctttt caaactaaac gggccctttg ccgcatcata	900
gccaggagtc cagcagacgg acacactgag aaagtgggtg tggatgtgat tggatgtgt	960
cctgacttcc tctgacctac ccctggggat ttctgtactt cacgtcacac gtggctcctt	1020
gttgatggta tgggtaaaac atagggtgtt aaagaaccag aattgacagc agttcagcga	1080
ccttttgggt cttcaggtct gagaccatac cctaggcagc atcagtcctc ccacggtaga	1140
tggcactgga ctttctgtgg cgtttaagac ctaacgttct gtgactgaga atgtggcctg	1200
tcttgccac agctgggtacg atgacaagat gactatctga gttaggaaga aaaagtgaag	1260
tgaaagtcac ttagtgtgt ccgactccgt gacctgcagc tcttctaggc tcctctaggc	1320
tcctctgtcc acgggatttt ccaggcaaga ataatggagt gggttgcat ttctcctcc	1380
agatcttccc aaccaggtc tctgctttg caggcagatt cgttatgtgt ctacaatgaa	1440
agaaagggta ggagcaaata cagaggcaga agtttgttcc ctccaggaa ggttattctt	1500
gatctggcca ttcaaagacc ttttcatttc ctctcagatc ttttcaaagt gactaacctg	1560
aaaaatcttt gatgtgtggg ccaggacatg atggaggaag gcatcttttt ctttcctttt	1620
actccttgga gaagagatga aactaaaagg gctctaaggg aaaaaaaaaa attcttaaaa	1680
aaaaaaaaagtt aataaaaaaa caaaaggtaa taaatagctc tttgtaaaca gcttaccacc	1740
ttacttcctg tggttacatg cattacctta tggctgtgat tatgaaagat ttctagagaa	1800
acgttaggat gatcacataa ctccctccta aggcgccagt ggagcccaa gtctttgctg	1860
ttcacgtgcc ttgtgagtgg cccaacacag tggggacttt ataaatatca aatcattgtc	1920
gttaaaaaac acttcccgtc tcactctgag acccttcctt ttaaggagtg catgtggtgg	1980
rggaggatta atgacagcac agcgagtgtg gcttgaaggt ggtgacatca cccggcttga	2040
acccttcagt gccgggtgag aggattttca tctcatccat cctcctgagt ttgccaygag	2100
gggtctccaa gaacaggaag agaggagtct gaggagagga gacttctgga cattctgtga	2160
tagtcccctg gctctgtgcc gtattgtttt gtaaataagg cagttatggt ttctagtctg	2220
ttgtttttct acaaaaatgg aggacgtgtg accagcagtg ttagccttcg tgaatgagat	2280
tctgtgttcc ggccatcact ggttcaagta ggtaacctaa gagctgagct taagttgctt	2340
ctcttgacgc ccatcttttg ctttcagtaa ggaatctgag caacattaga ctgagaatca	2400
gacaccttta ccatcacttt acgggatgct tccatttgct gtgtgatagg acgcagggtc	2460
aggagggagg cgtctggacc ccagagtcgt ggcgtcagga ggtcccgtgg gagcatcctc	2520

-continued

```

agcctctgca gtggctctac caggagagga aggtgcttgg gtgtcgggat acccatgctc 2580
aactcctggt tctcccgta tcatgccctg tgactctgga caagtcactt agcctctctg 2640
aaccttaatg tttgtatctg ttaagacaag ggtttggaaat agatccgtcc aaattcacat 2700
ttctgcagac ctgggttact ggctgtaggg ctctaattgg actggatctc ctcatccctg 2760
ataacctatt tccagggcgt gggggcccct gctgtacagc gtcttgcttc attttcccac 2820
cgtcttttag ctcccatctg gatgccatct tctgtgtagt atggaagcct tcctaaacca 2880
tccagtgact ccttgagcc ctctctctcc ctgctgaggt gtgtgtccag gagccagggg 2940
ccatcctgcc ctttttgctg gccactgccc catggttctg gtctcatgcc agggctcgga 3000
ctctgtcagg atgtggtggg ttgagtttat acctgatctt gatgtaaaca catggcctct 3060
gcccagtcac ttgttctctg tcccacactg gcttccagct ctttttggtg ctctgactct 3120
ctgctctctc ggccctctga tggtctggaca tcttttcttt tcttctaga atgccacccc 3180
tttttttgtt gtctaacttg taaaagcccc atagatcacc tcccatttca aacccttaga 3240
gatgactacc ttgatatgtt gataagaggt gaactttctc agaggagttt cttgttacag 3300
tgtcaaatgt gggtataaat cactggaact taaggatctg tctgccaagc agtagacacg 3360
agtttgatcc ctgggtcagg aagatccgct gaagaaggga atggctatcc atgccagtat 3420
tcttgctctg agaatcccat ggacagagga acctggaggc tacagtctat ggtgtcacca 3480
aaaaattgga catgacttag tgactaaaca acaacaataa gagaagcttt aaggagggtc 3540
agccctctct ccaccccagc actagaacag tccttagagc agagtctccc aaatctgcct 3600
ggtgagcaga atcatcacc agtgctttta ttattatatt aatatttatt aaaaaatttt 3660
ttttgtttgg ctatattagg tcttagttgt ggcattgagg atctttagtt gcaacatgtg 3720

```

```

<210> SEQ ID NO 7
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DCUN1D1

```

```

<400> SEQUENCE: 7

```

```

atacccttag gcagttag 18

```

```

<210> SEQ ID NO 8
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DCUN1D1

```

```

<400> SEQUENCE: 8

```

```

aattgtaaac cctgagac 18

```

```

<210> SEQ ID NO 9
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DDX4(1)

```

```

<400> SEQUENCE: 9

```

```

aaacacggaa cagagggt 18

```

```

<210> SEQ ID NO 10
<211> LENGTH: 20

```

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DDX4(1)

<400> SEQUENCE: 10

aggcaggatt agcaagtatg 20

<210> SEQ ID NO 11
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DDX4(2)

<400> SEQUENCE: 11

aaccaagtgg ctgggatg 18

<210> SEQ ID NO 12
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DDX4(2)

<400> SEQUENCE: 12

cagactcaaa tgcgacaa 18

<210> SEQ ID NO 13
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DNAI1(1)

<400> SEQUENCE: 13

cggttaagtga gcagcatc 18

<210> SEQ ID NO 14
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DNAI1(1)

<400> SEQUENCE: 14

actgaagcct ttgcccta 18

<210> SEQ ID NO 15
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer DNAI1(2)

<400> SEQUENCE: 15

cccagtgctc caaatcct 18

<210> SEQ ID NO 16
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer DNAI1(2)

<400> SEQUENCE: 16

-continued

atggctcacc ttgtcttcag ta 22

<210> SEQ ID NO 17
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Forward Primer DNAI1(3)

<400> SEQUENCE: 17

cgtgactggg tttaggat 18

<210> SEQ ID NO 18
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Reverse Primer DNAI1(3)

<400> SEQUENCE: 18

ctgggtggctg ctgtctat 18

<210> SEQ ID NO 19
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Forward Primer GAPDHS(1)

<400> SEQUENCE: 19

ccaggaaacg gcatacc 18

<210> SEQ ID NO 20
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Reverse Primer GAPDHS(1)

<400> SEQUENCE: 20

acacgcagca gggcaact 18

<210> SEQ ID NO 21
 <211> LENGTH: 20
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Forward Primer GAPDHS(2)

<400> SEQUENCE: 21

gtgaaggcca gggactatga 20

<210> SEQ ID NO 22
 <211> LENGTH: 20
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Reverse Primer GAPDHS(2)

<400> SEQUENCE: 22

acatgaacaa gagggctgct 20

<210> SEQ ID NO 23
 <211> LENGTH: 20
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer GSTM3

<400> SEQUENCE: 23

ttctcttccc tgcaagtcgt 20

<210> SEQ ID NO 24
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer GSTM3

<400> SEQUENCE: 24

tgagaacagc tgccatcatc 20

<210> SEQ ID NO 25
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer MAP1B(1)

<400> SEQUENCE: 25

ccatttccta aggcacag 18

<210> SEQ ID NO 26
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer MAP1B(1)

<400> SEQUENCE: 26

ttccgccatc ttctaca 18

<210> SEQ ID NO 27
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer MAP1B(2)

<400> SEQUENCE: 27

cttatggtcg tgattatgaa 20

<210> SEQ ID NO 28
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer MAP1B(2)

<400> SEQUENCE: 28

aaggctaaca ctgctggt 18

<210> SEQ ID NO 29
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer MAP1B(3)

<400> SEQUENCE: 29

ggctgtgaca tacctacc 18

-continued

<210> SEQ ID NO 30
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer MAP1B(3)

<400> SEQUENCE: 30

cagaccttcc ctacttatt 19

<210> SEQ ID NO 31
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer PPP1R11(1)

<400> SEQUENCE: 31

cacattacgg cggaacta 18

<210> SEQ ID NO 32
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer PPP1R11(1)

<400> SEQUENCE: 32

atccaagca gtatcaccta 20

<210> SEQ ID NO 33
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer PPP1R11(2)

<400> SEQUENCE: 33

acctgttcta tctcctccca 20

<210> SEQ ID NO 34
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer PPP1R11(2)

<400> SEQUENCE: 34

gtcacctacc caccttgc 18

<210> SEQ ID NO 35
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward Primer SPATA20

<400> SEQUENCE: 35

ttggagaaga aaccaccag 20

<210> SEQ ID NO 36
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse Primer SPATA20

-continued

<400> SEQUENCE: 36

cctcacaagc aaggctaagg

20

<210> SEQ ID NO 37

<211> LENGTH: 19

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Forward Primer UBC

<400> SEQUENCE: 37

tcgctcagtc gtgtcttac

19

<210> SEQ ID NO 38

<211> LENGTH: 18

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Reverse Primer UBC

<400> SEQUENCE: 38

tcaaccaacg cctaattgt

18

<210> SEQ ID NO 39

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Forward Primer PCR-RFLP

<400> SEQUENCE: 39

gcagctcttt taggagtgtt agcgtctgat

30

<210> SEQ ID NO 40

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Reverse Primer PCR-RFLP

<400> SEQUENCE: 40

ctcacagagg gcatttgaca

20

What is claimed is:

1. A method for implanting an embryo comprising:
 in vitro fertilizing cattle eggs to obtain fertilized eggs,
 culturing the fertilized eggs into developing embryos,
 detecting the identity of a nucleotide of a PPP1R11 gene
 of an embryo at a position corresponding to position
 232 of SEQ ID NO: 3, wherein the PPP1R11 gene
 comprises the nucleotide sequence of SEQ ID NO:3,
 and identifying an embryo that has a guanine at said
 position, and
 implanting into a suitable female bovine said identified
 embryo.
2. A method for selecting a bull bovine animal as a
 breeder, the method comprising:
 - (1) performing a procedure selected from the group
 consisting of:
 obtaining a sample of the animal's nucleic acid, wherein
 the nucleic acid corresponding to position 232 of SEQ
 ID NO: 3,

- detecting an guanine nucleotide at a position of the
 PPP1R11 gene of the animal corresponding to position
 232 of SEQ ID NO: 3;
- selecting the bull bovine animal that has a guanine at said
 position, and
- (2) using bovine cell or tissue from the identified bull
 animal in a breeding procedure.
3. A method according to claim 2, wherein the bovine cell
 is a sperm.
4. A method according to claim 2, wherein the nucleotide
 is detected by sequencing the PPP1R11 gene or a relevant
 fragment thereof.
5. A method according to claim 4, wherein the gene or a
 relevant fragment thereof is isolated from the animal's
 nucleic acid sample via amplification by a polymerase chain
 reaction of genomic DNA of the cell.
6. A method of claim 1, wherein the identity of both
 copies of the gene in the cell is determined.
7. A method according to claim 1, wherein the nucleotide
 is detected by sequencing the gene or a relevant fragment
 thereof.

8. A method according to claim 7, wherein the gene or relevant fragment thereof is isolated from the animal's nucleic acid sample via amplification by a polymerase chain reaction of genomic DNA of the cell.

9. A method of claim 2, wherein the identity of both 5 copies of the gene in a cell is determined.

* * * * *